

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Find Parking - SmartPark Innovations</title>
<script src="https://cdn.tailwindcss.com"></script>
<script>
tailwind.config = {
theme: {
extend: {
colors: {
primary: '#0066CC',
secondary: '#34D399'
},
borderRadius: {
'none': '0px',
'sm': '4px',
DEFAULT: '8px',
'md': '12px',
'lg': '16px',
'xl': '20px',
'2xl': '24px',
'3xl': '32px',
'full': '9999px',
'button': '8px'
}
}
}
}
</script>
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Pacifico&display=swap" rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/remixicon@4.5.0/fonts/remixicon.css" rel="stylesheet">
<style>
:where([class^="ri-"]):before { content: "\f3c2"; }
.range-slider::-webkit-slider-thumb {
appearance: none;
width: 20px;
height: 20px;
background: #0066CC;
border-radius: 50%;
```

```
cursor: pointer;
}

.range-slider::-webkit-slider-runnable-track {
height: 4px;
background: #e5e7eb;
border-radius: 2px;
}

</style>
</head>
<body class="bg-gray-50">
<nav class="bg-white shadow-sm fixed w-full z-50">
<div class="max-w-7xl mx-auto px-4">
<div class="flex justify-between h-16">
<div class="flex items-center space-x-8">
<a href="https://readdy.ai/home/aee473e7-a87a-4e22-ac6d-9ef9b2264414/ff813717-25f6-4286-8cc9-4f5757bf0d1e" data-readdy="true" class="flex items-center space-x-2">
<span class="text-2xl font-['Pacifico'] text-primary">SmartPark</span>
</a>
<div class="relative">
<i class="ri-search-line absolute left-3 top-1/2 -translate-y-1/2 text-gray-400"></i>
<input type="text" placeholder="Search location..." class="pl-10 pr-4 py-2 w-[300px] border border-gray-200 rounded focus:outline-none focus:border-primary">
</div>
</div>
<div class="flex items-center space-x-6">
<div class="w-10 h-10 flex items-center justify-center relative cursor-pointer">
<i class="ri-notification-3-line text-xl text-gray-600"></i>
<span class="absolute top-1 right-1 w-2 h-2 bg-red-500 rounded-full"></span>
</div>
<div class="flex items-center space-x-2 cursor-pointer">
<div class="w-10 h-10 rounded-full bg-gray-200 flex items-center justify-center">
  <a href="user.html"><i class="ri-user-line text-xl text-gray-600"></i></a>
</div>
<span class="text-gray-700">John Smith</span>
</div>
</div>
</div>
</div>
</nav>
<div class="pt-16">
<div class="max-w-7xl mx-auto px-4 py-6">
<div class="bg-white rounded-lg shadow-sm p-4 mb-6">
<div class="flex items-center space-x-6">
<div class="flex-1">
```

```
<label class="block text-sm text-gray-600 mb-1">Price Range</label>
<input type="range" min="0" max="50" value="25" class="range-slider w-full">
<div class="flex justify-between text-sm text-gray-600 mt-1">
  <span>$0</span>
  <span>$50</span>
</div>
</div>
<div class="flex-1">
  <label class="block text-sm text-gray-600 mb-1">Duration</label>
  <div class="flex space-x-2">
    <button class="flex-1 py-2 border border-gray-200 rounded !rounded-button hover:border-primary text-sm duration-selected">Hourly</button>
    <button class="flex-1 py-2 border border-gray-200 rounded !rounded-button hover:border-primary text-sm">Daily</button>
    <button class="flex-1 py-2 border border-gray-200 rounded !rounded-button hover:border-primary text-sm">Weekly</button>
  </div>
</div>
<div class="flex-1">
  <label class="block text-sm text-gray-600 mb-1">Features</label>
  <div class="flex space-x-2">
    <button class="flex items-center space-x-1 px-3 py-2 border border-gray-200 rounded !rounded-button hover:border-primary text-sm">
      <i class="ri-car-line"></i>
      <span>Covered</span>
    </button>
    <button class="flex items-center space-x-1 px-3 py-2 border border-gray-200 rounded !rounded-button hover:border-primary text-sm">
      <i class="ri-charging-pile-line"></i>
      <span>EV</span>
    </button>
    <button class="flex items-center space-x-1 px-3 py-2 border border-gray-200 rounded !rounded-button hover:border-primary text-sm">
      <i class="ri-wheelchair-line"></i>
      <span>Handicap</span>
    </button>
  </div>
</div>
</div>
</div>
<div class="grid grid-cols-12 gap-6">
  <div class="col-span-8">
    <div class="bg-white rounded-lg shadow-sm overflow-hidden" style="height: 600px; background-image: url('https://public.readdy.ai/gen_page/map_placeholder_1280x720.png'); background-size: cover; background-
```

```
position: center;">
<div class="absolute right-4 top-4 flex flex-col space-y-2">
<button class="w-8 h-8 bg-white rounded-full shadow flex items-center justify-center">
<i class="ri-add-line text-gray-600"></i>
</button>
<button class="w-8 h-8 bg-white rounded-full shadow flex items-center justify-center">
<i class="ri-subtract-line text-gray-600"></i>
</button>
</div>
</div>
</div>
<div class="col-span-4 space-y-4">
<div class="flex justify-between items-center">
<h3 class="text-lg font-semibold">Available Spots</h3>
<select class="border-none text-sm text-gray-600 pr-8">
<option>Sort by: Price</option>
<option>Sort by: Distance</option>
<option>Sort by: Availability</option>
</select>
</div>
<div class="space-y-4 h-[540px] overflow-auto pr-2">
<div class="bg-white rounded-lg shadow-sm p-4 hover:shadow-md transition-shadow cursor-pointer parking-spot">
<div class="flex justify-between items-start mb-3">
<h4 class="font-semibold">Central Plaza Parking</h4>
<span class="text-green-500 text-sm">0.3 mi</span>
</div>
<div class="flex items-center space-x-4 mb-3">
<span class="text-sm text-gray-600">15 spots available</span>
<span class="text-sm text-gray-600">•</span>
<span class="text-sm text-gray-600">24/7</span>
</div>
<div class="flex items-center justify-between">
<div>
<span class="text-2xl font-bold text-primary">$4</span>
<span class="text-gray-600">/hour</span>
</div>
<button class="bg-secondary text-white px-4 py-2 !rounded-button hover:bg-secondary/90">Reserve Now</button>
</div>
</div>
<div class="bg-white rounded-lg shadow-sm p-4 hover:shadow-md transition-shadow cursor-pointer parking-spot">
<div class="flex justify-between items-start mb-3">
```

```
<h4 class="font-semibold">Downtown Secure Parking</h4>
<span class="text-green-500 text-sm">0.5 mi</span>
</div>
<div class="flex items-center space-x-4 mb-3">
<span class="text-sm text-gray-600">8 spots available</span>
<span class="text-sm text-gray-600">•</span>
<span class="text-sm text-gray-600">6AM - 11PM</span>
</div>
<div class="flex items-center justify-between">
<div>
<span class="text-2xl font-bold text-primary">$3</span>
<span class="text-gray-600">/hour</span>
</div>
<button class="bg-secondary text-white px-4 py-2 !rounded-button hover:bg-secondary/90">Reserve
Now</button>
</div>
</div>
<div class="bg-white rounded-lg shadow-sm p-4 hover:shadow-md transition-shadow cursor-pointer parking-
spot">
<div class="flex justify-between items-start mb-3">
<h4 class="font-semibold">City Center Garage</h4>
<span class="text-green-500 text-sm">0.8 mi</span>
</div>
<div class="flex items-center space-x-4 mb-3">
<span class="text-sm text-gray-600">25 spots available</span>
<span class="text-sm text-gray-600">•</span>
<span class="text-sm text-gray-600">24/7</span>
</div>
<div class="flex items-center justify-between">
<div>
<span class="text-2xl font-bold text-primary">$5</span>
<span class="text-gray-600">/hour</span>
</div>
<button class="bg-secondary text-white px-4 py-2 !rounded-button hover:bg-secondary/90">Reserve
Now</button>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div id="spotDetailsModal" class="hidden fixed inset-0 bg-black bg-opacity-50 z-50">
<div class="absolute top-1/2 left-1/2 transform -translate-x-1/2 -translate-y-1/2 bg-white rounded-lg shadow-xl
```

```
w-[600px]">
<div class="p-6">
<div class="flex justify-between items-start mb-4">
<h3 class="text-xl font-semibold">Central Plaza Parking</h3>
<button class="text-gray-400 hover:text-gray-600" onclick="closeModal()">
<i class="ri-close-line text-2xl"></i>
</button>
</div>
<div class="mb-6">

</div>
<div class="grid grid-cols-2 gap-4 mb-6">
<div>
<h4 class="font-semibold mb-2">Location</h4>
<p class="text-gray-600">123 Central Ave, Downtown</p>
</div>
<div>
<h4 class="font-semibold mb-2">Operating Hours</h4>
<p class="text-gray-600">24/7</p>
</div>
<div>
<h4 class="font-semibold mb-2">Features</h4>
<div class="flex space-x-2">
<span class="px-2 py-1 bg-gray-100 rounded-full text-sm">Covered</span>
<span class="px-2 py-1 bg-gray-100 rounded-full text-sm">Security</span>
<span class="px-2 py-1 bg-gray-100 rounded-full text-sm">EV</span>
</div>
</div>
<div>
<h4 class="font-semibold mb-2">Price</h4>
<p class="text-gray-600">$4/hour • $25/day • $100/week</p>
</div>
</div>
<a href="receipt.html" data-readdy="true" class="block">
  <button class="w-full bg-primary text-white py-3 !rounded-button hover:bg-primary/90">Reserve Now</button>
</a>
</div>
</div>
</div>
<script>
document.querySelectorAll('.parking-spot').forEach(spot => {
spot.addEventListener('click', () => {
document.getElementById('spotDetailsModal').classList.remove('hidden');
```

```
});
});
function closeModal() {
document.getElementById('spotDetailsModal').classList.add('hidden');
}
document.querySelectorAll('.duration-selected').forEach(button => {
button.addEventListener('click', (e) => {
document.querySelectorAll('.duration-selected').forEach(btn => {
btn.classList.remove('border-primary', 'text-primary');
});
e.target.classList.add('border-primary', 'text-primary');
});
});
</script>
</body>
</html>|
```