```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Turn-by-Turn Navigation</title>
<script src="https://cdn.tailwindcss.com"></script>
k rel="preconnect" href="https://fonts.googleapis.com">
k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Pacifico&display=swap" rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/remixicon@4.5.0/fonts/remixicon.css" rel="stylesheet">
<script>
tailwind.config = {
theme: {
extend: {
colors: {
primary: '#3b82f6',
secondary: '#64748b'
},
borderRadius: {
'none': '0px',
'sm': '4px',
DEFAULT: '8px',
'md': '12px',
'lg': '16px',
'xl': '20px',
'2xl': '24px',
'3xl': '32px',
'full': '9999px',
'button': '8px'
}
}
}
</script>
<style>
:where([class^="ri-"])::before { content: "\f3c2"; }
.map-container {
background-image: url('https://public.readdy.ai/gen_page/map_placeholder_1280x720.png');
background-size: cover;
background-position: center;
</style>
```

```
</head>
<body class="bg-gray-50 min-h-screen">
<div class="flex flex-col h-screen">
<header class="bg-white shadow-sm px-6 py-4 z-20">
<div class="flex items-center justify-between max-w-7xl mx-auto">
<a href="location.html" data-readdy="true" class="flex items-center gap-2 text-gray-600 hover:text-gray-900">
  <i class="ri-arrow-left-line text-2xl text-primary"></i></i>
<span>Back to Map</span>
</a>
<div class="text-center">
<h1 class="font-semibold">Golden Gate Bridge</h1>
<div class="text-sm text-gray-500">via US-101 N</div>
</div>
<button id="voiceToggle" class="p-2 rounded-full hover:bg-gray-100">
<i class="ri-volume-up-line text-xl text-gray-600"></i>
</button>
</div>
</header>
<main class="flex-1 relative">
<div class="map-container absolute inset-0"></div>
<div class="absolute left-1/2 -translate-x-1/2 top-4 bg-white rounded-lg shadow-lg p-4 flex items-center gap-4 z-
10">
<div class="text-3xl text-primary">
<i class="ri-turn-right-line"></i>
</div>
<div>
<div class="font-semibold">Turn right in 200m</div>
<div class="text-sm text-gray-500">onto Market Street</div>
</div>
</div>
<div class="absolute right-4 top-20 flex flex-col gap-2">
<button class="w-10 h-10 bg-white rounded-full shadow-lg flex items-center justify-center hover:bg-gray-50">
<i class="ri-add-line text-gray-600"></i>
</button>
<button class="w-10 h-10 bg-white rounded-full shadow-lg flex items-center justify-center hover:bg-gray-50">
<i class="ri-subtract-line text-gray-600"></i>
</button>
</div>
<div class="absolute right-4 bottom-40 bg-white rounded-lg shadow-lg p-2">
<div class="text-center font-semibold">45</div>
<div class="text-xs text-gray-500">mph</div>
</div>
<div class="absolute left-0 right-0 bottom-0 bg-white rounded-t-xl shadow-lg p-6">
<div class="flex items-center justify-between mb-6">
```

```
<div>
<div class="text-2xl font-semibold">25 min</div>
<div class="text-sm text-gray-500">Arrival at 10:45 AM</div>
</div>
<div class="text-right">
<div class="text-2xl font-semibold">8.2 mi</div>
<div class="text-sm text-gray-500">Remaining</div>
</div>
</div>
<div class="flex justify-between gap-4 mb-6">
<div class="flex-1 h-2 bg-gray-200 rounded-full overflow-hidden">
<div class="h-full bg-primary" style="width: 35%"></div>
</div>
</div>
<div class="grid grid-cols-3 gap-4">
<button class="flex flex-col items-center gap-2 p-3 rounded-lg hover:bg-gray-100">
<i class="ri-road-map-line text-xl text-gray-600"></i>
<span class="text-sm">Overview</span>
</button>
<button class="flex flex-col items-center gap-2 p-3 rounded-lg hover:bg-gray-100">
<i class="ri-error-warning-line text-xl text-gray-600"></i>
<span class="text-sm">Report</span>
</button>
<button id="endNavigation" class="flex flex-col items-center gap-2 p-3 rounded-lg hover:bg-red-50">
<i class="ri-close-circle-line text-xl text-red-500"></i>
<span class="text-sm text-red-500">End</span>
</button>
</div>
</div>
</main>
</div>
<script>
document.getElementById('voiceToggle').addEventListener('click', function() {
const icon = this.querySelector('i');
if(icon.classList.contains('ri-volume-up-line')) {
icon.classList.replace('ri-volume-up-line', 'ri-volume-mute-line');
} else {
icon.classList.replace('ri-volume-mute-line', 'ri-volume-up-line');
}
});
document.getElementById('endNavigation').addEventListener('click', function() {
const modal = document.createElement('div');
modal.className = 'fixed inset-0 bg-black bg-opacity-50 flex items-center justify-center z-50';
modal.innerHTML = `
```

```
<div class="bg-white rounded-lg p-6 max-w-sm mx-4">
<h3 class="text-lg font-semibold mb-4">End Navigation?</h3>
Are you sure you want to end the current navigation?
<div class="flex justify-end gap-4">
<button class="px-4 py-2 text-gray-600 hover:bg-gray-100 rounded-button"</pre>
onclick="this.closest('.fixed').remove()">Cancel</button>
<a href="location.html" data-readdy="true" class="px-4 py-2 bg-red-500 text-white rounded-button hover:bg-red-
600">End Navigation</a>
</div>
</div>
document.body.appendChild(modal);
});
let speed = 45;
setInterval(() => {
speed = Math.max(0, Math.min(65, speed + (Math.random() - 0.5) * 2));
document.querySelector('.right-4.bottom-40 .font-semibold').textContent = Math.round(speed);
}, 2000);
</script>
</body>
</html>
```