

----- VTSRE NAV LOG/ OPS FPL FOR ETD 0730Z (ETA 0837Z) -----

DEP : VOHY DIST : 390NM TRACK :
 DEST : VOHY CRUISE : PAX :
 MAIN ROUTE :

PIC : DILIP FO :

COMPUTED FUEL : BLOCK FUEL : 3500 LBS
 MIN. TRIP FUEL : TAKE OFF FUEL : 3375 LBS
 MAX. TRIP FUEL : LANDING FUEL :
 TOP CLIMB TEMP : WIND :

----- PLAN TIME & FUEL ----- PLAN WT (in LBS) -----

TRIP	:	1:07	1585 LBS	BASIC WT	:	8121 LBS
TAXI	:		125 LBS	LOAD	:	50 LBS
CONTINGENCY 5%	:			ZERO FUEL	:	8171 LBS
FINAL RESERVE FUEL	:		400 LBS	T.OFF WT	:	11546 LBS
XTRA	:		734 LBS	LAND WT	:	9961 LBS
ALTN1	:					
ALTN2	:			ALTN:		
				FIRST ALTN ROUTE :		
ENDURANCE	:		2766 LBS	SECOND ALTN ROUTE :		
				MIN DIVERT FUEL :		

----- DIFFERENT LEVEL CALCULATION ----- ACTUALS -----

FL WC TIME TRIP

CHOCKS OFF : _____ LANDING : _____
 CHOCKS ON : _____ AIRBORNE : _____
 BLOCK TIME : _____ FLT TIME : _____
 BLOCK FUEL : _____ FIC-ADC : _____
 LANDING FUEL: _____

ATC CLEARANCE :

DEP ATIS :

ARR ATIS :

DEST ALTN ATIS :

V1: _____ VR: _____ V2: _____ VFT0: _____ VREF: _____

I certify that all my licenses, ratings etc are current / valid and I am legally/medically fit for operating flight. I meet the qualification requirements to operate to concerned airfields as per category/routes indicated per OM D. I have read and understood the operations manual, OPS supplements, emails, NOTAMS and required compliance. (cars, circulars, aips, etc).BA test complied as per car section 5 series F part 3.

(PILOT/COPILOT SIGNATURE)

					WIND			SPD KT		DIST NM		FUEL LB		TIME					
WAYPOINT	AIRWAY	HDG	CRS	ALT	CMP	DIR/SPD	ISA	TAS	GS	LEG	REM	USED	REM	LEG	REM	ETE	ETA ATA	ACT FUEL	
AIRPORT INFO																			
	Airport	ETA	ATIS	TWR/CTAF		CLR		GND		ELEV		LONGEST RWY							
DEP	VOHY	-	126.8	122.25		N/A		N/A		1745 09		/ 27 10597 ft							
DEST	VOHY	0837Z	126.8	122.25		N/A		N/A		1745 09		/ 27 10597 ft							
DEST	VOBZ	0905Z	128.4	118.55		N/A		N/A		83 08		/ 26 11024 ft							
DEST	VOHS	0840Z	126.475	118.45		121.625		121.85		203009R		/ 27L 13976 ft							

ATC FLIGHT PLAN VOHY to VOHY

.....

ENROUTE WINDS

IDENT	FL 130 (ISA: -11°C)			FL 150 (ISA: -15°C)			FL 170 (ISA: -19°C)			FL 190 (ISA: -23°C)			FL 210 (ISA: -27°C)		
	W/V	TMP		W/V	TMP		W/V	TMP		W/V	TMP		W/V	TMP	
HHY	(H17)	261/018	+17	(H18)	263/019	+17	(H19)	272/020	+18	(H18)	281/018	+19	(H11)	300/012	+20
-TOC-	(T18)	261/018	+16	(T20)	268/020	+17	(T20)	278/020	+18	(T17)	286/018	+19	(T12)	297/013	+20
ANBAS	(T23)	263/024	+16	(T24)	274/024	+17	(T20)	289/020	+18	(T13)	294/014	+19	(T7)	278/007	+21
-TOD-	(H18)	264/019	+16	(H20)	266/020	+17	(H20)	277/020	+18	(H18)	287/018	+19	(H11)	296/011	+20
HHY	(H17)	262/018	+17	(H18)	260/019	+17	(H19)	270/020	+18	(H18)	284/018	+19	(H10)	304/011	+20
HIA	(H7)	262/019	+17	(H8)	260/019	+17	(H4)	271/019	+18	(H0)	284/018	+19	(T4)	301/012	+20
-TOC-	(T17)	263/019	+16	(T18)	262/020	+17	(T19)	272/020	+18	(T18)	285/018	+19	(T12)	299/012	+20
EMPUN	(T20)	266/022	+16	(T21)	269/022	+17	(T20)	283/020	+17	(T17)	295/018	+19	(T12)	292/012	+20
-TOD-	(T24)	268/025	+16	(T23)	275/023	+17	(T20)	292/020	+17	(T15)	302/016	+19	(T7)	292/007	+21
BBZ	(T26)	272/027	+16	(T24)	280/024	+17	(T18)	292/018	+18	(T11)	299/012	+19	(T7)	275/007	+20
HHY	(H18)	257/020	+16	(H31)	264/032	+14									
-TOC-	(H9)	258/020	+16	(H12)	264/032	+14									
-TOD-	(H9)	258/020	+16	(H11)	265/033	+14									
HIA	(H9)	259/020	+16	(H12)	265/033	+14									

***** END OF THE REPORT *****