# Explain how to work on GET requests in postman with an example.txt

ApiTesting-Lesson2 / Openweather_Get_method    Save

GET    https://api.openweathermap.org/data/2.5/weather?q=new delhi&appid=aa9126a7d7b4c20f33602b045a197e3f    Send

Params ●    Authorization    Headers (7)    Body    Pre-request Script    Tests    Settings    Cookies

**Query Params**

| | Key | Value | Description | ⋯ Bulk Edit |
|---|---|---|---|---|
| ☑ | q | new delhi | | |
| ☑ | appid | aa9126a7d7b4c20f33602b045a197e3f | | |
| | Key | Value | Description | |

Body    Cookies    Headers (9)    Test Results    Status: 200 OK    Time: 438 ms    Size: 792 B    Save as example

Pretty    Raw    Preview    Visualize    JSON

```
1  {
2      "coord": {
3          "lon": 77.2311,
4          "lat": 28.6128
5      },
6      "weather": [
7          {
8              "id": 711,
9              "main": "Smoke",
10             "description": "smoke".
```

---

project-variables    Fork    0    Save    Share

Globals

dev
New Environment
project-variables ✓
QA

Filter variables

| | Variable | Type | Initial value | Current value | ⋯ |
|---|---|---|---|---|---|
| ☑ | Base-URL | default | https://api.openweathermap... | https://api.openweathermap.org/data/2.5/wea... | |
| ☑ | City | default | New Delhi | New Delhi | |
| | Add new variable | | | | |