

DBMS –PAYMENT AND DETAILS MANAGEMENT

Project Title: Gaming-Accessories E-Commerce Order Management System


1. Database Design

1.1 Payment Table

```
SQL> CREATE TABLE Payment (  
2     Payment_ID INT PRIMARY KEY,  
3     Payment_Method VARCHAR(20),  
4     Payment_Status VARCHAR(20),  
5     Payment_Date DATE,  
6     Amount DECIMAL(10,2),  
7     Order_ID INT,  
8     FOREIGN KEY (Order_ID) REFERENCES "ORDER"(Order_ID)  
9 );
```

Table created.

2. Table Relationships



3. Table Creation

3.1 Create Payment Table

```
SQL> CREATE TABLE Payment (  
2     Payment_ID INT PRIMARY KEY,  
3     Payment_Method VARCHAR(20),  
4     Payment_Status VARCHAR(20),  
5     Payment_Date DATE,  
6     Amount DECIMAL(10,2),  
7     Order_ID INT,  
8     FOREIGN KEY (Order_ID) REFERENCES "ORDER"(Order_ID)  
9 );
```

Table created.

4. Payment Data Insertion

```
SQL> INSERT INTO Payment
  2 VALUES (1, 'UPI', 'Paid', TO_DATE('2026-09-20', 'YYYY-MM-DD'), 500.00, 101);

1 row created.

SQL> INSERT INTO Payment
  2 VALUES (2, 'Card', 'Paid', TO_DATE('2026-09-21', 'YYYY-MM-DD'), 750.00, 102);

1 row created.

SQL> INSERT INTO Payment
  2 VALUES (3, 'COD', 'Pending', TO_DATE('2026-09-22', 'YYYY-MM-DD'), 1200.00, 103);

1 row created.

SQL> INSERT INTO Payment
  2 VALUES (4, 'UPI', 'Paid', TO_DATE('2026-09-23', 'YYYY-MM-DD'), 950.00, 104);

1 row created.

SQL> INSERT INTO Payment
  2 VALUES (5, 'Card', 'Failed', TO_DATE('2026-09-24', 'YYYY-MM-DD'), 650.00, 105);

1 row created.
```

5. Manage Payment Transactions

5.1 Display Successful Payments

```
SQL> SELECT *
  2 FROM Payment
  3 WHERE Payment_Status = 'Paid';
```

PAYMENT_ID	PAYMENT_METHOD	PAYMENT_STATUS	PAYMENT_D	AMOUNT
ORDER_ID				
1 UPI 101		Paid	20-SEP-26	500
2 Card 102		Paid	21-SEP-26	750
4 UPI 104		Paid	23-SEP-26	950

5.2 Display Failed Payments

```
SQL> SELECT *
  2 FROM Payment
  3 WHERE Payment_Status = 'Failed';
```

PAYMENT_ID	PAYMENT_METHOD	PAYMENT_STATUS	PAYMENT_D	AMOUNT
ORDER_ID				
5 Card 105		Failed	24-SEP-26	650

6. Modify Payment Status

```
SQL> UPDATE Payment
  2 SET Payment_Status = 'Paid'
  3 WHERE Payment_ID = 3;
```

1 row updated.

```
SQL> SELECT *
  2 FROM Payment
  3 WHERE Payment_ID = 3;
```

PAYMENT_ID	PAYMENT_METHOD	PAYMENT_STATUS	PAYMENT_D	AMOUNT
ORDER_ID				
3	COD	Paid	22-SEP-26	1200
103				

7. Analyze Payment Methods

```
SQL> SELECT
  2 Payment_Method,
  3 COUNT(*) AS Total_Transactions
  4 FROM Payment
  5 GROUP BY Payment_Method;
```

PAYMENT_METHOD	TOTAL_TRANSACTIONS
UPI	2
Card	2
COD	1

Calculate amount collected by payment mode

```
SQL> SELECT
  2 Payment_Method,
  3 SUM(Amount) AS Total_Amount
  4 FROM Payment
  5 WHERE Payment_Status = 'Paid'
  6 GROUP BY Payment_Method;
```

PAYMENT_METHOD	TOTAL_AMOUNT
UPI	1450
Card	750
COD	1200

8. Payment Transaction Report

SQL> SELECT
2 PAYMENT_ID,
3 ORDER_ID,
4 PAYMENT_METHOD,
5 PAYMENT_DATE,
6 AMOUNT,
7 PAYMENT_STATUS
8 FROM Payment
9 ORDER BY PAYMENT_DATE;

PAYMENT_ID	ORDER_ID	PAYMENT_METHOD	PAYMENT_D	AMOUNT
PAYMENT_STATUS				
Paid	1	101 UPI	20-SEP-26	500
Paid	2	102 Card	21-SEP-26	750
Paid	3	103 COD	22-SEP-26	1200
PAYMENT_ID ORDER_ID PAYMENT_METHOD PAYMENT_D AMOUNT				
PAYMENT_STATUS				
Paid	4	104 UPI	23-SEP-26	950
Failed	5	105 Card	24-SEP-26	650