Status	Finished
Started	Thursday, 29 October 2026, 8:25 PM
Completed	Thursday, 29 October 2026, 8:32 PM
Duration	6 mins 59 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)
b. infile = open(file, “a.txt”, “r”)
c. infile = open(“a.txt”, “r”) ✓
d. infile = open(file = “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. a
b. r
c. r+ ✓
d. w

The correct answer is: r+

Question **3**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+
b. ab+
c. r
d. rw+ ✓

The correct answer is: rw+

Question **4**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Append
b. Read ✓
c. Write
d. Binary

The correct answer is: Read

Question **5**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's current position within the file
b. sets the file's current position at the offset ✓
c. sets the file's previous position at the offset
d. none of the mentioned

The correct answer is:
sets the file's current position at the offset

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Opens an existing file in read mode
b. Creates a new file for writing ✓
c. Appends to an existing file
d. Opens a file in binary mode

The correct answer is: Creates a new file for writing

Question **7**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

- a. readline() ✓
- b. line()
- c. read(1)
- d. readlines(1)

The correct answer is: readline()

Question **8**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

- a. Closes the file
- b. Deletes the file content
- c. Moves the file cursor to the beginning
- d. Flushes the internal buffer to the file ✓

The correct answer is: Flushes the internal buffer to the file

Question **9**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

- a. \t
- b. \n ✓
- c. space
- d. ,

The correct answer is:
\n

Question **10**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Overwrites the file with "Adding new data"

b. Raises an error because the file is opened in append mode

c. Appends "Adding new data" to the end of the file ✓

d. Opens the file in read mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
 f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Python ✓

b. An error is raised

c. Python Programming

d. Program

The correct answer is: Python

Question **12**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readlines()

b. readline()

c. read(size) ✓

d. readchar()

The correct answer is: read(size)

Question **13**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. write(list)
b. writelist(list)
c. writelines(list) ✓
d. None of the mentioned

The correct answer is: writelines(list)

Question **14**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for binary read and write, w+ is for text read and write
b. r+ is for read and write, w+ is for append only
c. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
d. r+ is for read and append, w+ is for read and write

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **15**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters behind from the current position
b. move the file pointer to beginning of the file
c. moves the file pointer to the end of a file
d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position