

Oracle Database 11g: SQL Fundamentals I

Volume III • Student Guide

D49996GC11

Edition 1.1

April 2009

D59982

ORACLE®

Authors

Puja Singh
Brian Pottle

Technical Contributors and Reviewers

Claire Bennett
Tom Best
Purjanti Chang
Ken Cooper
László Czinkóczki
Burt Demchick
Mark Fleming
Gerlinde Frenzen
Nancy Greenberg
Chaitanya Koratamaddi
Wendy Lo
Timothy Mcglue
Alan Paulson
Bryan Roberts
Abhishek Singh
Lori Tritz
Michael Versaci
Lex van der Werff

Editors

Raj Kumar
Amitha Narayan
Vijayalakshmi Narasimhan

Graphic Designer

Satish Bettgowda

Publishers

Sujatha Nagendra
Syed Ali

Copyright © 2009, Oracle. All rights reserved.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice. If you find any problems in the document, please report them in writing to: Oracle University, 500 Oracle Parkway, Redwood Shores, California 94065 USA. This document is not warranted to be error-free.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

The U.S. Government's rights to use, modify, reproduce, release, perform, display, or disclose these training materials are restricted by the terms of the applicable Oracle license agreement and/or the applicable U.S. Government contract.

Trademark Notice

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Contents

Preface

I Introduction

Lesson Objectives	I-2
Lesson Agenda	I-3
Course Objectives	I-4
Course Agenda	I-5
Appendixes Used in the Course	I-7
Lesson Agenda	I-8
Oracle Database 11g: Focus Areas	I-9
Oracle Database 11g	I-10
Oracle Fusion Middleware	I-12
Oracle Enterprise Manager Grid Control 10g	I-13
Oracle BI Publisher	I-14
Lesson Agenda	I-15
Relational and Object Relational Database Management Systems	I-16
Data Storage on Different Media	I-17
Relational Database Concept	I-18
Definition of a Relational Database	I-19
Data Models	I-20
Entity Relationship Model	I-21
Entity Relationship Modeling Conventions	I-23
Relating Multiple Tables	I-25
Relational Database Terminology	I-27
Lesson Agenda	I-29
Using SQL to Query Your Database	I-30
SQL Statements	I-31
Development Environments for SQL	I-32
Lesson Agenda	I-33
The Human Resources (HR) Schema	I-34
Tables Used in the Course	I-35
Lesson Agenda	I-36
Oracle Database 11g Documentation	I-37
Additional Resources	I-38

Summary 1-39
Practice I: Overview 1-40

1 Retrieving Data Using the SQL `SELECT` Statement

Objectives 1-2
Lesson Agenda 1-3
Capabilities of SQL `SELECT` Statements 1-4
Basic `SELECT` Statement 1-5
Selecting All Columns 1-6
Selecting Specific Columns 1-7
Writing SQL Statements 1-8
Column Heading Defaults 1-9
Lesson Agenda 1-10
Arithmetic Expressions 1-11
Using Arithmetic Operators 1-12
Operator Precedence 1-13
Defining a Null Value 1-14
Null Values in Arithmetic Expressions 1-15
Lesson Agenda 1-16
Defining a Column Alias 1-17
Using Column Aliases 1-18
Lesson Agenda 1-19
Concatenation Operator 1-20
Literal Character Strings 1-21
Using Literal Character Strings 1-22
Alternative Quote (`q`) Operator 1-23
Duplicate Rows 1-24
Lesson Agenda 1-25
Displaying the Table Structure 1-26
Using the `DESCRIBE` Command 1-27
Quiz 1-28
Summary 1-29
Practice 1: Overview 1-30

2 Restricting and Sorting Data

Objectives 2-2
Lesson Agenda 2-3
Limiting Rows Using a Selection 2-4
Limiting the Rows That Are Selected 2-5
Using the `WHERE` Clause 2-6

Character Strings and Dates	2-7
Comparison Operators	2-8
Using Comparison Operators	2-9
Range Conditions Using the <code>BETWEEN</code> Operator	2-10
Membership Condition Using the <code>IN</code> Operator	2-11
Pattern Matching Using the <code>LIKE</code> Operator	2-12
Combining Wildcard Characters	2-13
Using the <code>NULL</code> Conditions	2-14
Defining Conditions Using the Logical Operators	2-15
Using the <code>AND</code> Operator	2-16
Using the <code>OR</code> Operator	2-17
Using the <code>NOT</code> Operator	2-18
Lesson Agenda	2-19
Rules of Precedence	2-20
Lesson Agenda	2-22
Using the <code>ORDER BY</code> Clause	2-23
Sorting	2-24
Lesson Agenda	2-26
Substitution Variables	2-27
Using the Single-Ampersand Substitution Variable	2-29
Character and Date Values with Substitution Variables	2-31
Specifying Column Names, Expressions, and Text	2-32
Using the Double-Ampersand Substitution Variable	2-33
Lesson Agenda	2-34
Using the <code>DEFINE</code> Command	2-35
Using the <code>VERIFY</code> Command	2-36
Quiz	2-37
Summary	2-38
Practice 2: Overview	2-39
3 Using Single-Row Functions to Customize Output	
Objectives	3-2
Lesson Agenda	3-3
SQL Functions	3-4
Two Types of SQL Functions	3-5
Single-Row Functions	3-6
Lesson Agenda	3-8
Character Functions	3-9
Case-Conversion Functions	3-11
Using Case-Conversion Functions	3-12

Character-Manipulation Functions 3-13
 Using the Character-Manipulation Functions 3-14
 Lesson Agenda 3-15
 Number Functions 3-16
 Using the `ROUND` Function 3-17
 Using the `TRUNC` Function 3-18
 Using the `MOD` Function 3-19
 Lesson Agenda 3-20
 Working with Dates 3-21
`RR` Date Format 3-22
 Using the `SYSDATE` Function 3-24
 Arithmetic with Dates 3-25
 Using Arithmetic Operators with Dates 3-26
 Lesson Agenda 3-27
 Date-Manipulation Functions 3-28
 Using Date Functions 3-29
 Using `ROUND` and `TRUNC` Functions with Dates 3-30
 Quiz 3-31
 Summary 3-32
 Practice 3: Overview 3-33

4 Using Conversion Functions and Conditional Expressions

Objectives 4-2
 Lesson Agenda 4-3
 Conversion Functions 4-4
 Implicit Data Type Conversion 4-5
 Explicit Data Type Conversion 4-7
 Lesson Agenda 4-10
 Using the `TO_CHAR` Function with Dates 4-11
 Elements of the Date Format Model 4-12
 Using the `TO_CHAR` Function with Dates 4-16
 Using the `TO_CHAR` Function with Numbers 4-17
 Using the `TO_NUMBER` and `TO_DATE` Functions 4-20
 Using the `TO_CHAR` and `TO_DATE` Function with `RR` Date Format 4-22
 Lesson Agenda 4-23
 Nesting Functions 4-24
 Lesson Agenda 4-26
 General Functions 4-27
`NVL` Function 4-28
 Using the `NVL` Function 4-29

Using the NVL2 Function	4-30
Using the NULLIF Function	4-31
Using the COALESCE Function	4-32
Lesson Agenda	4-35
Conditional Expressions	4-36
CASE Expression	4-37
Using the CASE Expression	4-38
DECODE Function	4-39
Using the DECODE Function	4-40
Quiz	4-42
Summary	4-43
Practice 4: Overview	4-44
5 Reporting Aggregated Data Using the Group Functions	
Objectives	5-2
Lesson Agenda	5-3
What Are Group Functions?	5-4
Types of Group Functions	5-5
Group Functions: Syntax	5-6
Using the AVG and SUM Functions	5-7
Using the MIN and MAX Functions	5-8
Using the COUNT Function	5-9
Using the DISTINCT Keyword	5-10
Group Functions and Null Values	5-11
Lesson Agenda	5-12
Creating Groups of Data	5-13
Creating Groups of Data: GROUP BY Clause Syntax	5-14
Using the GROUP BY Clause	5-15
Grouping by More than One Column	5-17
Using the GROUP BY Clause on Multiple Columns	5-18
Illegal Queries Using Group Functions	5-19
Restricting Group Results	5-21
Restricting Group Results with the HAVING Clause	5-22
Using the HAVING Clause	5-23
Lesson Agenda	5-25
Nesting Group Functions	5-26
Quiz	5-27
Summary	5-28
Practice 5: Overview	5-29

6 Displaying Data from Multiple Tables

Objectives 6-2

Lesson Agenda 6-3

Obtaining Data from Multiple Tables 6-4

Types of Joins 6-5

Joining Tables Using SQL:1999 Syntax 6-6

Qualifying Ambiguous Column Names 6-7

Lesson Agenda 6-8

Creating Natural Joins 6-9

Retrieving Records with Natural Joins 6-10

Creating Joins with the `USING` Clause 6-11

Joining Column Names 6-12

Retrieving Records with the `USING` Clause 6-13

Using Table Aliases with the `USING` Clause 6-14

Creating Joins with the `ON` Clause 6-15

Retrieving Records with the `ON` Clause 6-16

Creating Three-Way Joins with the `ON` Clause 6-17

Applying Additional Conditions to a Join 6-18

Lesson Agenda 6-19

Joining a Table to Itself 6-20

Self-Joins Using the `ON` Clause 6-21

Lesson Agenda 6-22

Nonequijoins 6-23

Retrieving Records with Nonequijoins 6-24

Lesson Agenda 6-25

Returning Records with No Direct Match Using `OUTER` Joins 6-26

`INNER` Versus `OUTER` Joins 6-27

`LEFT OUTER JOIN` 6-28

`RIGHT OUTER JOIN` 6-29

`FULL OUTER JOIN` 6-30

Lesson Agenda 6-31

Cartesian Products 6-32

Generating a Cartesian Product 6-33

Creating Cross Joins 6-34

Quiz 6-35

Summary 6-36

Practice 6: Overview 6-37

7 Using Subqueries to Solve Queries

Objectives 7-2

Lesson Agenda 7-3

Using a Subquery to Solve a Problem 7-4

Subquery Syntax 7-5

Using a Subquery 7-6

Guidelines for Using Subqueries 7-7

Types of Subqueries 7-8

Lesson Agenda 7-9

Single-Row Subqueries 7-10

Executing Single-Row Subqueries 7-11

Using Group Functions in a Subquery 7-12

The `HAVING` Clause with Subqueries 7-13

What Is Wrong with This Statement? 7-14

No Rows Returned by the Inner Query 7-15

Lesson Agenda 7-16

Multiple-Row Subqueries 7-17

Using the `ANY` Operator in Multiple-Row Subqueries 7-18

Using the `ALL` Operator in Multiple-Row Subqueries 7-19

Lesson Agenda 7-20

Null Values in a Subquery 7-21

Quiz 7-23

Summary 7-24

Practice 7: Overview 7-25

8 Using the Set Operators

Objectives 8-2

Lesson Agenda 8-3

Set Operators 8-4

Set Operator Guidelines 8-5

The Oracle Server and Set Operators 8-6

Lesson Agenda 8-7

Tables Used in This Lesson 8-8

Lesson Agenda 8-12

`UNION` Operator 8-13

Using the `UNION` Operator 8-14

`UNION ALL` Operator 8-16

Using the `UNION ALL` Operator 8-17

Lesson Agenda 8-18

`INTERSECT` Operator 8-19

Using the `INTERSECT` Operator 8-20
Lesson Agenda 8-21
`MINUS` Operator 8-22
Using the `MINUS` Operator 8-23
Lesson Agenda 8-24
Matching the `SELECT` Statements 8-25
Matching the `SELECT` Statement: Example 8-26
Lesson Agenda 8-27
Using the `ORDER BY` Clause in Set Operations 8-28
Quiz 8-29
Summary 8-30
Practice 8: Overview 8-31

9 Manipulating Data

Objectives 9-2
Lesson Agenda 9-3
Data Manipulation Language 9-4
Adding a New Row to a Table 9-5
`INSERT` Statement Syntax 9-6
Inserting New Rows 9-7
Inserting Rows with Null Values 9-8
Inserting Special Values 9-9
Inserting Specific Date and Time Values 9-10
Creating a Script 9-11
Copying Rows from Another Table 9-12
Lesson Agenda 9-13
Changing Data in a Table 9-14
`UPDATE` Statement Syntax 9-15
Updating Rows in a Table 9-16
Updating Two Columns with a Subquery 9-17
Updating Rows Based on Another Table 9-18
Lesson Agenda 9-19
Removing a Row from a Table 9-20
`DELETE` Statement 9-21
Deleting Rows from a Table 9-22
Deleting Rows Based on Another Table 9-23
`TRUNCATE` Statement 9-24
Lesson Agenda 9-25
Database Transactions 9-26
Database Transactions: Start and End 9-27

Advantages of COMMIT and ROLLBACK Statements	9-28
Explicit Transaction Control Statements	9-29
Rolling Back Changes to a Marker	9-30
Implicit Transaction Processing	9-31
State of the Data Before COMMIT or ROLLBACK	9-33
State of the Data After COMMIT	9-34
Committing Data	9-35
State of the Data After ROLLBACK	9-36
State of the Data After ROLLBACK: Example	9-37
Statement-Level Rollback	9-38
Lesson Agenda	9-39
Read Consistency	9-40
Implementing Read Consistency	9-41
Lesson Agenda	9-42
FOR UPDATE Clause in a SELECT Statement	9-43
FOR UPDATE Clause: Examples	9-44
Quiz	9-46
Summary	9-47
Practice 9: Overview	9-48

10 Using DDL Statements to Create and Manage Tables

Objectives	10-2
Lesson Agenda	10-3
Database Objects	10-4
Naming Rules	10-5
Lesson Agenda	10-6
CREATE TABLE Statement	10-7
Referencing Another User's Tables	10-8
DEFAULT Option	10-9
Creating Tables	10-10
Lesson Agenda	10-11
Data Types	10-12
Datetime Data Types	10-14
Lesson Agenda	10-15
Including Constraints	10-16
Constraint Guidelines	10-17
Defining Constraints	10-18
NOT NULL Constraint	10-20
UNIQUE Constraint	10-21
PRIMARY KEY Constraint	10-23

FOREIGN KEY Constraint 10-24
 FOREIGN KEY Constraint: Keywords 10-26
 CHECK Constraint 10-27
 CREATE TABLE: Example 10-28
 Violating Constraints 10-29
 Lesson Agenda 10-31
 Creating a Table Using a Subquery 10-32
 Lesson Agenda 10-34
 ALTER TABLE Statement 10-35
 Read-Only Tables 10-36
 Lesson Agenda 10-37
 Dropping a Table 10-38
 Quiz 10-39
 Summary 10-40
 Practice 10: Overview 10-41

11 Creating Other Schema Objects

Objectives 11-2
 Lesson Agenda 11-3
 Database Objects 11-4
 What Is a View? 11-5
 Advantages of Views 11-6
 Simple Views and Complex Views 11-7
 Creating a View 11-8
 Retrieving Data from a View 11-11
 Modifying a View 11-12
 Creating a Complex View 11-13
 Rules for Performing DML Operations on a View 11-14
 Using the WITH CHECK OPTION Clause 11-17
 Denying DML Operations 11-18
 Removing a View 11-20
 Practice 11: Overview of Part 1 11-21
 Lesson Agenda 11-22
 Sequences 11-23
 CREATE SEQUENCE Statement: Syntax 11-25
 Creating a Sequence 11-26
 NEXTVAL and CURRVAL Pseudocolumns 11-27
 Using a Sequence 11-29
 Caching Sequence Values 11-30
 Modifying a Sequence 11-31

Guidelines for Modifying a Sequence	11-32
Lesson Agenda	11-33
Indexes	11-34
How Are Indexes Created?	11-36
Creating an Index	11-37
Index Creation Guidelines	11-38
Removing an Index	11-39
Lesson Agenda	11-40
Synonyms	11-41
Creating a Synonym for an Object	11-42
Creating and Removing Synonyms	11-43
Quiz	11-44
Summary	11-45
Practice 11: Overview of Part 2	11-46

Appendix A: Practice Solutions

Appendix B: Table Descriptions

Appendix C: Oracle Join Syntax

Objectives	C-2
Obtaining Data from Multiple Tables	C-3
Cartesian Products	C-4
Generating a Cartesian Product	C-5
Types of Oracle-Proprietary Joins	C-6
Joining Tables Using Oracle Syntax	C-7
Qualifying Ambiguous Column Names	C-8
Equijoins	C-9
Retrieving Records with Equijoins	C-10
Retrieving Records with Equijoins: Example	C-11
Additional Search Conditions Using the AND Operator	C-12
Joining More than Two Tables	C-13
Nonequijoins	C-14
Retrieving Records with Nonequijoins	C-15
Returning Records with No Direct Match with Outer Joins	C-16
Outer Joins: Syntax	C-17
Using Outer Joins	C-18
Outer Join: Another Example	C-19
Joining a Table to Itself	C-20
Self-Join: Example	C-21

Summary C-22
Practice C: Overview C-23

Appendix D: Using SQL*Plus

Objectives D-2
SQL and SQL*Plus Interaction D-3
SQL Statements Versus SQL*Plus Commands D-4
Overview of SQL*Plus D-5
Logging In to SQL*Plus D-6
Displaying Table Structure D-8
SQL*Plus Editing Commands D-10
Using LIST, n, and APPEND D-12
Using the CHANGE Command D-13
SQL*Plus File Commands D-14
Using the SAVE, START, and EDIT Commands D-15
SERVEROUTPUT Command D-17
Using the SQL*Plus SPOOL Command D-18
Using the AUTOTRACE Command D-19
Summary D-20

Appendix E: Using SQL Developer

Objectives E-2
What Is Oracle SQL Developer? E-3
Specifications of SQL Developer E-4
Installing SQL Developer E-5
SQL Developer 1.2 Interface E-6
Creating a Database Connection E-7
Browsing Database Objects E-10
Creating a Schema Object E-11
Creating a New Table: Example E-12
Using the SQL Worksheet E-13
Executing SQL Statements E-16
Saving SQL Scripts E-17
Executing Saved Script Files: Method 1 E-18
Executing Saved Script Files: Method 2 E-19
Executing SQL Statements E-20
Formatting the SQL Code E-21
Using Snippets E-22
Using Snippets: Example E-23
Using SQL*Plus E-24

Debugging Procedures and Functions	E-25
Database Reporting	E-26
Creating a User-Defined Report	E-27
Search Engines and External Tools	E-28
Setting Preferences	E-29
Specifications of SQL Developer 1.5.3	E-30
Installing SQL Developer 1.5.3	E-31
SQL Developer 1.5.3 Interface	E-32
Summary	E-34

Index

Additional Practices

Additional Practices: Solutions

Additional Practices

Additional Practices

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statement, basic SQL Developer commands, and SQL functions.

1. The HR department needs to find data for all of the clerks who were hired after the year 1997.

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY
1	143	Randall	Matos	RMATOS	650.121.2874	15-MAR-98	ST_CLERK	2600
2	144	Peter	Vargas	PVARGAS	650.121.2004	09-JUL-98	ST_CLERK	2500

2. The HR department needs a report of employees who earn commission. Show the last name, job, salary, and commission of those employees. Sort the data by salary in descending order.

	LAST_NAME	JOB_ID	SALARY	COMMISSION_PCT
1	Abel	SA_REP	11000	0.3
2	Zlotkey	SA_MAN	10500	0.2
3	Taylor	SA_REP	8600	0.2
4	Grant	SA_REP	7000	0.15

Additional Practices (continued)

3. For budgeting purposes, the HR department needs a report on projected raises. The report should display those employees who have no commission, but who have a 10% raise in salary (round off the salaries).

R	New salary
1	The salary of King after a 10% raise is 26400
2	The salary of Kochhar after a 10% raise is 18700
3	The salary of De Haan after a 10% raise is 18700
4	The salary of Hunold after a 10% raise is 9900
5	The salary of Ernst after a 10% raise is 6600
6	The salary of Lorentz after a 10% raise is 4620
7	The salary of Mourgos after a 10% raise is 6380
8	The salary of Rajs after a 10% raise is 3850
9	The salary of Davies after a 10% raise is 3410
10	The salary of Matos after a 10% raise is 2860
11	The salary of Vargas after a 10% raise is 2750
12	The salary of Whalen after a 10% raise is 4840
13	The salary of Hartstein after a 10% raise is 14300
14	The salary of Fay after a 10% raise is 6600
15	The salary of Higgins after a 10% raise is 13200
16	The salary of Gietz after a 10% raise is 9130

Additional Practices (continued)

4. Create a report of employees and their length of employment. Show the last names of all the employees together with the number of years and the number of completed months that they have been employed. Order the report by the length of their employment. The employee who has been employed the longest should appear at the top of the list.

	LAST_NAME	YEARS	MONTHS
1	King	20	0
2	Whalen	19	9
3	Kochhar	17	9
4	Hunold	17	5
5	Ernst	16	1

...

17	Lorentz	8	4
18	Grant	8	1
19	Mourgos	7	7
20	Zlotkey	7	5

5. Show those employees who have a last name starting with the letters “J,” “K,” “L,” or “M.”

	LAST_NAME
1	King
2	Kochhar
3	Lorentz
4	Matos
5	Mourgos

6. Create a report that displays all employees, and indicate with the words *Yes* or *No* whether they receive a commission. Use the DECODE expression in your query.

Note: Results are continued on the next page.

	LAST_NAME	SALARY	COMMISSION
1	King	24000	No
2	Kochhar	17000	No
3	De Haan	17000	No
4	Hunold	9000	No
5	Ernst	6000	No
6	Lorentz	4200	No
7	Mourgos	5800	No
8	Rajs	3500	No
9	Davies	3100	No
10	Matos	2600	No

Additional Practices (continued)

6. (continued)

11	Vargas	2500	No
12	Zlotkey	10500	Yes
13	Abel	11000	Yes
14	Taylor	8600	Yes
15	Grant	7000	Yes
16	Whalen	4400	No
17	Hartstein	13000	No
18	Fay	6000	No
19	Higgins	12000	No
20	Gietz	8300	No

Additional Practices (continued)

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statement, basic SQL Developer commands, SQL functions, joins, and group functions.

7. Create a report that displays the department name, location ID, last name, job title, and salary of those employees who work in a specific location. Prompt the user for the location. For example, if the user enters 1800, these are the results:

	DEPARTMENT_NAME	LOCATION_ID	LAST_NAME	JOB_ID	SALARY
1	Marketing	1800	Hartstein	MK_MAN	13000
2	Marketing	1800	Fay	MK_REP	6000

8. Find the number of employees who have a last name that ends with the letter “n.” Create two possible solutions.

	COUNT(*)
1	3

9. Create a report that shows the name, location, and number of employees for each department. Make sure that the report also includes departments without employees.

	DEPARTMENT_ID	DEPARTMENT_NAME	LOCATION_ID	COUNT(E.EMPLOYEE_ID)
1	80	Sales	2500	3
2	110	Accounting	1700	2
3	10	Administration	1700	1
4	60	IT	1400	3
5	20	Marketing	1800	2
6	90	Executive	1700	3
7	50	Shipping	1500	5
8	190	Contracting	1700	0

Additional Practices (continued)

10. The HR department needs to find the job titles in departments 10 and 20. Create a report to display the job IDs for those departments.

	JOB_ID
1	AD_ASST
2	MK_MAN
3	MK_REP

11. Create a report that displays the jobs that are found in the Administration and Executive departments. Also display the number of employees for these jobs. Show the job with the highest number of employees first.

	JOB_ID	FREQUENCY
1	AD_VP	2
2	AD PRES	1
3	AD_ASST	1

Additional Practices (continued)

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statements, basic SQL Developer commands, SQL functions, joins, group functions, and subqueries.

12. Show all the employees who were hired in the first half of the month (before the 16th of the month).

	LAST_NAME	HIRE_DATE
1	De Haan	13-JAN-93
2	Hunold	03-JAN-90
3	Lorentz	07-FEB-99
4	Matos	15-MAR-98
5	Vargas	09-JUL-98
6	Abel	11-MAY-96
7	Higgins	07-JUN-94
8	Gietz	07-JUN-94

13. Create a report that displays the following for all employees: last name, salary, and salary expressed in terms of thousands of dollars.

Note: Results are continued on the next page.

	LAST_NAME	SALARY	THOUSANDS
1	King	24000	24
2	Kochhar	17000	17
3	De Haan	17000	17
4	Hunold	9000	9
5	Ernst	6000	6
6	Lorentz	4200	4
7	Mourgos	5800	5
8	Rajs	3500	3
9	Davies	3100	3
10	Matos	2600	2

...

Additional Practices (continued)

13. (continued)

11	Vargas	2500	2
12	Zlotkey	10500	10
13	Abel	11000	11
14	Taylor	8600	8
15	Grant	7000	7
16	Whalen	4400	4
17	Hartstein	13000	13
18	Fay	6000	6
19	Higgins	12000	12
20	Gietz	8300	8

14. Show all the employees who have managers with a salary higher than \$15,000. Show the following data: employee name, manager name, manager salary, and salary grade of the manager.

R	LAST_NAME	R	MANAGER	R	SALARY	R	GRADE_LEVEL
1	Whalen	Kochhar	17000	E			
2	Higgins	Kochhar	17000	E			
3	Hunold	De Haan	17000	E			
4	Kochhar	King	24000	E			
5	De Haan	King	24000	E			
6	Mourgos	King	24000	E			
7	Zlotkey	King	24000	E			
8	Hartstein	King	24000	E			

Additional Practices (continued)

15. Show the department number, name, number of employees, and average salary of all the departments, together with the names, salaries, and jobs of the employees working in each department.

	DEPARTMENT_ID	DEPARTMENT_NAME	EMPLOYEES	AVG_SAL	LAST_NAME	SALARY	JOB_ID
1	10	Administration	1	4400.00	Whalen	4400	AD_ASST
2	20	Marketing	2	9500.00	Hartstein	13000	MK_MAN
3	20	Marketing	2	9500.00	Fay	6000	MK_REP
4	50	Shipping	5	3500.00	Davies	3100	ST_CLERK
5	50	Shipping	5	3500.00	Matos	2600	ST_CLERK
6	50	Shipping	5	3500.00	Rajs	3500	ST_CLERK

• • •

19	110	Accounting	2	10150.00	Higgins	12000	AC_MGR
20	(null)	(null)	0	No average	Grant	7000	SA_REP

16. Create a report to display the department number and lowest salary of the department with the highest average salary.

	DEPARTMENT_ID	MIN(SALARY)
1	90	17000

Additional Practices (continued)

17. Create a report that displays departments where no sales representatives work. Include the department number, department name, manager ID, and the location in the output.

	DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID
1	10	Administration	200	1700
2	20	Marketing	201	1800
3	50	Shipping	124	1500
4	60	IT	103	1400
5	90	Executive	100	1700
6	110	Accounting	205	1700
7	190	Contracting	(null)	1700

18. Create the following statistical reports for the HR department: Include the department number, department name, and the number of employees working in each department that:

- a. Employs fewer than three employees:

	DEPARTMENT_ID	DEPARTMENT_NAME	COUNT(*)
1	10	Administration	1
2	110	Accounting	2
3	20	Marketing	2

- b. Has the highest number of employees:

	DEPARTMENT_ID	DEPARTMENT_NAME	COUNT(*)
1	50	Shipping	5

- c. Has the lowest number of employees:

	DEPARTMENT_ID	DEPARTMENT_NAME	COUNT(*)
1	10	Administration	1

Additional Practices (continued)

19. Create a report that displays the employee number, last name, salary, department number, and the average salary in their department for all employees.

	EMPLOYEE_ID	LAST_NAME	DEPARTMENT_ID	SALARY	AVG(S.SALARY)
1	149	Zlotkey	80	10500	10033.333333333333...
2	174	Abel	80	11000	10033.333333333333...
3	144	Vargas	50	2500	3500
4	101	Kochhar	90	17000	19333.333333333333...
5	100	King	90	24000	19333.333333333333...
6	103	Hunold	60	9000	6400
7	142	Davies	50	3100	3500
8	205	Higgins	110	12000	10150
9	104	Ernst	60	6000	6400
10	143	Matos	50	2600	3500

...

18	206	Gietz	110	8300	10150
19	124	Mourgos	50	5800	3500

20. Show all the employees who were hired on the day of the week on which the highest number of employees were hired.

	LAST_NAME	DAY
1	Ernst	TUESDAY
2	Mourgos	TUESDAY
3	Rajs	TUESDAY
4	Taylor	TUESDAY
5	Higgins	TUESDAY
6	Gietz	TUESDAY

Additional Practices (continued)

21. Create an anniversary overview based on the hire date of the employees. Sort the anniversaries in ascending order.

	LAST_NAME	BIRTHDAY
1	Hunold	January 03
2	De Haan	January 13
3	Davies	January 29
4	Zlotkey	January 29
5	Lorentz	February 07
6	Hartstein	February 17
7	Matos	March 15
8	Taylor	March 24
9	Abel	May 11
10	Ernst	May 21


• • •

11	Grant	May 24
12	Higgins	June 07
13	Gietz	June 07
14	King	June 17
15	Vargas	July 09
16	Fay	August 17
17	Whalen	September 17
18	Kochhar	September 21
19	Rajs	October 17
20	Mourgos	November 16

Additional Practices: Case Study

In this case study, you build a set of database tables for a video application. After you create the tables, you insert, update, and delete records in a video store database and generate a report. The database contains only the essential tables.

The following is a diagram of the entities and attributes for the video application:



Note: If you want to build the tables, you can execute the commands in the `buildtab.sql` script in SQL Developer. If you want to drop the tables, you can execute the commands in the `dropvid.sql` script in SQL Developer. Then you can execute the commands in the `buildvid.sql` script in SQL Developer to create and populate the tables. All the three sql scripts are present in the `D:\labs\sql11\labs` folder.

- If you use the `buildtab.sql` script to build the tables, start with step 4.
- If you use the `dropvid.sql` script to remove the video tables, start with step 1.
- If you use the `buildvid.sql` script to build and populate the tables, start with step 6(b).

Additional Practices: Case Study (continued)

1. Create the tables based on the following table instance charts. Choose the appropriate data types and be sure to add integrity constraints.

a. Table name: MEMBER

Column_ Name	MEMBER_ ID	LAST_ NAME	FIRST_NAME	ADDRESS	CITY	PHONE	JOIN _ DATE
Key Type	PK						
Null/ Unique	NN,U	NN					NN
Default Value							System Date
Data Type	NUMBER	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	DATE
Length	10	25	25	100	30	15	

b. Table name: TITLE

Column_ Name	TITLE_ID	TITLE	DESCRIPTION	RATING	CATEGORY	RELEASE_ DATE
Key Type	PK					
Null/ Unique	NN,U	NN	NN			
Check				G, PG, R, NC17, NR	DRAMA, COMEDY, ACTION, CHILD, SCIFI, DOCUMEN TARY	
Data Type	NUMBER	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	DATE
Length	10	60	400	4	20	

Additional Practices: Case Study (continued)

c. Table name: TITLE_COPY

Column Name	COPY_ID	TITLE_ID	STATUS
Key Type	PK	PK,FK	
Null/Unique	NN,U	NN,U	NN
Check			AVAILABLE, DESTROYED, RENTED, RESERVED
FK Ref Table		TITLE	
FK Ref Col		TITLE_ID	
Data Type	NUMBER	NUMBER	VARCHAR2
Length	10	10	15

d. Table name: RENTAL


Column Name	BOOK_DATE	MEMBER_ID	COPY_ID	ACT_RET_DATE	EXP_RET_DATE	TITLE_ID
Key Type	PK	PK,FK1	PK,FK2			PK,FK2
Default Value	System Date				System Date + 2 days	
FK Ref Table		MEMBER	TITLE_COPY			TITLE_COPY
FK Ref Col		MEMBER_ID	COPY_ID			TITLE_ID
Data Type	DATE	NUMBER	NUMBER	DATE	DATE	NUMBER
Length		10	10			10

Additional Practices: Case Study (continued)

e. Table name: RESERVATION


Column Name	RES_ DATE	MEMBER_ ID	TITLE_ ID
Key Type	PK	PK,FK1	PK,FK2
Null/Unique	NN,U	NN,U	NN
FK Ref Table		MEMBER	TITLE
FK Ref Column		MEMBER_ID	TITLE_ID
Data Type	DATE	NUMBER	NUMBER
Length		10	10

- Verify that the tables were created properly by checking in the Connections Navigator in SQL Developer.



Additional Practices: Case Study (continued)

3. Create sequences to uniquely identify each row in the MEMBER table and the TITLE table.
 - a. Member number for the MEMBER table: Start with 101; do not allow caching of the values. Name the sequence MEMBER_ID_SEQ.
 - b. Title number for the TITLE table: Start with 92; do not allow caching of the values. Name the sequence TITLE_ID_SEQ.
 - c. Verify the existence of the sequences in the Connections Navigator in SQL Developer.



4. Add data to the tables. Create a script for each set of data to be added.
 - a. Add movie titles to the TITLE table. Write a script to enter the movie information. Save the statements in a script named lab_apcs_4a.sql. Use the sequences to uniquely identify each title. Enter the release dates in the DD-MON-YYYY format. Remember that single quotation marks in a character field must be specially handled. Verify your additions.

R	TITLE
1	Willie and Christmas Too
2	Alien Again
3	The Glob
4	My Day Off
5	Miracles on Ice
6	Soda Gang

Additional Practices: Case Study (continued)

Title	Description	Rating	Category	Release_date
Willie and Christmas Too	All of Willie's friends make a Christmas list for Santa, but Willie has yet to add his own wish list.	G	CHILD	05-OCT-1995
Alien Again	Yet another installation of science fiction history. Can the heroine save the planet from the alien life form?	R	SCIFI	19-MAY-1995
The Glob	A meteor crashes near a small American town and unleashes carnivorous goo in this classic.	NR	SCIFI	12-AUG-1995
My Day Off	With a little luck and a lot of ingenuity, a teenager skips school for a day in New York.	PG	COMEDY	12-JUL-1995
Miracles on Ice	A six-year-old has doubts about Santa Claus, but she discovers that miracles really do exist.	PG	DRAMA	12-SEP-1995
Soda Gang	After discovering a cache of drugs, a young couple find themselves pitted against a vicious gang.	NR	ACTION	01-JUN-1995

- b. Add data to the MEMBER table. Save the insert statements in a script named lab_apcs_4b.sql. Execute commands in the script. Be sure to use the sequence to add the member numbers.

First_Name	Last_Name	Address	City	Phone	Join_Date
Carmen	Velasquez	283 King Street	Seattle	206-899-6666	08-MAR-1990
LaDoris	Ngao	5 Modrany	Bratislava	586-355-8882	08-MAR-1990
Midori	Nagayama	68 Via Centrale	Sao Paolo	254-852-5764	17-JUN-1991
Mark	Quick-to-See	6921 King Way	Lagos	63-559-7777	07-APR-1990
Audry	Ropeburn	86 Chu Street	Hong Kong	41-559-87	18-JAN-1991
Molly	Urguhart	3035 Laurier	Quebec	418-542-9988	18-JAN-1991

Additional Practices: Case Study (continued)

c. Add the following movie copies in the TITLE_COPY table:

Note: Have the TITLE_ID numbers available for this exercise.

Title	Copy_Id	Status	Title	Copy_Id
Willie and Christmas Too	1	AVAILABLE	Willie and Christmas Too	1
Alien Again	1	AVAILABLE	Alien Again	1
	2	RENTED		2
The Glob	1	AVAILABLE	The Glob	1
My Day Off	1	AVAILABLE	My Day Off	1
	2	AVAILABLE		2
	3	RENTED		3
Miracles on Ice	1	AVAILABLE	Miracles on Ice	1
Soda Gang	1	AVAILABLE	Soda Gang	1

d. Add the following rentals to the RENTAL table:

Note: The title number may be different depending on the sequence number.

Title_Id	Copy_Id	Member_Id	Book_date	Exp_Ret_Date
92	1	101	3 days ago	1 day ago
93	2	101	1 day ago	1 day from now
95	3	102	2 days ago	Today
97	1	106	4 days ago	2 days ago

Additional Practices: Case Study (continued)

5. Create a view named `TITLE_AVAIL` to show the movie titles, the availability of each copy, and its expected return date if rented. Query all rows from the view. Order the results by title.

Note: Your results may be different.

R	TITLE	R	COPY_ID	R	STATUS	EXP_RET_DATE
1	Alien Again		1		AVAILABLE	(null)
2	Alien Again		2		RENTED	29-JUN-07
3	My Day Off		1		AVAILABLE	(null)
4	My Day Off		2		AVAILABLE	(null)
5	My Day Off		3		RENTED	30-JUN-07
6	The Glob		1		AVAILABLE	(null)
7	Willie and Christmas Too		1		AVAILABLE	29-JUN-07

6. Make changes to the data in the tables.
 - a. Add a new title. The movie is “Interstellar Wars,” which is rated PG and classified as a science fiction movie. The release date is 07-JUL-77. The description is “Futuristic interstellar action movie. Can the rebels save the humans from the evil empire?” Be sure to add a title copy record for two copies.
 - b. Enter two reservations. One reservation is for Carmen Velasquez, who wants to rent “Interstellar Wars.” The other is for Mark Quick-to-See, who wants to rent “Soda Gang.”

Additional Practices: Case Study (continued)

7. Make a modification to one of the tables.

- a. Run the script `lab_apcs_7a.sql` located in the `D:\labs\sql1\labs` folder, to add a `PRICE` column to the `TITLE` table to record the purchase price of the video. Verify your modifications.

DESCRIBE title		
Name	Null	Type

TITLE_ID	NOT NULL	NUMBER(10)
TITLE	NOT NULL	VARCHAR2(60)
DESCRIPTION	NOT NULL	VARCHAR2(400)
RATING		VARCHAR2(4)
CATEGORY		VARCHAR2(20)
RELEASE_DATE		DATE
PRICE		NUMBER(8,2)

Title	Price
Willie and Christmas Too	25
Alien Again	35
The Glob	35
My Day Off	35
Miracles on Ice	30
Soda Gang	35
Interstellar Wars	29

- b. Create a script named `lab_apcs_7b.sql` that contains update statements that update each video with a price according to the preceding list. Run the commands in the script.
Note: Have the `TITLE_ID` numbers available for this exercise.

Additional Practices: Case Study (continued)

8. Create a report that contains each customer's history of renting videos. Be sure to include the customer name, movie rented, dates of the rental, and duration of rentals. Total the number of rentals for all customers for the reporting period. Save the commands that generate the report in a script file named `lab_apcs_8.sql`.

Note: Your results may be different.

	MEMBER	TITLE	BOOK_DATE	DURATION
1	Carmen Velasquez	Willie and Christmas Too	20-JUL-07	1
2	Carmen Velasquez	Alien Again	22-JUL-07	(null)
3	LaDoris Ngao	My Day Off	21-JUL-07	(null)
4	Molly Uguhart	Soda Gang	19-JUL-07	2

Additional Practices: Solutions

Additional Practices: Solutions

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statement, basic SQL Developer commands, and SQL functions.

1. The HR department needs to find data for all of the clerks who were hired after the year 1997.

```
SELECT *
FROM   employees
WHERE  job_id = 'ST_CLERK'
AND    hire_date > '31-DEC-1997';
```

2. The HR department needs a report of employees who earn commission. Show the last name, job, salary, and commission of those employees. Sort the data by salary in descending order.

```
SELECT last_name, job_id, salary, commission_pct
FROM   employees
WHERE  commission_pct IS NOT NULL
ORDER BY salary DESC;
```

3. For budgeting purposes, the HR department needs a report on projected raises. The report should display those employees who do not get a commission but who have a 10% raise in salary (round off the salaries).

```
SELECT 'The salary of '||last_name||' after a 10% raise is '
      || ROUND(salary*1.10) "New salary"
FROM   employees
WHERE  commission_pct IS NULL;
```

4. Create a report of employees and their duration of employment. Show the last names of all employees together with the number of years and the number of completed months that they have been employed. Order the report by the duration of their employment. The employee who has been employed the longest should appear at the top of the list.

```
SELECT last_name,
       TRUNC(MONTHS_BETWEEN(SYSDATE, hire_date) / 12) YEARS,
       TRUNC(MOD(MONTHS_BETWEEN(SYSDATE, hire_date), 12)) MONTHS
FROM   employees
ORDER BY years DESC, MONTHS desc;
```

Additional Practices: Solutions (continued)

5. Show those employees who have a last name starting with the letters “J,” “K,” “L,” or “M.”

```
SELECT last_name
FROM   employees
WHERE  SUBSTR(last_name, 1,1) IN ('J', 'K', 'L', 'M');
```

6. Create a report that displays all employees, and indicate with the words *Yes* or *No* whether they receive a commission. Use the DECODE expression in your query.

```
SELECT last_name, salary,
       decode(commission_pct, NULL, 'No', 'Yes') commission
FROM   employees;
```

Additional Practices: Solutions (continued)

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statement, basic SQL Developer commands, SQL functions, joins, and group functions.

7. Create a report that displays the department name, location ID, name, job title, and salary of those employees who work in a specific location. Prompt the user for the location.

a. Enter 1800 for location_id when prompted.

```
SELECT d.department_name, d.location_id, e.last_name, e.job_id, e.salary
FROM   employees e, departments d
WHERE  e.department_id = d.department_id
AND    d.location_id = &location_id;
```

8. Find the number of employees who have a last name that ends with the letter “n.” Create two possible solutions.

```
SELECT COUNT(*)
FROM   employees
WHERE  last_name LIKE '%n';
--or
SELECT COUNT(*)
FROM   employees
WHERE  SUBSTR(last_name, -1) = 'n';
```

9. Create a report that shows the name, location, and number of employees for each department. Make sure that the report also includes departments without employees.

```
SELECT d.department_id, d.department_name,
       d.location_id, COUNT(e.employee_id)
FROM   employees e RIGHT OUTER JOIN departments d
ON     e.department_id = d.department_id
GROUP BY d.department_id, d.department_name, d.location_id;
```

10. The HR department needs to find the job titles in departments 10 and 20. Create a report to display the job IDs for those departments.

```
SELECT DISTINCT job_id
FROM   employees
WHERE  department_id IN (10, 20);
```

11. Create a report that displays the jobs that are found in the Administration and Executive departments. Also display the number of employees for these jobs. Show the job with the highest number of employees first.

```
SELECT e.job_id, count(e.job_id) FREQUENCY
FROM   employees e JOIN departments d
ON     e.department_id = d.department_id
WHERE  d.department_name IN ('Administration', 'Executive')
GROUP BY e.job_id
ORDER BY FREQUENCY DESC;
```

Additional Practices: Solutions (continued)

These exercises can be used for extra practice after you have discussed the following topics: Basic SQL SELECT statements, basic SQL Developer commands, SQL functions, joins, group functions, and subqueries.

12. Show all employees who were hired in the first half of the month (before the 16th of the month).

```
SELECT last_name, hire_date
FROM   employees
WHERE  TO_CHAR(hire_date, 'DD') < 16;
```

13. Create a report that displays the following for all employees: last name, salary, and salary expressed in terms of thousands of dollars.

```
SELECT last_name, salary, TRUNC(salary, -3)/1000  Thousands
FROM   employees;
```

14. Show all employees who have managers with a salary higher than \$15,000. Show the following data: employee name, manager name, manager salary, and salary grade of the manager.

```
SELECT e.last_name, m.last_name manager, m.salary, j.grade_level
FROM   employees e JOIN employees m
ON      e.manager_id = m.employee_id
JOIN    job_grades j
ON      m.salary BETWEEN j.lowest_sal AND j.highest_sal
AND     m.salary > 15000;
```

15. Show the department number, name, number of employees, and average salary of all departments, together with the names, salaries, and jobs of the employees working in each department.

```
SELECT d.department_id, d.department_name,
       count(e1.employee_id) employees,
       NVL(TO_CHAR(AVG(e1.salary), '99999.99'), 'No average' ) avg_sal,
       e2.last_name, e2.salary, e2.job_id
FROM   departments d RIGHT OUTER JOIN employees e1
ON      d.department_id = e1.department_id
RIGHT OUTER JOIN employees e2
ON      d.department_id = e2.department_id
GROUP BY d.department_id, d.department_name, e2.last_name, e2.salary,
         e2.job_id
ORDER BY d.department_id, employees;
```

Additional Practices: Solutions (continued)

16. Create a report to display the department number and lowest salary of the department with the highest average salary.

```
SELECT department_id, MIN(salary)
FROM   employees
GROUP BY department_id
HAVING AVG(salary) = (SELECT MAX(AVG(salary))
                     FROM   employees
                     GROUP BY department_id);
```

17. Create a report that displays the departments where no sales representatives work. Include the department number, department name, and location in the output.

```
SELECT *
FROM   departments
WHERE  department_id NOT IN(SELECT department_id
                           FROM employees
                           WHERE job_id = 'SA_REP'
                           AND department_id IS NOT NULL);
```

18. Create the following statistical reports for the HR department: Include the department number, department name, and the number of employees working in each department that:

- a. Employs fewer than three employees:

```
SELECT d.department_id, d.department_name, COUNT(*)
FROM   departments d JOIN employees e
ON     d.department_id = e.department_id
GROUP BY d.department_id, d.department_name
HAVING COUNT(*) < 3;
```

- b. Has the highest number of employees:

```
SELECT d.department_id, d.department_name, COUNT(*)
FROM   departments d JOIN employees e
ON     d.department_id = e.department_id
GROUP BY d.department_id, d.department_name
HAVING COUNT(*) = (SELECT MAX(COUNT(*))
                  FROM   employees
                  GROUP BY department_id);
```

Additional Practices: Solutions (continued)

c. Has the lowest number of employees:

```
SELECT d.department_id, d.department_name, COUNT(*)
FROM   departments d JOIN employees e
ON     d.department_id = e.department_id
GROUP BY d.department_id, d.department_name
HAVING COUNT(*) = (SELECT MIN(COUNT(*))
                  FROM   employees
                  GROUP BY department_id);
```

19. Create a report that displays the employee number, last name, salary, department number, and the average salary in their department for all employees.

```
SELECT e.employee_id, e.last_name, e.department_id, e.salary,
AVG(s.salary)
FROM   employees e JOIN employees s
ON     e.department_id = s.department_id
GROUP BY e.employee_id, e.last_name, e.department_id, e.salary;
```

20. Show all employees who were hired on the day of the week on which the highest number of employees were hired.

```
SELECT last_name, TO_CHAR(hire_date, 'DAY') day
FROM   employees
WHERE  TO_CHAR(hire_date, 'Day') =
      (SELECT TO_CHAR(hire_date, 'Day')
       FROM   employees
       GROUP BY TO_CHAR(hire_date, 'Day')
       HAVING COUNT(*) = (SELECT MAX(COUNT(*))
                        FROM   employees
                        GROUP BY TO_CHAR(hire_date, 'Day')));
```

21. Create an anniversary overview based on the hire date of the employees. Sort the anniversaries in ascending order.

```
SELECT last_name, TO_CHAR(hire_date, 'Month DD') BIRTHDAY
FROM   employees
ORDER BY TO_CHAR(hire_date, 'DDD');
```

Additional Practices: Case Study Solutions

1. Create the tables based on the following table instance charts. Choose the appropriate data types and be sure to add integrity constraints.

a. Table name: MEMBER

```
CREATE TABLE member
(member_id      NUMBER(10)
 CONSTRAINT member_member_id_pk PRIMARY KEY,
 last_name      VARCHAR2(25)
 CONSTRAINT member_last_name_nn NOT NULL,
 first_name     VARCHAR2(25),
 address        VARCHAR2(100),
 city           VARCHAR2(30),
 phone          VARCHAR2(15),
 join_date      DATE DEFAULT SYSDATE
 CONSTRAINT member_join_date_nn NOT NULL);
```

b. Table name: TITLE

```
CREATE TABLE title
(title_id       NUMBER(10)
 CONSTRAINT title_title_id_pk PRIMARY KEY,
 title          VARCHAR2(60)
 CONSTRAINT title_title_nn NOT NULL,
 description    VARCHAR2(400)
 CONSTRAINT title_description_nn NOT NULL,
 rating        VARCHAR2(4)
 CONSTRAINT title_rating_ck CHECK
 (rating IN ('G', 'PG', 'R', 'NC17', 'NR')),
 category       VARCHAR2(20)
 CONSTRAINT title_category_ck CHECK
 (category IN ('DRAMA', 'COMEDY', 'ACTION',
 'CHILD', 'SCIFI', 'DOCUMENTARY')),
 release_date   DATE);
```

c. Table name: TITLE_COPY

```
CREATE TABLE title_copy
(copy_id        NUMBER(10),
 title_id       NUMBER(10)
 CONSTRAINT title_copy_title_id_fk REFERENCES title(title_id),
 status         VARCHAR2(15)
 CONSTRAINT title_copy_status_nn NOT NULL
 CONSTRAINT title_copy_status_ck CHECK (status IN
 ('AVAILABLE', 'DESTROYED', 'RENTED', 'RESERVED')),
 CONSTRAINT title_copy_copy_id_title_id_pk
 PRIMARY KEY (copy_id, title_id));
```


Additional Practices: Case Study Solutions (continued)

d. Table name: RENTAL

```
CREATE TABLE rental
  (book_date      DATE DEFAULT SYSDATE,
   member_id      NUMBER(10)
     CONSTRAINT rental_member_id_fk REFERENCES member(member_id),
   copy_id        NUMBER(10),
   act_ret_date   DATE,
   exp_ret_date   DATE DEFAULT SYSDATE + 2,
   title_id       NUMBER(10),
   CONSTRAINT rental_book_date_copy_title_pk
     PRIMARY KEY (book_date, member_id, copy_id, title_id),
   CONSTRAINT rental_copy_id_title_id_fk
     FOREIGN KEY (copy_id, title_id)
       REFERENCES title_copy(copy_id, title_id));
```

e. Table name: RESERVATION

```
CREATE TABLE reservation
  (res_date       DATE,
   member_id      NUMBER(10)
     CONSTRAINT reservation_member_id REFERENCES member(member_id),
   title_id       NUMBER(10)
     CONSTRAINT reservation_title_id REFERENCES title(title_id),
   CONSTRAINT reservation_resdate_mem_tit_pk PRIMARY KEY
     (res_date, member_id, title_id));
```

2. Verify that the tables were created properly by checking in the Connections Navigator in SQL Developer.
 - a. In the Connections Navigator, expand Connections > myconnection > Tables.

Additional Practices: Case Study Solutions (continued)

3. Create sequences to uniquely identify each row in the MEMBER table and the TITLE table.

- a. Member number for the MEMBER table: Start with 101; do not allow caching of the values. Name the sequence MEMBER_ID_SEQ.

```
CREATE SEQUENCE member_id_seq  
START WITH 101  
NOCACHE;
```

- b. Title number for the TITLE table: Start with 92; do not allow caching of the values. Name the sequence TITLE_ID_SEQ.

```
CREATE SEQUENCE title_id_seq  
START WITH 92  
NOCACHE;
```

- c. Verify the existence of the sequences in the Connections Navigator in SQL Developer.
- a. In the Connections Navigator, assuming that the myconnection node is expanded, expand Sequences.

Additional Practices: Case Study Solutions (continued)

4. Add data to the tables. Create a script for each set of data to be added.
 - a. Add movie titles to the TITLE table. Write a script to enter the movie information. Save the statements in a script named lab_apcs_4a.sql. Use the sequences to uniquely identify each title. Enter the release dates in the DD-MON-YYYY format. Remember that single quotation marks in a character field must be specially handled. Verify your additions.

```

INSERT INTO title(title_id, title, description, rating,
                  category, release_date)
VALUES (title_id_seq.NEXTVAL, 'Willie and Christmas Too',
        'All of Willie's friends make a Christmas list for
        Santa, but Willie has yet to add his own wish list.',
        'G', 'CHILD', TO_DATE('05-OCT-1995','DD-MON-YYYY'))
/
INSERT INTO title(title_id, title, description, rating,
                  category, release_date)
VALUES (title_id_seq.NEXTVAL, 'Alien Again', 'Yet another
        installment of science fiction history. Can the
        heroine save the planet from the alien life form?',
        'R', 'SCIFI', TO_DATE('19-MAY-1995','DD-MON-YYYY'))
/
INSERT INTO title(title_id, title, description, rating,
                  category, release_date)
VALUES (title_id_seq.NEXTVAL, 'The Glob', 'A meteor crashes
        near a small American town and unleashes carnivorous
        goo in this classic.', 'NR', 'SCIFI',
        TO_DATE('12-AUG-1995','DD-MON-YYYY'))
/
INSERT INTO title(title_id, title, description, rating,
                  category, release_date)
VALUES (title_id_seq.NEXTVAL, 'My Day Off', 'With a little
        luck and a lot ingenuity, a teenager skips school for
        a day in New York.', 'PG', 'COMEDY',
        TO_DATE('12-JUL-1995','DD-MON-YYYY'))
/
INSERT INTO title(title_id, title, description, rating,
                  category, release_date)
VALUES (title_id_seq.NEXTVAL, 'Miracles on Ice', 'A six-year-old has
        doubts about Santa Claus, but she discovers that miracles really do
        exist.', 'PG', 'DRAMA',
        TO_DATE('12-SEP-1995','DD-MON-YYYY'))
/
INSERT INTO title(title_id, title, description, rating,
                  category, release_date)
VALUES (title_id_seq.NEXTVAL, 'Soda Gang', 'After discovering a cache
        of drugs, a young couple find themselves pitted against a vicious gang.',
        'NR', 'ACTION', TO_DATE('01-JUN-1995','DD-MON-YYYY'))
/

```

```
...  
COMMIT  
/  
SELECT title  
FROM title;
```

Additional Practices: Case Study Solutions (continued)

- b. Add data to the MEMBER table. Place the insert statements in a script named lab_apcs_4b.sql. Execute the commands in the script. Be sure to use the sequence to add the member numbers.

```
SET VERIFY OFF
INSERT INTO member(member_id, first_name, last_name,
                    address, city, phone, join_date)
VALUES (member_id_seq.NEXTVAL, 'Carmen', 'Velasquez',
        '283 King Street', 'Seattle', '206-899-6666', TO_DATE('08-MAR-
1990',
        'DD-MM-YYYY'))
/
INSERT INTO member(member_id, first_name, last_name,
                    address, city, phone, join_date)
VALUES (member_id_seq.NEXTVAL, 'LaDoris', 'Ngao',
        '5 Modrany', 'Bratislava', '586-355-8882', TO_DATE('08-MAR-1990',
        'DD-MM-YYYY'))
/
INSERT INTO member(member_id, first_name, last_name,
                    address, city, phone, join_date)
VALUES (member_id_seq.NEXTVAL, 'Midori', 'Nagayama',
        '68 Via Centrale', 'Sao Paolo', '254-852-5764', TO_DATE('17-JUN-
1991',
        'DD-MM-YYYY'))
/
INSERT INTO member(member_id, first_name, last_name,
                    address, city, phone, join_date)
VALUES (member_id_seq.NEXTVAL, 'Mark', 'Quick-to-See',
        '6921 King Way', 'Lagos', '63-559-7777', TO_DATE('07-APR-1990',
        'DD-MM-YYYY'))
/
INSERT INTO member(member_id, first_name, last_name,
                    address, city, phone, join_date)
VALUES (member_id_seq.NEXTVAL, 'Audry', 'Ropeburn',
        '86 Chu Street', 'Hong Kong', '41-559-87', TO_DATE('18-JAN-1991',
        'DD-MM-YYYY'))
/
INSERT INTO member(member_id, first_name, last_name,
                    address, city, phone, join_date)
VALUES (member_id_seq.NEXTVAL, 'Molly', 'Urguhart',
        '3035 Laurier', 'Quebec', '418-542-9988', TO_DATE('18-JAN-1991',
        'DD-MM-YYYY'));
/
COMMIT
SET VERIFY ON
```

Additional Practices: Case Study Solutions (continued)

- c. Add the following movie copies in the TITLE_COPY table:

Note: Have the TITLE_ID numbers available for this exercise.

```
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (1, 92, 'AVAILABLE')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (1, 93, 'AVAILABLE')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (2, 93, 'RENTED')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (1, 94, 'AVAILABLE')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (1, 95, 'AVAILABLE')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (2, 95, 'AVAILABLE')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (3, 95, 'RENTED')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (1, 96, 'AVAILABLE')
/
INSERT INTO title_copy(copy_id, title_id, status)
VALUES (1, 97, 'AVAILABLE')
/
```

Additional Practices: Case Study Solutions (continued)

- d. Add the following rentals to the RENTAL table:

Note: The title number may be different depending on the sequence number.

```
INSERT INTO rental(title_id, copy_id, member_id,
                  book_date, exp_ret_date, act_ret_date)
VALUES (92, 1, 101, sysdate-3, sysdate-1, sysdate-2)
/
INSERT INTO rental(title_id, copy_id, member_id,
                  book_date, exp_ret_date, act_ret_date)
VALUES (93, 2, 101, sysdate-1, sysdate-1, NULL)
/
INSERT INTO rental(title_id, copy_id, member_id,
                  book_date, exp_ret_date, act_ret_date)
VALUES (95, 3, 102, sysdate-2, sysdate, NULL)
/
INSERT INTO rental(title_id, copy_id, member_id,
                  book_date, exp_ret_date, act_ret_date)
VALUES (97, 1, 106, sysdate-4, sysdate-2, sysdate-2)
/
COMMIT
/
```

5. Create a view named TITLE_AVAIL to show the movie titles, the availability of each copy, and its expected return date if rented. Query all rows from the view. Order the results by title.

Note: Your results may be different.

```
CREATE VIEW title_avail AS
  SELECT  t.title, c.copy_id, c.status, r.exp_ret_date
  FROM    title t JOIN title_copy c
  ON      t.title_id = c.title_id
  FULL OUTER JOIN rental r
  ON      c.copy_id = r.copy_id
  AND     c.title_id = r.title_id;

SELECT  *
FROM    title_avail
ORDER BY title, copy_id;
```

Additional Practices: Case Study Solutions (continued)

6. Make changes to data in the tables.

- a. Add a new title. The movie is “Interstellar Wars,” which is rated PG and classified as a science fiction movie. The release date is 07-JUL-77. The description is “Futuristic interstellar action movie. Can the rebels save the humans from the evil empire?” Be sure to add a title copy record for two copies.

```
INSERT INTO title(title_id, title, description, rating,
                 category, release_date)
VALUES (title_id_seq.NEXTVAL, 'Interstellar Wars',
       'Futuristic interstellar action movie. Can the
       rebels save the humans from the evil empire?',
       'PG', 'SCIFI', '07-JUL-77')
/
INSERT INTO title_copy (copy_id, title_id, status)
VALUES (1, 98, 'AVAILABLE')
/
INSERT INTO title_copy (copy_id, title_id, status)
VALUES (2, 98, 'AVAILABLE')
/
```

- b. Enter two reservations. One reservation is for Carmen Velasquez, who wants to rent “Interstellar Wars.” The other is for Mark Quick-to-See, who wants to rent “Soda Gang.”

```
INSERT INTO reservation (res_date, member_id, title_id)
VALUES (SYSDATE, 101, 98)
/
INSERT INTO reservation (res_date, member_id, title_id)
VALUES (SYSDATE, 104, 97)
/
```

7. Make a modification to one of the tables.

- a. Run the script lab_apcs_7a.sql located in D:\labs\sql1\labs folder, to add a PRICE column to the TITLE table to record the purchase price of the video. Verify your modifications.

```
ALTER TABLE title
ADD (price NUMBER(8,2));

DESCRIBE title
```


Additional Practices: Case Study Solutions (continued)

- b. Create a script named `lab_apcs_7b.sql` that contains update statements that update each video with a price according to the list provided. Run the commands in the script.

Note: Have the `TITLE_ID` numbers available for this exercise.

```
SET ECHO OFF
SET VERIFY OFF
UPDATE title
SET    price = &price
WHERE  title_id = &title_id;
SET VERIFY OFF
SET ECHO OFF
```

8. Create a report that contains each customer's history of renting videos. Be sure to include the customer name, movie rented, dates of the rental, and duration of rentals. Total the number of rentals for all customers for the reporting period. Save the commands that generate the report in a script file named `lab_apcs_8.sql`.

Note: Your results may be different.

```
SELECT  m.first_name||' '||m.last_name MEMBER, t.title,
        r.book_date, r.act_ret_date - r.book_date DURATION
FROM    member m
JOIN    rental r
ON      r.member_id = m.member_id
JOIN    title t
ON      r.title_id = t.title_id
ORDER BY member;
```

