

Nice



Surveillance Cameras

Nice Surveillance Cameras

Offering advancements in camera technology the Nice surveillance cameras include superior night vision, defender technology, as well as an onboard mic and speaker. Upgraded technological features make the NVR software and surveillance experience a winning solution! The full surveillance line includes turret, bullet, and dome models, as well as a PTZ. The 4-megapixel models offer the best-in-class features including deterrent technology. The 8 megapixel models include red/blue lights deterrent, improved analytics, and image quality. The PTZ camera offers 5x optical zoom, person and vehicle auto-tracking, and audio/visual deterrents.

1 Adaptive Night Color

When dark, the IR will turn on for basic night vision. When a target is detected from the onboard analytics, the white light turns on, enabling full color. IR light reactivates once the target leaves to minimize light pollution for your home.

2 Onboard Mic and Speaker

With the onboard microphone, record audio from the software NVR. Use the onboard speaker to enable the camera for two-way talk from any interface, local or remote. Only with the power of ELAN OS, making your world easier.

3 Onboard Analytics

Our advanced motion detection technology offers precise target identification, distinguishing between vehicles and humans with exceptional accuracy. By focusing on these specific targets, it reduces false alarms and ensures reliable monitoring, making it ideal for diverse security scenarios. For motion, person, vehicle, tripwire (8MP adds cycle and people counting).



See the complete product family of surveillance from Nice



Deterrent technology

When an event is triggered, the camera can flash onboard lights, alerting the person that they are being watched.

On applicable SKU's (8MP/PTZ), the onboard red and blue lights can be strobed. An audible alert can also be broadcast, further alerting an intruder for a more impactful alert.



Nice Surveillance Camera Specifications



MODEL	EL-IP-4FT/B/D
Resolution	4MP
Lens	Fixed 2.8
Aperture	F1.6
FOV	2.8mm: H: 100° V: 55° D: 116° 4mm: H: 82° V: 44° D: 97°
Analytics	Motion, Tripwire, Audio, Human, and Vehicle
WDR	120db
Night Vision	0.006 Color: 30m Dome N/A 0.0006 IR: 30m
Deterrent	White Light, Dome N/A
Audio	Onboard Mic and Speaker
Connectors	Shielded RJ45 10/100 & DC input
Power	Basic: 1.6W (12 VDC); 2.1 W (PoE) Max: (H.265 + intelligence on + WDR + illuminator on) 5.8 W (12 VDC) 6.9 W (PoE)

MODEL	EL-IP-8FT/B
Resolution	8MP
Lens	Fixed 2.8
Aperture	F1.0
FOV	2.8mm: H: 111° V: 58° D: 136.3° 4mm: H: 91.1° V: 48.7° D: 107.9°
Analytics	Motion, Tripwire, Audio, Human, Vehicle, Cycle, and People Counting
WDR	130db
Night Vision	0.005 Color: 25m 0.0005 IR: 25m 0 lux (Illuminator on)
Deterrent	Red and Blue Flashing Lights
Audio	Onboard Mic and Speaker
Connectors	Shielded RJ45 10/100 & DC input, Audio in RCA, Audio out RCA, Alarm (gnd, in, out a, out b; contact closure)
Power	Basic: 1.6W (12 VDC); 2.1 W (PoE) Max: (H.265 + intelligence on + WDR + illuminator on) 5.8 W (12 VDC) 6.9 W (PoE)

MODEL	EL-IP-4PT-WH
Resolution	4MP
Lens	2.7mm~13.5mm, 5x Optical
Aperture	F1.6
FOV	Focal Length: 2.7mm~13.5mm, 5x
Analytics	Motion, Audio, Human, Vehicle with auto tracking
WDR	120db
Night Vision	0.006 Color: 30m 0.0006 IR: 50m
Deterrent	Red and Blue Flashing Lights
Audio	Onboard Mic and Speaker
Connectors	Shielded RJ45 10/100 & DC input, Audio in RCA, Audio out RCA, RS-485, Alarm (gnd, in a, in b, out a, out b; contact closure)
Power	PoE (802.3at, class 3), 8 W

- Two mounts are available, one black and one white. Both mounts are junction box style and are compatible with bullet and turret models in both 4MP & 8MP models. The PTZ includes a mount.
- Warranty: 2 Years

