

Nice

CE

OE8 THREE/ONE
OE6 THREE/ONE
OE5 THREE/ONE
OE6 DT ONE
OE5 DT ONE



Outdoor Elements (OE) Series

Owner's Manual

Nice

WIRING

Please use Diagrams 1 & 2 (below) to familiarize yourself with the rear panel of your outdoor speaker.


OE8 ONE/THREE • OE6 ONE/THREE • OE5 ONE/THREE

Attach the speaker cable to the speaker cable terminals, observing the proper polarity with your amplifier [+ to + (red) and – to – (black)]. Be certain to connect the Right channel to the Right speaker and the Left channel to the Left speaker.

OE6 DT ONE • OE5 DT ONE


Attach the speaker cable, observing the proper polarity with your amplifier [+ to + (red) and – to – (black)]. Either channel may be attached to either terminal set. Be certain that polarity (+ and –) is correct on each channel, or the performance of the speaker will be seriously affected as one channel will cancel out the other.

Diagram 1:
Speaker Cable Terminals



**OE8 One/Three, OE6 One/Three,
OE5 One/ Three**

Diagram 2:
DT Speaker Cable Terminals



OE6 DT One, OE5 DT One

PLACEMENT

Placement Under Eaves and Outdoors

When mounting your speakers outdoors, the eaves of the roof provide an ideal location. They reduce the exposure of constant direct sunlight, salt spray and precipitation. If installing speakers on a boat, the wheelhouse provides the best location for the same reasons. Following these suggestions will help to ensure that your speakers will last a lifetime. See Diagram 3.

Placement on a Wall or Bookshelf

When placing your speakers on a wall or bookshelf, optimal sound will be achieved if they are mounted at ear level or slightly higher. The usual listening area should be no closer to the speakers than the distance between the speakers themselves.

Pre-Construction Installation

The bracket is designed to mount horizontally or vertically onto a standard junction box. In addition, it's recommended that the bracket also be mounted directly to the stud for added support. See Diagram 4.

Adjusting the Pivoting Tweeter(s)

Depending upon your listening area, you may find the sound more pleasing by pointing the tweeters in a particular direction. If additional treble is desired, simply point the tweeter(s) towards that area. If less treble is required, point the tweeter(s) away. See Diagram 5.

Diagram 5:
Pivoting Tweeter

Push gently at the edge of the tweeter to point the tweeter in the desired direction.




Diagram 3:
Speaker Placement





Diagram 4:
Pre-Construction Installation



SPEAKER SPECIFICATIONS

	OE8 Three	OE8 One	OE6 Three
Speaker Type	3-Way Outdoor Speaker	3-Way Outdoor Speaker	2-Way Outdoor Speaker
Low Frequency Driver:	8" Aluminum Cone Woofer	8" IMG Cone Woofer	6-1/2" Aluminum Cone Woofer
High Frequency Driver	Independently Pivoting 1" Aluminum Dome Tweeter & a 2-1/2" Aluminum Dome Midrange	Independently Pivoting 1" Silk Dome Tweeter & a 2-1/2" IMG Midrange	Independently pivoting 1" Aluminum Dome Tweeter
Efficiency	90dB 1W/1m	89dB 1W/1m	90dB 1W/1m
Power Recommendations:	5 - 150 watts (undistorted)	5 - 150 watts (undistorted)	5 - 125 watts (undistorted)
Impedance	4 ohms	4 ohms	4 ohms
Frequency Response	40Hz - 20kHz ± 3dB	42Hz - 20kHz ± 3dB	50Hz - 20kHz ± 3dB
Dimensions (W x H x D)	15-3/4"x 8-3/4"x 8-3/8" (400.05mm x 222.25 x 212.725mm)	15-3/4"x 8-3/4"x 8-3/8" (400.05mm x 222.25 x 212.725mm)	11-1/16"x 7"x 6-5/8" (280.974mm x 177.8 x 168.275mm)

	OE6 One	OE5 Three	OE5 One
Speaker Type	2-Way Outdoor Speaker	2-Way Outdoor Speaker	2-Way Outdoor Speaker
Low Frequency Driver:	6-1/2" IMG Cone Woofer	5-1/4" Aluminum Cone Woofer	5-1/4" Aluminum Cone Woofer
High Frequency Driver	Independently pivoting 1" Treated Silk Dome Tweeter	Independently pivoting 1" Aluminum Dome Tweeter	Independently pivoting 1" Treated Silk Dome Tweeter
Efficiency	89dB 1W/1m	89dB 1W/1m	90dB 1W/1m
Power Recommendations	5 - 125 watts (undistorted)	5 - 100 watts (undistorted)	5 - 100 watts (undistorted)
Impedance	4 ohms	4 ohms	4 ohms
Frequency Response	52Hz - 20kHz ± 3dB	52Hz - 20kHz ± 3dB	54Hz - 20kHz ± 3dB
Dimensions (W x H x D)	11-1/16" x 7" x 6-5/8" (280.974mm x 177.8 x 168.275mm)	9-1/4" x 6-1/2" x 6-15/16" (234.95mm x 165.1 x 176.199mm)	9-1/4"x 6-1/2"x 6-15/16" (234.95mm x 165.1 x 176.199mm)

	OE6 DT One	OE5 DT One
Speaker Type	2-Way Stereo Outdoor Speaker	2-Way Stereo Outdoor Speaker
Low Frequency Driver:	6-1/2" DVC IMG Cone Woofer	5-1/4" DVC IMG Cone Woofer
High Frequency Driver	Two Independently pivoting 1" Treated Silk Dome Tweeters	Two Independently pivoting 1" Treated Silk Dome Tweeters
Efficiency	90dB 1W/1m	89dB 1W/1m
Power Recommendations	5 - 125 watts (undistorted)	5 - 100 watts (undistorted)
Impedance	4 ohms	4 ohms
Frequency Response	68Hz - 20kHz ± 3dB	75Hz - 20kHz ± 3dB
Dimensions (W x H x D)	12" x 6-7/8" x 7" (304.8mm x 174.625 x 177.8mm)	11" x 7" x 7-1/8" (279.4mm x 177.8 x 179.37mm)

In our attempt to constantly improve our products, features and specifications are subject to change without notice.

LIMITED WARRANTY

Nice North America LLC warrants to the original retail purchaser only that this product will be free of manufacturing defects in material and workmanship for the following periods and subject to the limitations and exclusions set forth below:

Five years from the date of purchase

This warranty is not transferable to subsequent purchasers of the product. To obtain warranty service, contact the authorized dealer where you purchased your product or take the unit to the nearest authorized Nice dealer (with proof of purchase – claims made without proof of purchase will be denied) who will test the product and if necessary, forward it to Nice North America for service. If there are no authorized Nice dealers in your area, you must contact Nice North America to receive a factory Return Authorization Number. DO NOT RETURN ANY UNIT WITHOUT FIRST RECEIVING WRITTEN AUTHORIZATION AND SHIPPING INSTRUCTIONS FROM NICE NORTH AMERICA.

Upon examination, Nice North America will, at its sole option and expense, repair or replace any product found to be defective. Nice North America will return the repaired or replaced unit to you via its usual shipping method from the factory to your address in the United States of America or Canada only. Any shipping costs for addresses outside of the United States or Canada shall be the responsibility of the purchaser. In the event that this model is no longer available and cannot be repaired effectively, Nice North America, at its sole option, may replace it with a different model of equal or greater value, or refund the original purchase price paid.

THE FOREGOING ARE YOUR EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY.

This Warranty does not include service or parts to repair damage caused by improper use or handling, including but not limited to damage caused by accident, mishandling, improper installation, commercial use, abuse, negligence, or any defect caused by repair to the product by anyone other than Nice North America.

This warranty does not cover reimbursement for your costs of removing and transporting the product for warranty service evaluation, or installation of any replacement product provided under this warranty.

This Warranty will be void if:

- the Serial Number on the product has been removed, tampered with or defaced.
- the product was not purchased from an authorized dealer or reseller.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESSED AND IMPLIED WARRANTIES. Nice North America EXPRESSLY DISCLAIMS ALL SUCH OTHER WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT, WITH RESPECT TO THE PRODUCT. TO THE MAXIMUM EXTENT PERMITTED BY LAW, Nice SHALL NOT BE RESPONSIBLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES EXCEPT TO THE EXTENT PROVIDED (OR PROHIBITED) BY APPLICABLE LAW, EVEN IF Nice North America HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Notwithstanding the above, if you qualify as a “consumer” under the Magnuson-Moss Warranty Act, or applicable state laws, then you may be entitled to any implied warranties allowed by law for the Warranty Period. Further, some states do not allow limitations on how long an implied warranty lasts or allow the exclusion or limitation of consequential damages, so such limitations may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

For the name of your nearest authorized Nice dealer, contact: Nice North America LLC, 5919 Sea Otter Place, Suite 100, Carlsbad, California 92010, or call (800) 421-1587. Please be advised that Nice North America only sells its products via the Internet through a select group of authorized Internet dealers. These are listed on our website at www.niceforyou.com. Products offered on the Internet through unauthorized Internet dealers are not covered by the Nice North America warranty and may be either:

- 1) goods acquired on a secondary or grey market
- 2) counterfeit or stolen goods
- 3) damaged, or defective goods

Please fill in your product information and retain for your records.

Model _____ Serial No. _____ Purchase Date _____

ATTENTION: TO OUR VALUED CONSUMERS:

To insure that consumers obtain quality pre-sale and after-sale support and service, Nice products are sold exclusively through authorized dealers. This warranty is VOID if the products have been purchased from an unauthorized dealer.



Niceforyou.com

©2023 Nice North America LLC.
All rights reserved.

Technical Support:
800-421-1587

Technical Support Hours:
Monday – Friday, 6am – 4pm PST

Nice North America
c/o Customer Service
5919 Sea Otter Place, Suite 100
Carlsbad, CA 92010