


인공지능모델운영

2026.09.21

학번:2555048 이름: Yergeshbay Madina




The screenshot shows the configuration for the 'Google Drive Trigger' node. The 'Parameters' tab is active, showing settings for polling frequency and file selection. The 'Settings' tab is also visible. The 'OUTPUT' tab shows the JSON output of the trigger event.

Parameters:

- Hour: 14
- Minute: 0
- Day of Month: 1
- + Add Poll Time
- Trigger On: Changes to a Specific File
- File: From list | 미래기술_RAG.pdf
- Watch For: File Updated

OUTPUT:

```
{  "kind": "drive#file",  "fileExtension": "pdf",  "copyRequiresWriterPermission": false,  "md5Checksum": "311517154ef1545bd7eaa2b04ef496",  "writersCanShare": true,  "viewedByMe": true,  "mimeType": "application/pdf",  "parents": [    {      "parents": [        "OAML5F6MbZG7Huk9PVA"      ]    }  ],  "thumbnailLink": "https://lh3.googleusercontent.com/drive-storage/AJQWibMD5wmsFA30D5zAf69hOfOmtyQ9018mxUzfdgwduowGRUUpAIMyUGWeQyqY-OOMnaTheBnZ-Ql05Wyl090XCixSMERUX0ex005_q3BdtSQuvDcA=s220",  "iconLink": "https://drive-thirdparty.googleusercontent.com/16/type/application/pdf",  "shared": false,  "lastModifyingUser": {    "displayName": "Madina Yergeshbay",    "kind": "drive#user"  }}
```



Google Cloud

choice-game

3

M

Navigation menu (.) services

← API/Service Details

■ Disable API



Google Drive API

The Google Drive API allows clients to access resources from Google Drive.

By Google Enterprise API

Service name	Type	Status	Documentation
drive.googleapis.com	Public API	Enabled	Overview Quickstarts API reference

Explore

Try in API Explorer

Metrics

Quotas & System Limits

Credentials

Drive UI Integration

Select Graphs

4 Graphs

30 days

Filters:

Versions

v1, v2, v2beta, v2interna...

Credentials

Web client 1, Unspecifie...

Download file

INPUT

Schema Table JSON

Google Drive Trigger 1 item

- kind drive#file
- fileExtension pdf
- copyRequiresWriterPermission false
- md5Checksum 311517154ef1545bd7eaa2b04ef496
- writersCanShare true
- viewedByMe true
- mimeType application/pdf
- parents
 - parents[0] 0AML5F6MbzG7Huk9PVA
- thumbnailLink https://lh3.googleusercontent.com/drive-storage/AJqWBMDCwmaYACQ0S2A169nfCmtgyQ9019mXuZfGwduowGPfUUBAImyJGWeGyqV-ODMna1HE8nZ-Qi05WylO9OXcixSMERUX0ex005_q3BdtSQtvDcA=s220
- iconLink https://drive-thirdparty.googleusercontent.com/16/type/application/pdf
- shared false
- lastModifyingUser
 - displayName Madina Yergeshbay

Parameters Settings

Execute step

Credential

Google Drive account

Resource

File

Operation

Download

File

By ID {{ \$json.id }}

Options

+ Add option

OUTPUT

Schema Table JSON Binary

1 item

data

File Name: 미래AI기술_RAG.pdf

File Extension: pdf

Mime Type: application/pdf

File Size: 527 kB

Download

Supabase Vector Store

INPUT

Schema Table JSON Binary

Download file 1 item

data

File Name: 미래AI기술_RAG.pdf

File Extension: pdf

Mime Type: application/pdf

File Size: 527 kB

Download

Parameters Settings

Execute step

Tip: Get a feel for vector stores in n8n with our [RAG starter template](#)

Credential

Supabase account

Operation Mode

Insert Documents

Table Name

From list documents

Embedding Batch Size

200

Options

+ Add Option

Embedding * Document *


Output Logs

Schema Table JSON

6 items

metadata

- source blob
- blobType application/pdf
- pdf
 - Info
 - PDFFormatVersion 1.7
 - Language ko-KR
 - EncryptFilterName [null]
 - IsLinearized false
 - IsAcroFormPresent false
 - IsXFAPresent false
 - IsCollectionPresent false
 - IsSignaturesPresent false
 - Title PowerPoint 프레젠테이션
 - Author ec21mc
 - CreationDate D:20220225180426+09'00'
 - ModDate D:20220225180426+09'00'



선택게임

1 project

Copy

This password is strong. [Generate a password.](#)

Region

Asia-Pacific

Security

☒

Enable Data API
Autogenerate a RESTful API for your public schema. Recommended if using a client library like [supabase-js](#).

☒

Automatically expose new tables
Grants privileges to Data API roles by default, exposing new tables.
We recommend disabling this to control access manually.

☐

Enable automatic RLS
Create an event trigger that automatically enables Row Level Security on all new tables in the public schema.

ADVANCED CONFIGURATION >

Q

?

Cancel

Create new project

New project

Feedback

Search... Ctrl K

Project name

n8n-rag

Database password

.....

Copy

This password is strong. [Generate a password.](#)

Region

Asia-Pacific

Security

☒ Enable Data API

Autogenerate a RESTful API for your public schema.
Recommended if using a client library like [supabase-js](#).

☒ Automatically expose new tables

Grants privileges to Data API roles by default, exposing new tables.
We recommend disabling this to control access manually.

☐ Enable automatic RLS

Create an event trigger that automatically enables Row Level Security on all new tables in the public schema.

ADVANCED CONFIGURATION >

Cancel

Create new project

n8n-rag

main

https://oohfsrduzxjzezjujv.supabase.co

Copy

STATUS

Healthy

COMPUTE

NANO

GITHUB

No repository connected

RECENT BRANCH



No branches

LAST MIGRATION

No migrations

LAST BACKUP

No backups



선택게임

FREE

n8n-rag

main

PRODUCTION

Connect

Feedback

Search... Ctrl K

API Keys

Docs

Configure API keys to securely control access to your project

Publishable and secret API keys

Legacy anon, service_role API keys

Your new API keys are here

We've updated our API keys to better support your application needs. [Join the discussion on GitHub](#)

Having trouble with the new API keys? [Contact support](#)

Publishable key

+ New publishable key

This key is safe to use in a browser if you have enabled Row Level Security (RLS) for your tables and configured policies.

NAME	API KEY
default No description	sb_publishable_cFXXz...

Publishable keys can be safely shared publicly

Secret keys

+ New secret key

These API keys allow privileged access to your project's APIs. Use in servers, functions, workers or other backend components of your application.

NAME	API KEY
default No description	sb_secret_fu7AW.....

n8n-rag

https://oohfsrduzxjzezjujiv.supabase.co

Copy ^



STATUS

Healthy



COMPUTE

NANO



GITHUB

No repository



RECENT BRANCH

No branches



LAST MIGRATION

No migrations

Project URL
https://oohfsrduzxjzezjujiv.supabas...

Publishable key
sb_publishable_cFXXzA1eK2Flkodz...

Direct connection string
postgresql://postgres:[YOUR-PASS...

CLI setup commands
supabase login - supabase init - su...

Get Connected

Primary Database
Southeast Asia (Singapore)
ap-southeast-1 · t3a.nano

CPU 0% · Disk 13% · RAM 52% · 5/60 conns



Supabase account

Supabase API

Save



Connection

Ask AI Assistant

for setup instructions or read the [docs](#)

Sharing

Details

Host

<https://oohfsrduzxjzezjujv.supabase.co>

Secret Key

.....

Allowed HTTP ...

All



Enterprise plan users can pull in credentials from external vaults. [More info](#)

Supabase Vector Store

Docs

X

INPUT

Sch

Parameters

Settings

Execute step

Output

Logs

Download file

1 item

data

File Name:
미래AI기술.pdf

File Extension:
pdf

Mime Type:
application/pdf

File Size:
527 kB

Download

Tip: Get a feel for vector stores in n8n with our [RAG starter template](#)

Credential

Supabase account

Operation Mode

Insert Documents

Table Name

From list

documents

Embedding Batch Size

200

Options

+ Add Option

I wish this node would...


Embedding *



Document *



No output

Execute

or set mo







Supabase Vector Store

Docs

INPUT

Download file1 item

data

File Name: 01대AI기&.pdf
File Extension: pdf
Mime Type: application/pdf
File Size: 527 kB

Download

Parameters

Settings

Execute step

Tip: Get a feel for vector stores in n8n with our [RAG starter template](#)

Credential

Supabase account

Operation Mode

Insert Documents

Table Name

From listdocuments

Embedding Batch Size

200

Options

+ Add Option

I wish this node would...

Embedding *Document *

Output

Logs

Supabase Vec...

Default ...


Default Data Loader505ms | Started at 오후 7:01:11 |

Recursl...> Input

Embeddings ...> Output

PDFFormatVersion

여러지아답리님의엔진개발수행함\기특히 최근에는 구글의 '스위치 트랜스포머(Switch Transformer)' 모델로 소프트(MST)를 해리(ChaiNupia)의 'MT-



9 Groq Chat Model

Docs

×

INPUT

Mapping

Parameters

Settings

1 item

No data

Credential

9 Connect to Groq

Model

Error fetching options from Groq Chat Model

Options

+ Add Option

1 item


Node does not have credentials set

Ask AI Assistant

Error details

Other info

Error in sub-node 'Groq Chat Model'



Personal AI Agent (RAG) Publish

Editor Executions Evaluations

When chat message received

AI Agent

Groq Chat Model

Supabase Vector Store1

OpenRouter Chat Model

Execute workflow Hide chat

Chat Session: 1c081... Logs Clear execution Groq Chat Model Success in 1.304s 973 Tokens

INPUT Human: 스펀데이터의 장점은 무엇인가요?

OUTPUT 스펀데이터(Small Data)의 장점은 다양합니다. 아래에 주요 포인트를 정리해 보았습니다.

장점

- 빠른 인사이트 도출
- 낮은 비용
- 높은 데이터 품질

Type message, or press 'up' for previous one

Personal AI Agent (RAG) Publish

Editor Executions Evaluations

Google Drive Trigger

Download File

Supabase Vector Store

Embeddings Google Gemini

Default Data Loader

Recursive Character Text Splitter

When chat message received

AI Agent

Groq Chat Model

Supabase Vector Store

OpenRouter Chat Model

Embeddings Google Gemini

Execute workflow Hide chat