

Client-Side JavaScript Validation Bypass

Client-side validation uses JavaScript to check user input (e.g., passwords, forms) before sending to the server. A bypass vulnerability occurs when these checks are the only security—attackers can view source code to extract secrets or disable JS to skip validation.

In DVWA, this is shown via a "secret phrase" prompt: JS checks if your input matches a hardcoded value. No server-side verification means easy bypass.

How It Works in DVWA:

The module loads a page with a JS function that prompts for a phrase and checks it client-side. If correct, shows "Success"; else, "Failure".

Low Level:

JS code (simplified):

```
function checkPhrase() {  
    var phrase = prompt("Enter the secret phrase");  
    if (phrase == "impossible") { // Plain text!  
        alert("Success");  
    } else {  
        alert("Failure");  
    }  
}
```

- Secret exposed in source.

Medium Level:

Uses MD5 hash:

```
var md5Hash = "d41d8cd98f00b204e9800998ecf8427e"; // MD5 of phrase  
  
if (md5(phrase) == md5Hash) { ... }
```

Differences from Other Vulnerabilities

Vulnerability	Location	Bypass Method	Impact
JS Validation Bypass	Client	Inspect/disable JS	Auth/form bypass
XSS (DOM/Reflected)	Client	Inject JS	Script execution/theft
SQL Injection	Server	Inject SQL	Data leak/mod
Command Injection	Server	Inject OS commands	RCE

Impacts & Real-World Effects

- Unauthorized access (bypass logins/forms).
- Data manipulation (skip required fields).
- Combined with others for escalation (e.g., bypass + SQLi).
- In 2026, Legacy apps expose this; SPAs risk if there is no server check.


Current Tools (2026)

- **Browser Dev Tools:** Chrome/Firefox F12 for inspect/edit JS.
- **Burp Suite/ZAP:** Intercept if hybrid.
- **JS Beautifier:** Deobfuscate high-level.


Practical Lab Exercises

1. **DVWA Setup:** Install locally (PHP/MySQL).
2. **Exploit Levels:** Try low/medium/high as above.
3. **Fix It:** Modify code for server validation.

DVWA Lab Example:





The screenshot shows the DVWA (Damn Vulnerable Web Application) interface at the URL `localhost/dvwa/vulnerabilities/javascript/`. The page title is "Vulnerability: JavaScript Attacks". On the left, a sidebar menu lists various vulnerabilities, with "JavaScript Attacks" highlighted. The main content area contains a challenge: "Submit the word 'success' to win. You got the phrase wrong." Below this is a form with a text input labeled "Phrase" containing the value "ChangeMe" and a "Submit" button. Under the heading "More Information", there are three links: <https://www.w3schools.com/js/>, <https://www.youtube.com/watch?v=cs7EQdWO5o0&index=17&list=WL>, and <https://ponyfoo.com/articles/es6-proxies-in-depth>. At the bottom, it says "Module developed by [Digininja](#)".



This screenshot shows the same DVWA page as above, but with the browser's developer tools open to the "Network" tab. The "Payload" sub-tab is selected, showing the form data for the submitted request. The data includes a "token" (8b479aefbd90795395b3e7089ae0dc09), a "phrase" (ChangeMe), and a "send" button. The left sidebar menu is also visible, with "JavaScript Attacks" highlighted.

Name	Headers	Payload	Preview	Response	Initiator	Timing	Cookies
javascript/							
main.css							
dwvaPage.js		token		8b479aefbd90795395b3e7089ae0dc09			
logo.png		phrase		ChangeMe			
theme-light-dark.png		send		Submit			
add_event_listeners.js							
quillbot-content.js							
favicon.ico							
executor.js							
js.js							
dom.js							
js.js							
dom.js							
js.js							



Prevention:

1. **Server-Side Validation:** Always re-validate on server.
2. **Client-Side as UX Only:** JS for quick feedback, not security.
3. **Obfuscation Useless:** Don't rely on it—attackers deobfuscate.
4. **Frameworks:** Use React/Vue with server APIs.

Summary:

DVWA's JavaScript module teaches that client-side JS validation is insecure and easily bypassed via inspection or disabling. While less common in modern apps (2026 trends favor server-side), legacy systems remain vulnerable.

=> **Security must be server-side; client-side is for convenience only.**