

Data Mining and Text Mining (Taylor's Version)

Utilizing PCA and Sentiment Analysis to Analyze Swift's Discography


Madison Yonash, Susan Nunez, Jaylyn Leatherwood, and Nicolas Garay

Methodology - Sentiment Analysis

- Utilize the lyrics column from the taylor_album_songs dataset
- Unnest the tibbles and remove stop words
- Lexicons:
 - Bing
 - NRC Emotion
- Packages used include tidyverse, tidytext, wordcloud

```
my_words <- c("oh","ooh","eh","ha","mmm","mm", "yeah","ah","hey","eeh","uuh","uh","la","da","di","r
a","huh","hu","whoa","gonna","wanna","gotta","em")

tidy_taylor <-
   taylor_album_songs %>%
   unnest(lyrics) %>%
   unnest_tokens(word, lyric) %>%
   filter(!word %in% my_words) %>% #Remove undesirables
   filter(!nchar(word) < 3) %>% #Words like "ah" or "oo" used in music
   anti_join(stop_words)
```



Results - Text Analysis

Most common words



By Song




Of Discography


```
drive trouble middle coming
             follow twenty save lights
            street L
```

Results - Full Discography Sentiment Analysis


NRC Emotion Sentiment Analysis




Bing Sentiment Analysis




Results - Sentiment Analysis by Album



Results - Sentiment Analysis by Album



Results - Sentiment Analysis by Album






NRC Album Radar

Interactive Radar Chart to Compare Album Sentiments

Results - Sentiment Analysis of All Too Well



Results - Sentiment Analysis of Track 5

