

VCF/400 クロス検証テスト結果レポート

項目	内容
対象	オリジナル RPG (PUB400 ASHIBATA2) / Java Web 版 (java/) / iPad 版 (ipad/)
テストケース	deliverables/tests/cases.json (37 ケース)
実行方式	PUB400: tn5250 (run_pub400.py) / Java: Playwright headed Chromium (run_java.js) / iPad: XCUITest (record_ipad.sh)
判定	expect の全キーが 3 環境の observed と一致 = PASS

1. サマリ

環境	PASS	FAIL / 未実行
PUB400	37 / 37	0
Java Web	37 / 37	0
iPad	37 / 37	0
3 環境一致	37 / 37	0

1.1 分類別

分類	内容	ケース数	3 環境一致
ADDVOTE	投票	13	13
ADDGBCMT	ゲストブック記入	6	6
READGBCMT	ゲストブック閲覧	7	7
LRN400	LEARN/400	4	4
EXHBMENU	展示キオスク	7	7

2. 不一致と対処

本 run は、Java を PR #7 の localized 実装 (devin/1788796612-java-web-ja, HEAD 1dabea7)、iPad を PR #8 の localized 実装 (devin/1788796762-ipad-ja, HEAD 06d639a) として実行した。compare.py の最終結果は PUB400 37/37、Java 37/37、iPad 37/37、3 環境一致 37/37 で、不一致は 0 件である。

実行上の workaround は、fresh H2 データベースの起動時に SPRING_SQL_INIT_MODE=always と VCF_DB_API=true を指定したことだけである。これは実行環境の初期化であり、アプリケーションおよび runner の変更はない。

前セッションの履歴 run1 では CV-23 の 5250 入力処理が原因で 36/37 となった。これは INCMTID の桁数一杯入力時に余分な Field Exit を送っていた runner の問題であり、修正済みの現行 runner では再発しなかった。古い results/run1/ 証跡は stale artifact として削除した。

最終実行における不一致は 0 件。

UI 日本語化とクロス検証契約

比較で参照する `#errline / errline` 識別子は英語原文 M-xx を返し、画面上の日本語は `.errline-ja / errline_ja` に表示する。画面検出のアンカーとして、台帳で保持対象とした legacy title の英語文字列は残す。

3. ケース一覧

入力、期待値、3 環境の実測値、および合否を以下に示す。

ID	名称	入力	期待値	PUB400 実測	Java 実測	iPad 実測	合否
C-V-001	全項目未入力 (展示 ID は保護・事前入力)	<code>{"badge": "", "award": ""}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}</code>	PASS
C-V-002	アワード未入力	<code>{"badge": "7001", "award": ""}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}</code>	PASS
C-V-003	バッジ未入力	<code>{"badge": "", "award": "1"}</code>	<code>{"screen": "VOTE1", "errline": "Must enter badge number", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter badge number", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter badge number", "vote": null}</code>	<code>{"errline": "Must enter badge number", "screen": "VOTE1", "vote": null}</code>	PASS
C-V-004	正常投票 (新規バッジ 7001, アワード 1)	<code>{"badge": "7001", "award": "1"}</code>	<code>{"screen": "VOTEEND", "vote": {"badge": "7001", "award": "1", "exhibit": "ASHIBATA"}}</code>	<code>{"screen": "VOTEEND", "vote": {"badge": "7001", "award": "1", "exhibit": "ASHIBATA"}}</code>	<code>{"screen": "VOTEEND", "vote": {"badge": "7001", "award": "1", "exhibit": "ASHIBATA"}}</code>	<code>{"screen": "VOTEEND", "vote": {"award": "1", "badge": "7001", "exhibit": "ASHIBATA"}}</code>	PASS
C-V-005	重複バッジ (7001 で再投票)	<code>{"badge": "7001", "award": "2"}</code>	<code>{"screen": "VOTE1", "errline": "You have already voted.", "vote": {"badge": "7001", "award": "1", "exhibit": "ASHIBATA"}}</code>	<code>{"screen": "VOTE1", "errline": "You have already voted.", "vote": {"badge": "7001", "award": "1", "exhibit": "ASHIBATA"}}</code>	<code>{"screen": "VOTE1", "errline": "You have already voted.", "vote": {"badge": "7001", "award": "1", "exhibit": "ASHIBATA"}}</code>	<code>{"errline": "You have already voted.", "screen": "VOTE1", "vote": {"award": "1", "badge": "7001", "exhibit": "ASHIBATA"}}</code>	PASS
C-V-006	存在しないアワード (9)	<code>{"badge": "7002", "award": "9"}</code>	<code>{"screen": "VOTE1", "errline": "Award does not exist.", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Award does not exist.", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Award does not exist.", "vote": null}</code>	<code>{"errline": "Award does not exist.", "screen": "VOTE1", "vote": null}</code>	PASS
C-V-007	境界値: アワード 0 (数値 0 = 未入力扱い)	<code>{"badge": "7002", "award": "0"}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Award ID", "vote": null}</code>	<code>{"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}</code>	PASS
C-V-008	共用端末: 展示 ID 未入力	<code>{"badge": "7002", "exhibit": "", "award": "1"}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Exhibit ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Exhibit ID", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Must enter Exhibit ID", "vote": null}</code>	<code>{"errline": "Must enter Exhibit ID", "screen": "VOTE1", "vote": null}</code>	PASS
C-V-009	共用端末: 存在しない展示 NOSUCH	<code>{"badge": "7002", "exhibit": "NOSUCH", "award": "1"}</code>	<code>{"screen": "VOTE1", "errline": "Exhibit does not exist", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Exhibit does not exist", "vote": null}</code>	<code>{"screen": "VOTE1", "errline": "Exhibit does not exist", "vote": null}</code>	<code>{"errline": "Exhibit does not exist", "screen": "VOTE1", "vote": null}</code>	PASS

I D	名称	入力	期待値	PUB400 実測	Java 実測	iPad 実測	合 否
C V- 1 0	共用端末: 資 格外展示 NOVOTE (ELIGIBLE=0)	{"badge": 7002,"ex hibit":"NO VOTE","a ward":"1"} }	{"screen":"VOTE1", "errline":"Exhibit ineligible for award","vote":null}	{"screen":"VOTE1","e rrline":"Exhibit ineligible for award","vote":null}	{"screen":"VOTE1","e rrline":"Exhibit ineligible for award","vote":null}	{"errline":"Exhibit ineligible for award","screen":"VO TE1","vote":null}	P A S S
C V- 1 1	共用端末: 正 常投票 (7002, DEMO400, アワード 2)	{"badge": 7002,"ex hibit":"DE MO400"," award":"2"} }	{"screen":"VOTEEN D","vote": {"badge":7002,"aw ard":2,"exhibit":"DE MO400"}} }	{"screen":"VOTEEND ","vote": {"badge":7002,"awar d":2,"exhibit":"DEMO 400"}} }	{"screen":"VOTEEND ","vote": {"badge":7002,"awar d":2,"exhibit":"DEMO 400"}} }	{"screen":"VOTEEND ","vote": {"award":2,"badge":7 002,"exhibit":"DEMO 400"}} }	P A S S
C V- 1 2	複合エラー (重複バッジ +存在しない 展示+存在し ないアワード) → 最後の 検査が勝つ	{"badge": 7001,"ex hibit":"NO SUCH","a ward":"9"} }	{"screen":"VOTE1", "errline":"Award does not exist","vote": {"badge":7001,"aw ard":1,"exhibit":"AS HIBATA"}} }	{"screen":"VOTE1","e rrline":"Award does not exist","vote": {"badge":7001,"awar d":1,"exhibit":"ASHIB ATA"}} }	{"screen":"VOTE1","e rrline":"Award does not exist","vote": {"badge":7001,"awar d":1,"exhibit":"ASHIB ATA"}} }	{"errline":"Award does not exist","screen":"VOT E1","vote": {"award":1,"badge":7 001,"exhibit":"ASHIB ATA"}} }	P A S S
C V- 1 3	投票停止 ALWVOTE='N' → ENDOFCON	{"badge": 7003,"aw ard":"1"} }	{"screen":"ENDOF CON","vote":null}	{"screen":"ENDOF CON","vote":null}	{"screen":"ENDOF CON","vote":null}	{"screen":"ENDOF CON","vote":null}	P A S S
C V- 1 4	全項目未入力 (展示 ID は保 護・事前入 力)	{"name":""," "comment": ""}	{"screen":"ADDCM T","errline":"Must enter a comment","commen t":{"id":3,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter a comment","commen t":{"id":3,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter a comment","commen t":{"id":3,"row":null}}	{"comment": {"id":3,"row":null},"err line":"Must enter a comment","screen": "ADDCMT"}	P A S S
C V- 1 5	コメント未入 力	{"name": "Devin Tester","c omment": ""}	{"screen":"ADDCM T","errline":"Must enter a comment","commen t":{"id":3,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter a comment","commen t":{"id":3,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter a comment","commen t":{"id":3,"row":null}}	{"comment": {"id":3,"row":null},"err line":"Must enter a comment","screen": "ADDCMT"}	P A S S
C V- 1 6	名前未入力	{"name":""," "comment": "Hello"}	{"screen":"ADDCM T","errline":"Must enter your name","comment": {"id":3,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter your name","comment": {"id":3,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter your name","comment": {"id":3,"row":null}}	{"comment": {"id":3,"row":null},"err line":"Must enter your name","screen": "ADDCMT"}	P A S S
C V- 1 7	正常記入 → ENDCMT, CMTID=3 (最終+1), VISIBLE=Y	{"name": "Devin Tester","c omment": "Cross validation run"}	{"screen":"ENDCM T","comment": {"id":3,"row": {"id":3,"visible":"Y", "exhibit":"ASHIBATA ","name":"Devin Tester","comment": "Cross validation run"}}}	{"screen":"ENDCMT" ,"comment": {"id":3,"row": {"id":3,"visible":"Y", "exhibit":"ASHIBATA", "name":"Devin Tester","comment": "Cross validation run"}}}	{"screen":"ENDCMT" ,"shownId":3,"comm ent":{"id":3,"row": {"id":3,"visible":"Y", "exhibit":"ASHIBATA", "name":"Devin Tester","comment": "Cross validation run"}}}	{"comment": {"id":3,"row": {"comment":"Cross validation run","exhibit":"ASHIB ATA","id":3,"name": "Devin Tester","visible":"Y"}}, "screen":"ENDCMT", "shownId":3}	P A S S
C V- 1 8	共用端末: 展 示 ID 未入力	{"name": "Guest","ex hibit":"","c omment": "x"}	{"screen":"ADDCM T","errline":"Must enter Exhibit ID","comment": {"id":4,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter Exhibit ID","comment": {"id":4,"row":null}}	{"screen":"ADDCMT" ,"errline":"Must enter Exhibit ID","comment": {"id":4,"row":null}}	{"comment": {"id":4,"row":null},"err line":"Must enter Exhibit ID","screen": "ADDCMT"}	P A S S

I D	名称	入力	期待値	PUB400 実測	Java 実測	iPad 実測	合 否
C V- 1 9	共用端末: 存在しない展示 NOSUCH でも記入できる (存在チェックなし)	{"name":"Guest","exhibit":"NOSUCH","comment":"Unchecked exhibit"}	{"screen":"ENDCMT","comment":{"id":4,"row":{"id":4,"visible":"Y","exhibit":"NOSUCH","name":"Guest","comment":"Unchecked exhibit"}}}	{"screen":"ENDCMT","comment":{"id":4,"row":{"id":4,"visible":"Y","exhibit":"NOSUCH","name":"Guest","comment":"Unchecked exhibit"}}}	{"screen":"ENDCMT","shownId":4,"comment":{"id":4,"row":{"id":4,"visible":"Y","exhibit":"NOSUCH","name":"Guest","comment":"Unchecked exhibit"}}}	{"comment":{"id":4,"row":{"comment":"Unchecked exhibit","exhibit":"NOSUCH","id":4,"name":"Guest","visible":"Y"},"screen":"ENDCMT","shownId":4}	P A S S
C V- 2 0	コメント ID 未入力	{"cmtid":""}	{"screen":"READCMT","errline":"Must enter CommentID"}	{"screen":"READCMT","total":4,"errline":"Must enter CommentID","out":{"name":"","title":"","cmt":""}}	{"screen":"READCMT","total":4,"errline":"Must enter CommentID"}	{"errline":"Must enter CommentID","screen":"READCMT","total":4}	P A S S
C V- 2 1	ID 1 → 名前 11 桁 / 展示 タイトル / コメント	{"cmtid":"1"}	{"screen":"READCMT","total":4,"out":{"name":"Great exhib","title":"IBM i on PUB400 Demo","cmt":"VCF/400 running on PUB400."}}	{"screen":"READCMT","total":4,"errline":"ASHIBATA","out":{"name":"Great exhib","title":"IBM i on PUB400 Demo","cmt":"VCF/400 running on PUB400."}}	{"screen":"READCMT","total":4,"errline":"","out":{"name":"Great exhib","title":"IBM i on PUB400 Demo","cmt":"VCF/400 running on PUB400."}}	{"errline":"","out":{"cmt":"VCF/400 running on PUB400.","name":"Great exhib","title":"IBM i on PUB400 Demo"},"screen":"READCMT","total":4}	P A S S
C V- 2 2	ID 3 (この実行で追加したコメント)	{"cmtid":"3"}	{"screen":"READCMT","total":4,"out":{"name":"Devin Teste","title":"IBM i on PUB400 Demo","cmt":"Cross validation run"}}	{"screen":"READCMT","total":4,"errline":"ASHIBATA","out":{"name":"Devin Teste","title":"IBM i on PUB400 Demo","cmt":"Cross validation run"}}	{"screen":"READCMT","total":4,"errline":"","out":{"name":"Devin Teste","title":"IBM i on PUB400 Demo","cmt":"Cross validation run"}}	{"errline":"","out":{"cmt":"Cross validation run","name":"Devin Teste","title":"IBM i on PUB400 Demo"},"screen":"READCMT","total":4}	P A S S
C V- 2 3	存在しない ID 9999 → 最終レコード (4, 他展示) → 帰属外メッセージ	{"cmtid":"9999"}	{"screen":"READCMT","total":4,"out":{"name":"","title":"","cmt":"This comment is not part of this guestbook."}}	{"screen":"READCMT","total":4,"errline":"ASHIBATA","out":{"name":"","title":"","cmt":"This comment is not part of this guestbook."}}	{"screen":"READCMT","total":4,"errline":"","out":{"name":"","title":"","cmt":"This comment is not part of this guestbook."}}	{"errline":"","out":{"cmt":"This comment is not part of this guestbook.","name":"","title":""},"screen":"READCMT","total":4}	P A S S
C V- 2 4	非表示コメント (ID 2 を VISIBLE=N)	{"cmtid":"2"}	{"screen":"READCMT","total":4,"out":{"name":"Name Hidden","title":"","cmt":"This comment hidden by an admin - offensive content."}}	{"screen":"READCMT","total":4,"errline":"ASHIBATA","out":{"name":"Name Hidden","title":"","cmt":"This comment hidden by an admin - offensive content."}}	{"screen":"READCMT","total":4,"errline":"","out":{"name":"Name Hidden","title":"","cmt":"This comment hidden by an admin - offensive content."}}	{"errline":"","out":{"cmt":"This comment hidden by an admin - offensive content.","name":"Name Hidden","title":""},"screen":"READCMT","total":4}	P A S S
C V- 2 5	他展示 (DEMO400) から ASHIBATA のコメント 1 を読む → 帰属外	{"cmtid":"1"}	{"screen":"READCMT","total":4,"out":{"name":"","title":"","cmt":"This comment is not part of this guestbook."}}	{"screen":"READCMT","total":4,"errline":"DEMO400","out":{"name":"","title":"","cmt":"This comment is not part of this guestbook."}}	{"screen":"READCMT","total":4,"errline":"","out":{"name":"","title":"","cmt":"This comment is not part of this guestbook."}}	{"errline":"","out":{"cmt":"This comment is not part of this guestbook.","name":"","title":""},"screen":"READCMT","total":4}	P A S S

I D	名称	入力	期待値	PUB400 実測	Java 実測	iPad 実測	合 否
C V- 2 6	共用端末は全 展示を閲覧可 / 展示タイト ルは SETLL+REA D (NOSUCH → NOVOTE)	{"cmtid": 4"}	{"screen": "READC MT", "total": 4, "out": {"name": "Guest", "tit le": "Ineligible test exhibit (ELIGIBLE=0)", "cm t": "Unchecked exhibit"}}	{"screen": "READCM T", "total": 4, "errline": MM2024", "out": {"name": "Guest", "titl e": "Ineligible test exhibit (ELIGIBLE=0)", "cmt": "Unchecked exhibit"}}	{"screen": "READCM T", "total": 4, "errline": ", "out": {"name": "Guest", "titl e": "Ineligible test exhibit (ELIGIBLE=0)", "cmt": "Unchecked exhibit"}}	{"errline": "", "out": {"cmt": "Unchecked exhibit", "name": "Gue st", "title": "Ineligible test exhibit (ELIGIBLE=0)", "scre en": "READCMT", "tot al": 4}	P A S S
C V- 2 7	F5 → 2 ペー ジ目	{"keys": ["F5"]}	{"screen": "LRN400 ", "page": 2, "content ": "The AS/400 was introduced by IBM in June 1988 ... page 2"}	{"screen": "LRN400", "page": 2, "content": The AS/400 was introduced by IBM in June 1988 ... page 2"}	{"screen": "LRN400", "page": 2, "content": "T he AS/400 was introduced by IBM in June 1988 ... page 2"}	{"content": "The AS/400 was introduced by IBM in June 1988 ... page 2", "page": 2, "screen": "LRN400"}	P A S S
C V- 2 8	F5, F8 → 1 ページ目に戻 る	{"keys": ["F5", "F8"] }	{"screen": "LRN400 ", "page": 1, "content ": "Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit."}	{"screen": "LRN400", "page": 1, "content": Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit."}	{"screen": "LRN400", "page": 1, "content": Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit."}	{"content": "Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit.", "page": 1, "scre en": "LRN400"}	P A S S
C V- 2 9	F5, F5 → 3 ページ目 (EXTRA=E ND') で終了 → VCFMAIN	{"keys": ["F5", "F5"] }	{"screen": "VCFMAI N"}	{"screen": "VCFMAIN "}	{"screen": "VCFMAIN "}	{"screen": "VCFMAIN "}	P A S S
C V- 3 0	F3 → 終了 → VCFMAIN	{"keys": ["F3"]}	{"screen": "VCFMAI N"}	{"screen": "VCFMAIN "}	{"screen": "VCFMAIN "}	{"screen": "VCFMAIN "}	P A S S
C V- 3 1	ASHIBATA (ELIGIBLE= 1, ENLRN400 =1) → 1,2,3,4	{}	{"screen": "KIOSK", "options": ["1", "2", "3", "4"]}	{"screen": "KIOSK", "o ptions": ["1", "2", "3", "4"]}	{"screen": "KIOSK", "o ptions": ["1", "2", "3", "4"]}	{"options": ["1", "2", "3", "4"], "scre en": "KIOSK"}	P A S S
C V- 3 2	NOVOTE (ELIGIBLE= 0, ENLRN400 =0) → 3,4 のみ	{}	{"screen": "KIOSK", "options": ["3", "4"]}	{"screen": "KIOSK", "o ptions": ["3", "4"]}	{"screen": "KIOSK", "o ptions": ["3", "4"]}	{"options": ["3", "4"], "screen": "KI OSK"}	P A S S
C V- 3 3	DEMO400 (ELIGIBLE= 1, ENLRN400 =0) → 1,3,4	{}	{"screen": "KIOSK", "options": ["1", "3", "4"]}	{"screen": "KIOSK", "o ptions": ["1", "3", "4"]}	{"screen": "KIOSK", "o ptions": ["1", "3", "4"]}	{"options": ["1", "3", "4"], "screen": "KIOSK"}	P A S S

ID	名称	入力	期待値	PUB400 実測	Java 実測	iPad 実測	合否
C-V-34	隠しオプション 7 + 誤パスワード → キオスクメニューに戻る	{"option": "7", "password": "WRONGPW"}	{"screen": "KIOSK", "options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"]}	{"screen": "KIOSK", "options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"]}	{"screen": "KIOSK", "options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"]}	{"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"], "screen": "KIOSK"}	PASS
C-V-35	隠しオプション 7 + 正パスワード (SETTINGS.ADMPSWRD) → キオスク終了 → VCFMAIN	{"option": "7", "password": "VCF2024"}	{"screen": "VCFMAIN", "options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"]}	{"screen": "VCFMAIN", "options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"]}	{"screen": "VCFMAIN", "options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"]}	{"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"], "screen": "VCFMAIN"}	PASS
C-V-36	オプション 1 → NTRSTIT → VOTE1 (展示 ASHIBATA 固定) → F12 でキオスクへ戻る	{"option": "1"}	{"screen": "KIOSK", "options": ["1", "2", "3", "4"], "path": ["NTRSTIT", "VOTE1", "KIOSK"], "exhibit": "ASHIBATA"}	{"screen": "KIOSK", "options": ["1", "2", "3", "4"], "exhibit": "ASHIBATA", "path": ["NTRSTIT", "VOTE1", "KIOSK"]}	{"screen": "KIOSK", "options": ["1", "2", "3", "4"], "exhibit": "ASHIBATA", "path": ["NTRSTIT", "VOTE1", "KIOSK"]}	{"exhibit": "ASHIBATA", "options": ["1", "2", "3", "4"], "path": ["NTRSTIT", "VOTE1", "KIOSK"], "screen": "KIOSK"}	PASS
C-V-37	資格外展示でオプション 1 を入力 → 無視 (キオスクメニューのまま)	{"option": "1"}	{"screen": "KIOSK", "options": ["3", "4"], "path": ["KIOSK"]}	{"screen": "KIOSK", "options": ["3", "4"], "path": ["KIOSK"]}	{"screen": "KIOSK", "options": ["3", "4"], "path": ["KIOSK"]}	{"options": ["3", "4"], "path": ["KIOSK"], "screen": "KIOSK"}	PASS

4. 実行環境

項目	値
OS	macOS
Xcode	26.6
Java	17.0.20.1
tn5250	0.19.0
Playwright / Chromium	1.63 / 1243
ffmpeg	9.0.1
XcodeGen	2.46.0
PUB400	ASHIBATA1 / ASHIBATA2
実行日	2026-09-07

5. 動画

環境	動画パス	長さ	解像度	サイズ	収録内容	速度
PUB400	deliverables/video/1_PUB400_RPG.mp4	492.50 秒	1280x720 (h264)	8.65 MB	実 5250 画面フレーム連続表示	等速
Java Web	deliverables/video/2_Java_Web.mp4	153.47 秒	1280x720 (h264)	5.81 MB	Chromium 実画面	等速

環境	動画パス	長さ	解像度	サイズ	収録内容	速度
iPad	<code>deliverables/video/3_iPad.mp4</code>	427.70 秒	1280x720 (h264)	7.14 MB	シミュレータ実画面	等速

3 本とも実時間の等速録画であり、追加の速度変更は行っていない。PUB400 は `self.s.screen.display` から取得した 5250 画面フレームを連続表示し、Java は Chromium の実画面、iPad はシミュレータの実画面を収録した。iPad のケース帯 オーバーレイは ffmpeg に `drawtext` がないため Playwright で PNG を生成し、`overlay / scale / pad` で合成した。

6. 成果物と再現性

種別	パス
テストケース定義	<code>deliverables/tests/cases.json</code>
実測値	<code>deliverables/tests/results/pub400.json</code> , <code>java.json</code> , <code>ipad.json</code>
比較結果	<code>deliverables/tests/results/compare.json</code>
フレーム	<code>deliverables/tests/results/pub400_frames.json</code>
ランナー	<code>run_pub400.py</code> , <code>run_java.js</code> , <code>run_ipad.sh</code> , <code>record_ipad.sh</code>
動画変換	<code>frames_to_video.js</code> , <code>overlay_ipad.js</code>