

VCF/400 クロス検証テスト結果レポート

項目	内容
対象	madmerger/VCF400 — オリジナル (PUB400 ASHIBATA2 ライブラリ、ソースからビルド) / Java Web 版 (java/) / iPad 版 (ipad/)
テストケース	deliverables/tests/cases.json (37 ケース、仕様書 4 章 業務ルール・5 章 検証ルールから生成)
実行方式	PUB400: tn5250 自動操作 (run_pub400.py) / Java: Playwright headed Chromium (run_java.js) / iPad: XCTest on iPad Pro 13-inch シミュレータ (run_ipad.sh → CrossValidationUITests)
共通ベースライン	VOTINGDB {1/1/ASHIBATA, 28/2/ASHIBATA}, GUESTBKDB {1,2 (VISIBLE=Y, ASHIBATA)}, SETTINGS {ADMPSWRD=VCF2024, ALWVOTE=Y}, EXHBD {ASHIBATA(1,1), DEMO400(1,0), NOVOTE(0,0)}, AWARDDB {1,2}, LRN400STR 3 ページ (3 = END)。各環境とも実行前にリセット
判定	期待値 (expect) の全キーが実測値 (observed) と一致 = PASS。画面種別・エラー行・遷移経路・出力項目・DB 状態 (投票行 / コメント行) を比較
E2E 録画	deliverables/video/VCF400_cross_validation.mp4 (1600x1200, 22 分 8 秒, 45 MB) — クロス検証工程のみを 1 本で録画

1. サマリ

環境	PASS	FAIL / 未実行	実行開始 (UTC)	実行終了 (UTC)
PUB400	37 / 37	0	2026-09-06T18:05:30Z	2026-09-06T18:19:16Z
Java Web	37 / 37	0	2026-09-06T18:19:26.235Z	2026-09-06T18:21:12.955Z
iPad	37 / 37	0	2026-09-06T18:21:21Z	2026-09-06T18:27:21Z
3 環境一致	37 / 37	0		

1.1 分類別

分類	内容	ケース数	3 環境一致
ADDVOTE	投票 (F-03): 必須入力 V-01..V-03 / 重複・資格・存在チェック V-04..V-07 / CHECKOK=4 書込 B-01 / ALWVOTE B-03	13	13
ADDGBCMT	ゲストブック記入 (F-04): 必須入力 V-10..V-12 / CMTID 採番 B-06 / 展示存在チェックなし B-08	6	6
READGBCMT	ゲストブック閲覧 (F-05): 必須入力 V-15 / SETLL+READ B-09 / 非表示 B-07 / 帰属外 B-10 / 共用端末 B-11	7	7
LRN400	LEARN/400 (F-06): F5 進む / F8 前へ / F3 終了 / EXTRA='END' で終了 B-12	4	4
EXHBMENU	展示キオスク (F-07): ELIGIBLE / ENLRN400 によるオプション表示 B-13 / 隠しオプション 7 + ADMPSWRD B-14	7	7

2. 不一致と対応

最終実行では 37 ケースすべてが 3 環境で一致した。

2.1 クロス検証で検出・修正した相違 (最終実行前に修正済み)

#	検出環境	内容	ルーツ原因	対応
1	Java / iPad	AWARDDDB のタイトルがオリジナル VOTESCR DDS の表示 (Best in Show Award / The Ed Fair Award) と不一致	参照データを PUB400 の観測値ではなく仮値で作成していた	data.sql / Database.swift の seed を DDS どおりに修正
2	iPad	VOTINGDB ベースライン (4992/4993) と LRN400STR 本文が PUB400・Java (1/28, ページ文言) と不一致	フェーズ 1 の実行時データを seed に採用していた	Database.swift の seed を共通ベースラインに統一 (CV-27/28 の content 比較が対象)
3	Java	キオスクメニューでオプション 1/2 が ELIGIBLE / ENLRN400 に関係なく非表示	Thymeleaf の th:if が boolean アクセサ (isEligible()) を解決できていなかった	kiosk.html を <code>\${exhibit.isEligible()}</code> 形式に修正 (CV-31..33)
4	iPad	VCFMAIN のオプション 90 が台帳 L-01-07 と異なるグループに配置	画面構成の転記ミス	MainMenuView.swift で Administration グループへ移動
5	PUB400	フェーズ 1 の実行で残った投票・コメントがベースラインを汚染	共有環境上の実行データ	pub400_db.py reset を追加し、実行前に ASHIBATA2 のデータを共通ベースラインへ戻す
6	Java (ランナー)	Playwright ランナーが p.big 等の非存在セレクト待ちでタイムアウトし、ブラウザクローズ後に操作していた	locator.textContent() が要素出現までブロック	page.evaluate による非ブロック取得へ変更 (実装側の相違ではない)
7	PUB400 (ランナー)	録画付き 1 回目の全件実行で CV-23 (コメント ID 9999) のみ PUB400 が Must enter CommentID となり 36/37 (results/run1/)	INCMTID は 4Y 0 のため 4 桁入力でカーソルが自動的に次フィールド (=同一フィールド先頭) へ進み、続く Field Exit がフィールドを消去していた	run_pub400.py で桁数一杯の入力時は Field Exit を送らないよう修正し、全件を再実行 (実装側の相違ではない: 5250 上で 9999 を手入力すると帰属外メッセージが表示される)

3. ケース一覧 (入力 / 期待値 / 3 環境の判定)

ID	分類	ケース	入力	期待値	PUB400	Java	iPad	3環境一致
C V-01	ADD VOTE	全項目未入力 (展示 ID は保護・事前入力) (V-01, V-02, B-05, L-03-03)	badge = "" award = ""	{"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}	PASS	PASS	PASS	一致
C V-02	ADD VOTE	アワード未入力 (V-02)	badge = "7001" award = ""	{"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}	PASS	PASS	PASS	一致
C V-03	ADD VOTE	バッジ未入力 (V-01)	badge = "" award = "1"	{"errline": "Must enter badge number", "screen": "VOTE1", "vote": null}	PASS	PASS	PASS	一致
C V-04	ADD VOTE	正常投票 (新規バッジ 7001, アワード 1) (B-04, V-08, L-03-11)	badge = "7001" award = "1"	{"screen": "VOTEEND", "vote": {"award": 1, "badge": "7001", "exhibit": "ASHIBATA"}}	PASS	PASS	PASS	一致

ID	分類	ケース	入力	期待値	PU B4 00	J a v a	iP a d	3環 境 一 致
C V- 05	ADD VOT E	重複バッジ (7001 で再 投票) (B-01, V-04)	badge =" 7001" award =" 2"	{"errline": "You have already voted.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}	PA SS	P A S S	P A S S	一 致
C V- 06	ADD VOT E	存在しないアワード (9) (V-07)	badge =" 7002" award =" 9"	{"errline": "Award does not exist.", "screen": "VOTE1", "vote": null}	PA SS	P A S S	P A S S	一 致
C V- 07	ADD VOT E	境界値: アワード 0 (数値 0 = 未入力扱い) (B-15, V-02)	badge =" 7002" award =" 0"	{"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}	PA SS	P A S S	P A S S	一 致
C V- 08	ADD VOT E	共用端末: 展示 ID 未入力 (V-03, B-13)	badge =" 7002" exhibit ="" award =" 1"	{"errline": "Must enter Exhibit ID", "screen": "VOTE1", "vote": null}	PA SS	P A S S	P A S S	一 致
C V- 09	ADD VOT E	共用端末: 存在しない展示 NOSUCH (V-06)	badge =" 7002" exhibit ="NOSUC H" award =" 1"	{"errline": "Exhibit does not exist", "screen": "VOTE1", "vote": null}	PA SS	P A S S	P A S S	一 致
C V- 10	ADD VOT E	共用端末: 資格外展示 NOVOTE (ELIGIBLE=0) (B-02, V-05)	badge =" 7002" exhibit ="NOVOT E" award =" 1"	{"errline": "Exhibit ineligible for award", "screen": "VOTE1", "vote": null}	PA SS	P A S S	P A S S	一 致
C V- 11	ADD VOT E	共用端末: 正常投票 (7002, DEMO400, アワ ード 2) (B-04, B-13)	badge =" 7002" exhibit ="DEMO4 00" award =" 2"	{"screen": "VOTEEND", "vote": {"award": 2, "badge": 7002, "exhibit": "DEMO400"}}	PA SS	P A S S	P A S S	一 致
C V- 12	ADD VOT E	複合エラー (重複バッジ +存在しない展示+存在し ないアワード) → 最後の チェックが勝つ (B-05)	badge =" 7001" exhibit ="NOSUC H" award =" 9"	{"errline": "Award does not exist.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}	PA SS	P A S S	P A S S	一 致
C V- 13	ADD VOT E	投票停止 ALWVOTE='N' → ENDOFCON (B-03, V-09, L-04-02)	badge =" 7003" award =" 1"	{"screen": "ENDOFCON", "vote": null}	PA SS	P A S S	P A S S	一 致

ID	分類	ケース	入力	期待値	PUB400	Java	iPad	3環境一致
C-V-14	ADD GBC MT	全項目未入力 (展示 ID は保護・事前入力) (V-11, V-12, B-05)	name="" comment=""	{"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}	PASS	PASS	PASS	一致
C-V-15	ADD GBC MT	コメント未入力 (V-12)	name="Devin Tester" comment=""	{"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}	PASS	PASS	PASS	一致
C-V-16	ADD GBC MT	名前未入力 (V-11)	name="" comment="Hello"	{"comment": {"id": 3, "row": null}, "errline": "Must enter your name", "screen": "ADDCMT"}	PASS	PASS	PASS	一致
C-V-17	ADD GBC MT	正常記入 → ENDCMT, CMTID=3 (最終+1), VISIBLE=Y (B-06, L-07-08, L-08-01)	name="Devin Tester" comment="Cross validation run"	{"comment": {"id": 3, "row": {"comment": "Cross validation run", "exhibit": "ASHIBATA", "id": 3, "name": "Devin Tester", "visible": "Y"}}, "screen": "ENDCMT"}	PASS	PASS	PASS	一致
C-V-18	ADD GBC MT	共用端末: 展示 ID 未入力 (V-10)	name="Guest" exhibit="" comment="x"	{"comment": {"id": 4, "row": null}, "errline": "Must enter Exhibit ID", "screen": "ADDCMT"}	PASS	PASS	PASS	一致
C-V-19	ADD GBC MT	共用端末: 存在しない展示 NOSUCH でも記入できる (存在チェックなし) (V-13)	name="Guest" exhibit="NOSUCH" comment="Unchecked exhibit"	{"comment": {"id": 4, "row": {"comment": "Unchecked exhibit", "exhibit": "NOSUCH", "id": 4, "name": "Guest", "visible": "Y"}}, "screen": "ENDCMT"}	PASS	PASS	PASS	一致
C-V-20	REA DGB CMT	コメント ID 未入力 (V-14)	cmtid=""	{"errline": "Must enter CommentID", "screen": "READCMT"}	PASS	PASS	PASS	一致
C-V-21	REA DGB CMT	ID 1 → 名前 11 桁 / 展示タイトル / コメント (V-15, L-09-05)	cmtid="1"	{"out": {"cmt": "VCF/400 running on PUB400.", "name": "Great exhib", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}	PASS	PASS	PASS	一致
C-V-22	REA DGB CMT	ID 3 (この実行で追加したコメント) (B-06)	cmtid="3"	{"out": {"cmt": "Cross validation run", "name": "Devin Teste", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}	PASS	PASS	PASS	一致
C-V-23	REA DGB CMT	存在しない ID 9999 → 最終レコード (4, 他展示) → 帰属外メッセージ (B-09, B-08, V-18)	cmtid="9999"	{"out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}	PASS	PASS	PASS	一致

ID	分類	ケース	入力	期待値	PU B4 00	J a v a	iP a d	3環 境 一 致
C V- 24	REA DGB CMT	非表示コメント (ID 2 を VISIBLE=N) (B-07, V-16)	cmtid = 2"	{"out": {"cmt": "This comment hidden by an admin – offensive content.", "name": "Name Hidden", "title": ""}, "screen": "READCMT", "total": 4}	PA SS	P A S S	P A S S	一 致
C V- 25	REA DGB CMT	他展示 (DEMO400) か ら ASHIBATA のコメン ト 1 を読む → 帰属外 (B-08, V-17)	cmtid = 1"	{"out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}	PA SS	P A S S	P A S S	一 致
C V- 26	REA DGB CMT	共用端末は全展示を閲覧 可 / 展示タイトルは SETLL+READ (NOSUCH → NOVOTE) (B-08, B-09)	cmtid = 4"	{"out": {"cmt": "Unchecked exhibit", "name": "Guest", "title": "Ineligible test exhibit (ELIGIBLE=0)"}, "screen": "READCMT", "total": 4}	PA SS	P A S S	P A S S	一 致
C V- 27	LRN 400	F5 → 2 ページ目 (V-19, L-10-04)	keys = ["F5"]	{"content": "The AS/400 was introduced by IBM in June 1988 ... page 2", "page": 2, "screen": "LRN400"}	PA SS	P A S S	P A S S	一 致
C V- 28	LRN 400	F5, F8 → 1 ページ目に 戻る (V-20)	keys = ["F5", "F8"]	{"content": "Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit.", "page": 1, "screen": "LRN400"}	PA SS	P A S S	P A S S	一 致
C V- 29	LRN 400	F5, F5 → 3 ページ目 (EXTRA='END') で終了 → VCFMAIN (B-10)	keys = ["F5", "F5"]	{"screen": "VCFMAIN"}	PA SS	P A S S	P A S S	一 致
C V- 30	LRN 400	F3 → 終了 → VCFMAIN (V-21)	keys = ["F3"]	{"screen": "VCFMAIN"}	PA SS	P A S S	P A S S	一 致
C V- 31	EXH BME NU	ASHIBATA (ELIGIBLE=1, ENLRN400=1) → 1,2,3,4 (L-05-04, B-02, B-12)	(なし)	{"options": ["1", "2", "3", "4"], "screen": "KIOSK"}	PA SS	P A S S	P A S S	一 致
C V- 32	EXH BME NU	NOVOTE (ELIGIBLE=0, ENLRN400=0) → 3,4 のみ (B-02, B-12)	(なし)	{"options": ["3", "4"], "screen": "KIOSK"}	PA SS	P A S S	P A S S	一 致
C V- 33	EXH BME NU	DEMO400 (ELIGIBLE=1, ENLRN400=0) → 1,3,4 (B-12)	(なし)	{"options": ["1", "3", "4"], "screen": "KIOSK"}	PA SS	P A S S	P A S S	一 致
C V- 34	EXH BME NU	隠しオプション 7 + 誤パ スワード → キオスクメニ ューに戻る (B-11, L-06-03)	option = "7" passwor d="WRO NGPW"	{"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"], "screen": "KIOSK"}	PA SS	P A S S	P A S S	一 致

ID	分類	ケース	入力	期待値	PUB400	Java	iPad	3環境一致
C V- 35	EXH BME NU	隠しオプション 7 + 正パスワード (SETTINGS.ADMPSWRD) → キオスク終了 → VCFMAIN (B-11, L-05-06)	option = "7" password="VCF2024"	{"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"], "screen": "VCFMAIN"}	PASS	PASS	PASS	一致
C V- 36	EXH BME NU	オプション 1 → NTRSTIT → VOTE1 (展示 ASHIBATA 固定) → F12 でキオスクへ戻る (L-05-08, L-02-04, B-13)	option = "1"	{"exhibit": "ASHIBATA", "options": ["1", "2", "3", "4"], "path": ["NTRSTIT", "VOTE1", "KIOSK"], "screen": "KIOSK"}	PASS	PASS	PASS	一致
C V- 37	EXH BME NU	資格外展示でオプション 1 を入力 → 無視 (キオスクメニューのまま) (B-02, L-05-04)	option = "1"	{"options": ["3", "4"], "path": ["KIOSK"], "screen": "KIOSK"}	PASS	PASS	PASS	一致

実測値 (環境別)

CV-01 全項目未入力 (展示 ID は保護・事前入力)

- PUB400: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}

CV-02 アワード未入力

- PUB400: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}

CV-03 バッジ未入力

- PUB400: {"errline": "Must enter badge number", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Must enter badge number", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Must enter badge number", "screen": "VOTE1", "vote": null}

CV-04 正常投票 (新規バッジ 7001, アワード 1)

- PUB400: {"screen": "VOTEEND", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}
- Java Web: {"screen": "VOTEEND", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}
- iPad: {"screen": "VOTEEND", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}

CV-05 重複バッジ (7001 で再投票)

- PUB400: {"errline": "You have already voted.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}
- Java Web: {"errline": "You have already voted.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}
- iPad: {"errline": "You have already voted.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}

CV-06 存在しないアワード (9)

- PUB400: {"errline": "Award does not exist.", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Award does not exist.", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Award does not exist.", "screen": "VOTE1", "vote": null}

CV-07 境界値: アワード 0 (数値 0 = 未入力扱い)

- PUB400: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Must enter Award ID", "screen": "VOTE1", "vote": null}

CV-08 共用端末: 展示 ID 未入力

- PUB400: {"errline": "Must enter Exhibit ID", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Must enter Exhibit ID", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Must enter Exhibit ID", "screen": "VOTE1", "vote": null}

CV-09 共用端末: 存在しない展示 NOSUCH

- PUB400: {"errline": "Exhibit does not exist", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Exhibit does not exist", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Exhibit does not exist", "screen": "VOTE1", "vote": null}

CV-10 共用端末: 資格外展示 NOVOTE (ELIGIBLE=0)

- PUB400: {"errline": "Exhibit ineligible for award", "screen": "VOTE1", "vote": null}
- Java Web: {"errline": "Exhibit ineligible for award", "screen": "VOTE1", "vote": null}
- iPad: {"errline": "Exhibit ineligible for award", "screen": "VOTE1", "vote": null}

CV-11 共用端末: 正常投票 (7002, DEMO400, アワード 2)

- PUB400: {"screen": "VOTEEND", "vote": {"award": 2, "badge": 7002, "exhibit": "DEM0400"}}
- Java Web: {"screen": "VOTEEND", "vote": {"award": 2, "badge": 7002, "exhibit": "DEM0400"}}
- iPad: {"screen": "VOTEEND", "vote": {"award": 2, "badge": 7002, "exhibit": "DEM0400"}}

CV-12 複合エラー (重複バッジ+存在しない展示+存在しないアワード) → 最後の検査が勝つ

- PUB400: {"errline": "Award does not exist.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}
- Java Web: {"errline": "Award does not exist.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}
- iPad: {"errline": "Award does not exist.", "screen": "VOTE1", "vote": {"award": 1, "badge": 7001, "exhibit": "ASHIBATA"}}

CV-13 投票停止 ALWVOTE='N' → ENDOFCON

- PUB400: {"screen": "ENDOFCON", "vote": null}
- Java Web: {"screen": "ENDOFCON", "vote": null}
- iPad: {"screen": "ENDOFCON", "vote": null}

CV-14 全項目未入力 (展示 ID は保護・事前入力)

- PUB400: {"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}

- Java Web: {"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}
- iPad: {"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}

CV-15 コメント未入力

- PUB400: {"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}
- Java Web: {"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}
- iPad: {"comment": {"id": 3, "row": null}, "errline": "Must enter a comment", "screen": "ADDCMT"}

CV-16 名前未入力

- PUB400: {"comment": {"id": 3, "row": null}, "errline": "Must enter your name", "screen": "ADDCMT"}
- Java Web: {"comment": {"id": 3, "row": null}, "errline": "Must enter your name", "screen": "ADDCMT"}
- iPad: {"comment": {"id": 3, "row": null}, "errline": "Must enter your name", "screen": "ADDCMT"}

CV-17 正常記入 → ENDCMT, CMTID=3 (最終+1), VISIBLE=Y

- PUB400: {"comment": {"id": 3, "row": {"comment": "Cross validation run", "exhibit": "ASHIBATA", "id": 3, "name": "Devin Tester", "visible": "Y"}}, "screen": "ENDCMT"}
- Java Web: {"comment": {"id": 3, "row": {"comment": "Cross validation run", "exhibit": "ASHIBATA", "id": 3, "name": "Devin Tester", "visible": "Y"}}, "screen": "ENDCMT", "shownId": 3}
- iPad: {"comment": {"id": 3, "row": {"comment": "Cross validation run", "exhibit": "ASHIBATA", "id": 3, "name": "Devin Tester", "visible": "Y"}}, "screen": "ENDCMT", "shownId": 3}

CV-18 共用端末: 展示 ID 未入力

- PUB400: {"comment": {"id": 4, "row": null}, "errline": "Must enter Exhibit ID", "screen": "ADDCMT"}
- Java Web: {"comment": {"id": 4, "row": null}, "errline": "Must enter Exhibit ID", "screen": "ADDCMT"}
- iPad: {"comment": {"id": 4, "row": null}, "errline": "Must enter Exhibit ID", "screen": "ADDCMT"}

CV-19 共用端末: 存在しない展示 NOSUCH でも記入できる (存在チェックなし)

- PUB400: {"comment": {"id": 4, "row": {"comment": "Unchecked exhibit", "exhibit": "NOSUCH", "id": 4, "name": "Guest", "visible": "Y"}}, "screen": "ENDCMT"}
- Java Web: {"comment": {"id": 4, "row": {"comment": "Unchecked exhibit", "exhibit": "NOSUCH", "id": 4, "name": "Guest", "visible": "Y"}}, "screen": "ENDCMT", "shownId": 4}
- iPad: {"comment": {"id": 4, "row": {"comment": "Unchecked exhibit", "exhibit": "NOSUCH", "id": 4, "name": "Guest", "visible": "Y"}}, "screen": "ENDCMT", "shownId": 4}

CV-20 コメント ID 未入力

- PUB400: {"errline": "Must enter CommentID", "out": {"cmt": "", "name": "", "title": ""}, "screen": "READCMT", "total": 4}

- Java Web: {"errline": "Must enter CommentID", "screen": "READCMT", "total": 4}
- iPad: {"errline": "Must enter CommentID", "screen": "READCMT", "total": 4}

CV-21 ID 1 → 名前 11 桁 / 展示タイトル / コメント

- PUB400: {"errline": "ASHIBATA", "out": {"cmt": "VCF/400 running on PUB400.", "name": "Great exhib", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}
- Java Web: {"errline": "", "out": {"cmt": "VCF/400 running on PUB400.", "name": "Great exhib", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}
- iPad: {"errline": "", "out": {"cmt": "VCF/400 running on PUB400.", "name": "Great exhib", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}

CV-22 ID 3 (この実行で追加したコメント)

- PUB400: {"errline": "ASHIBATA", "out": {"cmt": "Cross validation run", "name": "Devin Teste", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}
- Java Web: {"errline": "", "out": {"cmt": "Cross validation run", "name": "Devin Teste", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}
- iPad: {"errline": "", "out": {"cmt": "Cross validation run", "name": "Devin Teste", "title": "IBM i on PUB400 Demo"}, "screen": "READCMT", "total": 4}

CV-23 存在しない ID 9999 → 最終レコード (4, 他展示) → 帰属外メッセージ

- PUB400: {"errline": "ASHIBATA", "out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}
- Java Web: {"errline": "", "out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}
- iPad: {"errline": "", "out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}

CV-24 非表示コメント (ID 2 を VISIBLE=N)

- PUB400: {"errline": "ASHIBATA", "out": {"cmt": "This comment hidden by an admin – offensive content.", "name": "Name Hidden", "title": ""}, "screen": "READCMT", "total": 4}
- Java Web: {"errline": "", "out": {"cmt": "This comment hidden by an admin – offensive content.", "name": "Name Hidden", "title": ""}, "screen": "READCMT", "total": 4}
- iPad: {"errline": "", "out": {"cmt": "This comment hidden by an admin – offensive content.", "name": "Name Hidden", "title": ""}, "screen": "READCMT", "total": 4}

CV-25 他展示 (DEMO400) から ASHIBATA のコメント 1 を読む → 帰属外

- PUB400: {"errline": "DEMO400", "out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}
- Java Web: {"errline": "", "out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}
- iPad: {"errline": "", "out": {"cmt": "This comment is not part of this guestbook.", "name": "", "title": ""}, "screen": "READCMT", "total": 4}

CV-26 共用端末は全展示を閲覧可 / 展示タイトルは SETLL+READ (NOSUCH → NOVOTE)

- PUB400: {"errline": "MM2024", "out": {"cmt": "Unchecked exhibit", "name": "Guest", "title": "Ineligible test exhibit (ELIGIBLE=0)"}, "screen": "READCMT", "total": 4}
- Java Web: {"errline": "", "out": {"cmt": "Unchecked exhibit", "name": "Guest", "title": "Ineligible test exhibit (ELIGIBLE=0)"}, "screen": "READCMT", "total": 4}

- iPad: {"errline": "", "out": {"cmt": "Unchecked exhibit", "name": "Guest", "title": "Ineligible test exhibit (ELIGIBLE=0)"}, "screen": "READCMT", "total": 4}

CV-27 F5 → 2 ページ目

- PUB400: {"content": "The AS/400 was introduced by IBM in June 1988 ... page 2", "page": 2, "screen": "LRN400"}
- Java Web: {"content": "The AS/400 was introduced by IBM in June 1988 ... page 2", "page": 2, "screen": "LRN400"}
- iPad: {"content": "The AS/400 was introduced by IBM in June 1988 ... page 2", "page": 2, "screen": "LRN400"}

CV-28 F5, F8 → 1 ページ目に戻る

- PUB400: {"content": "Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit.", "page": 1, "screen": "LRN400"}
- Java Web: {"content": "Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit.", "page": 1, "screen": "LRN400"}
- iPad: {"content": "Welcome to LEARN/400! This is page 1. Press F5 for next page, F8 for previous, F3 to exit.", "page": 1, "screen": "LRN400"}

CV-29 F5, F5 → 3 ページ目 (EXTRA='END') で終了 → VCFMAIN

- PUB400: {"screen": "VCFMAIN"}
- Java Web: {"screen": "VCFMAIN"}
- iPad: {"screen": "VCFMAIN"}

CV-30 F3 → 終了 → VCFMAIN

- PUB400: {"screen": "VCFMAIN"}
- Java Web: {"screen": "VCFMAIN"}
- iPad: {"screen": "VCFMAIN"}

CV-31 ASHIBATA (ELIGIBLE=1, ENLRN400=1) → 1,2,3,4

- PUB400: {"options": ["1", "2", "3", "4"], "screen": "KIOSK"}
- Java Web: {"options": ["1", "2", "3", "4"], "screen": "KIOSK"}
- iPad: {"options": ["1", "2", "3", "4"], "screen": "KIOSK"}

CV-32 NOVOTE (ELIGIBLE=0, ENLRN400=0) → 3,4 のみ

- PUB400: {"options": ["3", "4"], "screen": "KIOSK"}
- Java Web: {"options": ["3", "4"], "screen": "KIOSK"}
- iPad: {"options": ["3", "4"], "screen": "KIOSK"}

CV-33 DEMO400 (ELIGIBLE=1, ENLRN400=0) → 1,3,4

- PUB400: {"options": ["1", "3", "4"], "screen": "KIOSK"}
- Java Web: {"options": ["1", "3", "4"], "screen": "KIOSK"}
- iPad: {"options": ["1", "3", "4"], "screen": "KIOSK"}

CV-34 隠しオプション 7 + 誤パスワード → キオスクメニューに戻る

- PUB400: {"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"], "screen": "KIOSK"}
- Java Web: {"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"], "screen": "KIOSK"}

- iPad: {"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "KIOSK"], "screen": "KIOSK"}

CV-35 隠しオプション 7 + 正パスワード (SETTINGS.ADMPSWRD) → キオスク終了 → VCFMAIN

- PUB400: {"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"], "screen": "VCFMAIN"}
- Java Web: {"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"], "screen": "VCFMAIN"}
- iPad: {"options": ["1", "2", "3", "4"], "path": ["ADMPSWRD", "VCFMAIN"], "screen": "VCFMAIN"}

CV-36 オプション 1 → NTRSTIT → VOTE1 (展示 ASHIBATA 固定) → F12 でキオスクへ戻る

- PUB400: {"exhibit": "ASHIBATA", "options": ["1", "2", "3", "4"], "path": ["NTRSTIT", "VOTE1", "KIOSK"], "screen": "KIOSK"}
- Java Web: {"exhibit": "ASHIBATA", "options": ["1", "2", "3", "4"], "path": ["NTRSTIT", "VOTE1", "KIOSK"], "screen": "KIOSK"}
- iPad: {"exhibit": "ASHIBATA", "options": ["1", "2", "3", "4"], "path": ["NTRSTIT", "VOTE1", "KIOSK"], "screen": "KIOSK"}

CV-37 資格外展示でオプション 1 を入力 → 無視 (キオスクメニューのまま)

- PUB400: {"options": ["3", "4"], "path": ["KIOSK"], "screen": "KIOSK"}
- Java Web: {"options": ["3", "4"], "path": ["KIOSK"], "screen": "KIOSK"}
- iPad: {"options": ["3", "4"], "path": ["KIOSK"], "screen": "KIOSK"}

4. 成果物

種別	パス
テストケース定義	deliverables/tests/cases.json
ランナー	deliverables/tests/run_pub400.py, run_java.js, run_ipad.sh + ipad/VCF400UITests/CrossValidationUITests.swift, run_all.sh (録画付き一括実行)
比較	deliverables/tests/compare.py → deliverables/tests/results/compare.json
実測値	deliverables/tests/results/pub400.json, java.json, ipad.json
実行ログ	deliverables/tests/results/run_all.log (全体), pub400_5250.log (5250 全画面ダンプ), java_run.log, ipad_xcuitest.log
録画	deliverables/video/VCF400_cross_validation.mp4