Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

UDC 614·84 : 614·8·013 : 003-62

(Reaffirmed 2002)
(Reaffirmed 2012)
(Reaffirmed 2017)

Indian Standard

FIRE PROTECTION — SAFETY SIGNS

1. Scope — This standard covers the safety signs for use in the field of fire protection and fire fighting.

2. Safety Signs

2.1 The safety signs are presented in the tabular form based on:

a) Means of giving warning of fire and manual controls (*see* Table 1),

b) Means of escape from fire (*see* Table 2),

c) Means of fire fighting (*see* Table 3),

d) Areas or materials of special fire risk (*see* Table 4), and

e) Supplementary signs (*see* Table 5).

2.2 The colour red, green and yellow, shall conform to Shade No. 536, 221 and 309 of IS : 5-1978 ' Colours for ready mixed paints and enamels (*third revision*) ' respectively. The paint shall conform to IS : 2932-1974 ' Specification for enamel, synthetic, exterior (a) undercoating, (b) finishing (*first revision*) '. The outermost dimensions of square (side), triangle (altitute), circle (diameter) shall be 125 mm and size of rectangle shall be 125 × 250 mm.

Fire Safety Sectional Committee, BDC 36 [Ref : Doc : BDC 36 (4271)]

Adopted 7 June 1988 | © April 1989, BIS | Gr 4

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

TABLE 1 MEANS OF GIVING WARNING AND MANUAL CONTROLS

Sl No.	Sign	Meaning	Shape and Colours	Comments on Use
1		Manual activating device	Square sign Background: red Symbol: white	To be used to indicate either a fire alarm call point or the manual control of a fire protection system (e.g. fixed fire extinguishing system)
2		Alarm sounder	Square Background: red Symbol: white	May be used alone or in conjunction with sign No. 1 above if the fire alarm call point actuates an audible alarm immediately perceptible to the occupants
3		Telephone to be used in emergency	Square Background: red Symbol: white	Sign to indicate, or to show the position of a telephone available for giving warning in case of emergency

Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

TABLE 2 MEANS OF ESCAPE

Sl No.	Sign	Meaning	Shape and Colours	Comments on Use
1		Emergency exit	Square Background: green Symbol: white	This sign may be used to indicate all exits which can be used in the event of an emergency. It shall be accompanied by an arrow (Sign No. 1 of Table 5) unless the door is immediately apparent. It may indicate to right or to left.
2		Do not obstruct	Round sign Background: white Symbol: black Circular band and cross bar: red	Sign to be used in situations where obstruction would present a particular danger (escape routes, emergency exits, access to fire-fighting equipment, etc)
3		Slide to open	Square Background: green Symbol: white	To be used in conjunction with sign No. 4 of this table on sliding emergency exit doors, where they are permitted. May be used in the inverse direction
4		Push to open	Square Background: green Symbol: white	This sign is to be placed on a door to indicate the direction of opening

(*Continued*)

Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

TABLE 2 MEANS OF ESCAPE — *Contd*

Sl No.	Sign	Meaning	Shape and Colours	Comments on Use
5		Pull to open	Square Background: green Symbol: white	This sign is to be placed on a door to indicate the direction of opening
6		Break to obtain access	Square Background: green Symbol: white	The sign may be used: a) where it is necessary to break a glass panel to obtain access to a key or to a means of opening b) where it is necessary to break open a panel to create an exit.

Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

TABLE 3 FIRE-FIGHTING EQUIPMENT

Sl No.	Sign	Meaning	Shape and Colours	Comments on Use
1		Collection of fire-fighting equipment	Square Background: red Symbol: white	This sign is used to avoid proliferation of signs
2		Fire extinguisher	Square Background: red Symbol: white	
3		Fire hose reel	Square Background: red Symbol: white	
4		Fire ladder	Square Background: red Symbol: white	

Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

TABLE 4 AREAS OR MATERIALS OF SPECIAL FIRE RISK

Sl No.	Sign	Meaning	Shape and Colours	Comments on Use
1		Danger of fire — Highly flammable materials	Triangular Background: yellow Symbol: black Triangle: black	To indicate the presence of highly flammable materials
2		Danger of fire — Oxidizing materials	Triangular Background: yellow Symbol: black Triangle: black	
3		Danger of explosion Explosive materials	Triangular Backgroud: yellow Symbol: black Triangle: black	To be used to indicate the possible existence of an explosive atmosphere, flammable gas or explosives
4		Water as extinguishing agent prohibited	Round Background: white Symbol: black Circular band and cross-bar: red	To be used in all cases when the use of water on a fire is inappropriate
5		Smoking prohibited	Round Background: white Symbol: black Circular band and cross-bar: red	To be used in cases where smoking can cause danger of fire

(Continued)

Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

TABLE 4 AREAS OR MATERIALS OF SPECIAL FIRE RISK — *Contd*

Sl No.	Sign	Meaning	Shape and Colours	Comments on Use
6		No open flame — Smoking prohibited	Round Background: white Symbol: black Circular band and cross-bar: red	To be used in cases where smoking or open flame can cause danger of fire or explosion

Free Standard provided by BIS via BSB Edge Private Limited to Krupaben Brahmbhatt - SURAT(naikassociates110@gmail.com) 116.74.95.151.

TABLE 5 SUPPLEMENTARY SIGNS

Sl No.	Sign	Meaning	Shape and Colours	Comments on Use
1		Directional arrow for escape route	Square or rectangular sign Background: green Symbol: white	To be used only together with sign No. 1 of Table 2 to indicate the direction to an emergency exit
2		Direction of location of fire-fighting equipment or warning device	Square or rectangular sign Background: red Symbol: white	To be used only together with one of signs No. 1 to 3 of Table 1 and 1 to 4 of Table 3 to indicate the direction of location of fire fighting equipment or a warning device

Printed at New India Printing Press, Khurja, India