Limits

Madiba Hudson-Quansah

Contents

Chapter 1

1.1 The Limit of a Function

Reporting about the behaviour of function within the range of its dangerous values

$$f(x) = x^2 + \frac{1}{x}$$

Input variable $= x$

Output variable $= f(x)$

Name of function $= f$

"Acceptable"/Permissible input values of x - All real numbers except zero

$$x, f(x) \quad x + h, f(x + h)$$

$$f(x + h) - \frac{f(x)}{x + h - x}$$

$$f(x + h) - \frac{f(x)}{h}$$

1.1.1 Proof

$$y = -16t^2 + 100t + 6$$

Points used: $(0, 6) \ (1, 90) \ (3, 162)$

When $t = 0$ and $y = 6$

$$y = at^2 + bt + c$$
$$6 = a(0)^2 + b(0) + c$$
$$c = 6$$

When $t = 1$ and $y = 90$

$$90 = a(1)^2 + b + 6$$
$$90 = a + b + 6$$
$$84 = a + b$$
$$84 - b = a$$

2

When $t = 3$ and $y = 162$

$$162 = a(3)^2 + b + 6$$
$$162 = 9a + 3b + 6$$
$$162 = 9(84 - b) + 3b + 6$$
$$162 = 756 - 9b + 3b + 6$$
$$-594 = -6b + 6$$
$$-600 = -6b$$
$$b = 100$$

$$\therefore b = 100$$

$$84 - 100 = a$$
$$a = -16$$

Therefore $a = 16$, $b = 100$ and $c = 6$

Question 1

Given $f(x) = x^2$ find the Limit of $f(x)$ at $x = 3$

Solution:

$$\text{As x} \rightarrow 3^-, \ f(x)\text{-}¿9$$
$$\text{As x} \rightarrow 3^+, \ f(x)\text{-}¿9$$

Or

$$\lim_{x \to 3^-} f(x) = 9$$
$$\lim_{x \to 3^+} f(x) = 9$$

The first 9 is known as the left limit of $f(x)$ and the other 9 is known as the right limit of $f(x)$

Therefore the limit of $f(x)$ at $x = 3$ is:

$$\lim_{x \to 3} f(x) = 9$$

This is because the left limit and right limit converge.

In the case where:

$$\lim_{x \to 1^-} f(x) = 5$$
$$\lim_{x \to 1^+} f(x) = 4$$

The left and right limits do not converge so there is no limit of $f(x)$ for $x = 1$ and is written as:

$$\lim_{x \to 1} f(x) = \text{No such unique number.}$$

3

In the case where one limit does not exist, i.e. Increasing without bounds:

$$\lim_{x \to 1^-} f(x) \to \infty$$
$$\lim_{x \to 1^+} f(x) \to 4$$

The limit does not exist because the left limit does not exist. This is written as:

$$\lim_{x \to 1} f(x) = \text{does not exist}$$