Limits

Madiba Hudson-Quansah

February 2023

Contents

Chapter 1		Page 2
1.1	The Limit of a Function	2
	$\operatorname{Proof} - 2$	

Chapter 1

1.1 The Limit of a Function

Reporting about the behaviour of function within the range of its dangerous values

$$f(x) = x^2 + \frac{1}{x}$$

Input variable = x

Output variable = f(x)

Name of function = f

"Acceptable"/Permissible input values of x - All real numbers except zero

$$x, f(x) \quad x + h, f(x + h)$$

$$f(x + h) - \frac{f(x)}{x + h - x}$$

$$f(x + h) - \frac{f(x)}{h}$$

1.1.1 Proof

$$y = -16t^2 + 100t + 6$$

Points used: (0,6)(1,90)(3,162)

When t = 0 and y = 6

$$y = at^{2} + bt + c$$

 $6 = a(0)^{2} + b(0) + c$
 $c = 6$

When t = 1 and y = 90

$$90 = a(1)^{2} + b + 6$$

$$90 = a + b + 6$$

$$84 = a + b$$

$$84 - b = a$$

$$2$$

When t = 3 and y = 162

$$162 = a(3)^{2} + b + 6$$

$$162 = 9a + 3b + 6$$

$$162 = 9(84 - b) + 3b + 6$$

$$162 = 756 - 9b + 3b + 6$$

$$-594 = -6b + 6$$

$$-600 = -6b$$

$$b = 100$$

$$b = 100$$

$$84 - 100 = a$$
$$a = -16$$

Therefore a = 16, b = 100 and c = 6

Question 1

Given $f(x) = x^2$ find the Limit of f(x) at x = 3

Solution:

As
$$x \to 3^-$$
, $f(x)-29$
As $x \to 3^+$, $f(x)-29$

Or

$$\lim_{x \to 3^{-}} f(x) = 9$$
$$\lim_{x \to 3^{+}} f(x) = 9$$

The first 9 is known as the left limit of f(x) and the other 9 is known as the right limit of f(x)

Therefore the limit of f(x) at x = 3 is:

$$\lim_{x \to 3} f(x) = 9$$

This is because the left limit and right limit converge.

In the case where:

$$\lim_{x \to 1^{-}} f(x) = 5$$
$$\lim_{x \to 1^{+}} f(x) = 4$$

The left and right limits do not converge so there is no limit of f(x) for x = 1 and is written as:

$$\lim_{x\to 1} f(x) = \text{No such unique number.}$$

In the case where one limit does not exist, i.e. Increasing without bounds:

$$\lim_{x \to 1^{-}} f(x) \to \infty$$
$$\lim_{x \to 1^{+}} f(x) \to 4$$

The limit does not exist because the left limit does not exist. This is written as:

$$\lim_{x \to 1} f(x) = \text{does not exist}$$