

Weka Clusterer Visualize: 14:34:02 - SimpleKMeans (employee)
X: Instance_number (Num)
Y: EmployeeID (Num)
Colour: Cluster (Nom)
Select Instance
Reset
Clear
Open
Save
Jitter
Plot: employee_clustered
666
388.5
111
0
2.5
5
X
Y
Class colour
cluster0 cluster1
3 ( 50%)

Weka Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Clusterer

Choose **SimpleKMeans** -init 0 -max-candidates 100 -periodic-pruning 10000 -min-density 2.0 -t1 -1.25 -t2 -1.0 -N 2 -A "weka.core.EuclideanDistance -R first-last" -I 500 -num-slots 1 -S 10

Cluster mode

- (•) Use training set
- ( ) Supplied test set — Set...
- ( ) Percentage split — % 66
- ( ) Classes to clusters evaluation
  (Num) Credit
- [x] Store clusters for visualization

Ignore attributes

Start | Stop

Result list (right-click for options)

14:34:02 - SimpleKMeans

Clusterer output

```
kMeans
======

Number of iterations: 2
Within cluster sum of squared errors: 2.9514403292181073

Initial starting points (random):

Cluster 0: 444,Female,25,160000,40
Cluster 1: 111,Male,28,150000,39

Missing values globally replaced with mean/mode

Final cluster centroids:
                           Cluster#
Attribute      Full Data           0           1
                   (6.0)       (3.0)       (3.0)
=============================================
EmployeeID         388.5         444         333
Gender              Male      Female        Male
Age              27.1667          27     27.3333
Salary            165000 163333.3333 166666.6667
Credit           47.3333     48.6667          46



Time taken to build model (full training data) : 0 seconds

=== Model and evaluation on training set ===

Clustered Instances

0       3 ( 50%)
1       3 ( 50%)
```

Status