Weka Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Clusterer

Choose **SimpleKMeans** -init 0 -max-candidates 100 -periodic-pruning 10000 -min-density 2.0 -t1 -1.25 -t2 -1.0 -N 5 -A "weka.core.EuclideanDistance -R first-last" -I 500 -num-slots 1

Cluster mode

- (•) Use training set
- ( ) Supplied test set — Set...
- ( ) Percentage split — % 66
- ( ) Classes to clusters evaluation
  (Num) SpendingScore
- [x] Store clusters for visualization

Ignore attributes

Start | Stop

Result list (right-click for options)

14:35:36 - SimpleKMeans

Clusterer output

```
Cluster 2: 12,52,Female,42000,20
Cluster 3: 7,40,Male,20000,6
Cluster 4: 8,23,Male,25000,94

Missing values globally replaced with mean/mode

Final cluster centroids:
                           Cluster#
Attribute        Full Data          0          1          2          3          4
                    (15.0)     (4.0)      (2.0)      (3.0)      (3.0)      (3.0)
=============================================================================
CustomerID             8        3.5         11    12.3333     7.6667          8
Age              31.4667      24.25         26    44.3333    40.3333         23
Gender            Female     Female     Female     Female       Male       Male
AnnualIncome       28800      16250      37500 42333.3333 25666.6667 29333.3333
SpendingScore    51.9333       49.5       67.5    33.3333    30.3333         85



Time taken to build model (full training data) : 0 seconds

=== Model and evaluation on training set ===

Clustered Instances

0       4 ( 27%)
1       2 ( 13%)
2       3 ( 20%)
3       3 ( 20%)
4       3 ( 20%)
```


Weka Clusterer Visualize: 14:35:36 - SimpleKMeans (exp19_mall_customers)

X: Instance_number (Num) | Y: CustomerID (Num)

Colour: Cluster (Nom) | Select Instance

Reset | Clear | Open | Save | Jitter

Plot: exp19_mall_customers_clustered





Class colour

cluster0 cluster1 cluster2 cluster3 cluster4