




EXPERIMENTS












Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Open file...
Open URL...
Open DB...
Generate...
Undo
Edit...
Save...
Filter
Choose
None
Apply
Stop
Current relation
Relation: market_basket
Instances: 10
Attributes: 6
Sum of weights: 10
Attributes
All
None
Invert
Pattern
No.
Name
1 Milk
2 Beer
3 Diapers
4 Bread
5 Butter
6 Cookies
Remove
Selected attribute
Name: Milk
Missing: 0 (0%)
Distinct: 2
Type: Nominal
Unique: 0 (0%)
No.
Label
Count
Weight
1 yes 5 5
2 no 5 5
Class: Cookies (Nom)
Visualize All
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:11 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.5 -D 0.05 -U 1.0 -M 0.3 -S -1.0 -c -1
Start
Stop
Result list (right-click for ...
23:14:02 - Apriori
Associator output
=== Run information ===
Scheme: weka.associations.Apriori -N 10 -T 0 -C 0.5 -D 0.05 -U 1.0 -M 0.3 -S -1.0 -c -1
Relation: market_basket
Instances: 10
Attributes: 6
Milk
Beer
Diapers
Bread
Butter
Cookies
=== Associator model (full training set) ===
Apriori
=======
Minimum support: 0.55 (5 instances)
Minimum metric <confidence>: 0.5
Number of cycles performed: 9
Generated sets of large itemsets:
Size of set of large itemsets L(1): 9
Size of set of large itemsets L(2): 5
Size of set of large itemsets L(3): 1
Best rules found:
1. Bread=yes 5 ==> Beer=no 5 <conf:(1)> lift:(1.67) lev:(0.2) [2] conv:(2)
2. Butter=yes 5 ==> Beer=no 5 <conf:(1)> lift:(1.67) lev:(0.2) [2] conv:(2)
3. Butter=yes 5 ==> Bread=yes 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
4. Bread=yes 5 ==> Butter=yes 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
5. Butter=no 5 ==> Bread=no 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:14 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.5 -D 0.05 -U 1.0 -M 0.3 -S -1.0 -c -1
Start
Stop
Result list (right-click for ...
23:14:02 - Apriori
Associator output
Beer
Diapers
Bread
Butter
Cookies
=== Associator model (full training set) ===
Apriori
=======
Minimum support: 0.55 (5 instances)
Minimum metric <confidence>: 0.5
Number of cycles performed: 9
Generated sets of large itemsets:
Size of set of large itemsets L(1): 9
Size of set of large itemsets L(2): 5
Size of set of large itemsets L(3): 1
Best rules found:
1. Bread=yes 5 ==> Beer=no 5 <conf:(1)> lift:(1.67) lev:(0.2) [2] conv:(2)
2. Butter=yes 5 ==> Beer=no 5 <conf:(1)> lift:(1.67) lev:(0.2) [2] conv:(2)
3. Butter=yes 5 ==> Bread=yes 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
4. Bread=yes 5 ==> Butter=yes 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
5. Butter=no 5 ==> Bread=no 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
6. Bread=no 5 ==> Butter=no 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
7. Bread=yes Butter=yes 5 ==> Beer=no 5 <conf:(1)> lift:(1.67) lev:(0.2) [2] conv:(2)
8. Beer=no Butter=yes 5 ==> Bread=yes 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
9. Beer=no Bread=yes 5 ==> Butter=yes 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
10. Butter=yes 5 ==> Beer=no Bread=yes 5 <conf:(1)> lift:(2) lev:(0.25) [2] conv:(2.5)
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:14 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Open file...
Open URL...
Open DB...
Generate...
Undo
Edit...
Save...
Filter
Choose
None
Apply
Stop
Current relation
Relation: apriori_fp_growth
Instances: 5
Attributes: 11
Sum of weights: 5
Attributes
All
None
Invert
Pattern
No.
Name
1 M
2 O
3 N
4 K
5 E
6 Y
7 D
8 A
9 U
10 C
11 I
Remove
Selected attribute
Name: M
Missing: 0 (0%)
Distinct: 2
Type: Nominal
Unique: 0 (0%)
No.
Label
Count
Weight
1 yes
3
3
2 no
2
2
Class: I (Nom)
Visualize All
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:17 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.8 -D 0.05 -U 1.0 -M 0.5 -S -1.0 -c -1
Start
Stop
Result list (right-click for ...
23:24:29 - Apriori
Associator output
=== Run information ===
Scheme: weka.associations.Apriori -N 10 -T 0 -C 0.8 -D 0.05 -U 1.0 -M 0.5 -S -1.0 -c -1
Relation: apriori_fp_growth
Instances: 5
Attributes: 11
M
O
N
K
E
Y
D
A
U
C
I
=== Associator model (full training set) ===
Apriori
=======
Minimum support: 0.85 (4 instances)
Minimum metric <confidence>: 0.8
Number of cycles performed: 3
Generated sets of large itemsets:
Size of set of large itemsets L(1): 6
Size of set of large itemsets L(2): 6
Size of set of large itemsets L(3): 1
Best rules found:
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:24 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Start
Stop
Result list (right-click for ...
23:24:29 - Apriori
23:27:39 - FPGrowth
Associator output
=== Run information ===
Scheme: weka.associations.FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Relation: apriori_fp_growth
Instances: 5
Attributes: 11
M
O
N
K
E
Y
D
A
U
C
I
=== Associator model (full training set) ===
FPGrowth found 71 rules (displaying top 10)
1. [C=no]: 3 ==> [U=no]: 3 <conf:(1)> lift:(1.25) lev:(0.12) conv:(0.6)
2. [Y=no]: 2 ==> [U=no]: 2 <conf:(1)> lift:(1.25) lev:(0.08) conv:(0.4)
3. [M?no]: 2 ==> [Y?no]: 2 <conf:(1)> lift:(1.25) lev:(0.08) conv:(0.4)
4. [C=no]: 3 ==> [I=no]: 3 <conf:(1)> lift:(1.25) lev:(0.12) conv:(0.6)
5. [O=no]: 2 ==> [I=no]: 2 <conf:(1)> lift:(1.25) lev:(0.08) conv:(0.4)
6. [N=no]: 3 ==> [D=no]: 3 <conf:(1)> lift:(1.25) lev:(0.12) conv:(0.6)
7. [Y=no]: 2 ==> [D=no]: 2 <conf:(1)> lift:(1.25) lev:(0.08) conv:(0.4)
8. [O=no]: 2 ==> [D=no]: 2 <conf:(1)> lift:(1.25) lev:(0.08) conv:(0.4)
9. [M?no]: 2 ==> [A?no]: 2 <conf:(1)> lift:(1.25) lev:(0.08) conv:(0.4)
10. [Y=no]: 2 ==> [N=no]: 2 <conf:(1)> lift:(1.67) lev:(0.16) conv:(0.8)
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:27 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Open file...
Open URL...
Open DB...
Generate...
Undo
Edit...
Save...
Filter
Choose
None
Apply
Stop
Current relation
Relation: decision_tree_classification
Instances: 14
Attributes: 5
Sum of weights: 14
Attributes
All
None
Invert
Pattern
No.
Name
1 age
2 income
3 student
4 credit_rating
5 buys_computer
Remove
Selected attribute
Name: age
Missing: 0 (0%)
Distinct: 3
Type: Nominal
Unique: 0 (0%)
No.
Label
Count
Weight
1 young 5 5
2 middle 4 4
3 senior 5 5
Class: buys_computer (Nom)
Visualize All
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:30 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
J48 -C 0.25 -M 2
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) buys_computer
Start
Stop
Result list (right-click for options)
23:33:16 - trees.J48
Classifier output
=== Run information ===
Scheme: weka.classifiers.trees.J48 -C 0.25 -M 2
Relation: decision_tree_classification
Instances: 14
Attributes: 5
age
income
student
credit_rating
buys_computer
Test mode: evaluate on training data
=== Classifier model (full training set) ===
J48 pruned tree
age = young
| student = yes: yes (2.0)
| student = no: no (3.0)
age = middle: yes (4.0)
age = senior
| credit_rating = fair: yes (3.0)
| credit_rating = excellent: no (2.0)
Number of Leaves : 5
Size of the tree : 8
Time taken to build model: 0.01 seconds
=== Evaluation on training set ===
Time taken to test model on training data: 0 seconds
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:34 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
J48 -C 0.25 -M 2
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) buys_computer
Start
Stop
Result list (right-click for options)
23:33:16 - trees.J48
Classifier output
Number of Leaves : 5
Size of the tree : 8
Time taken to build model: 0.01 seconds
=== Evaluation on training set ===
Time taken to test model on training data: 0 seconds
=== Summary ===
Correctly Classified Instances 14 100 %
Incorrectly Classified Instances 0 0 %
Kappa statistic 1
Mean absolute error 0
Root mean squared error 0
Relative absolute error 0 %
Root relative squared error 0 %
Total Number of Instances 14
=== Detailed Accuracy By Class ===
TP Rate FP Rate Precision Recall F-Measure MCC ROC Area PRC Area Class
1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000 yes
1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000 no
Weighted Avg. 1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000
=== Confusion Matrix ===
a b <-- classified as
9 0 | a = yes
0 5 | b = no
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:34 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Open file...
Open URL...
Open DB...
Generate...
Undo
Edit...
Save...
Filter
Choose
None
Apply
Stop
Current relation
Relation: day3_exp5_diabetes
Instances: 15
Attributes: 6
Sum of weights: 15
Attributes
All
None
Invert
Pattern
No.
Name
1 Age
2 Pregnancies
3 Glucose
4 BMI
5 DiabetesPedigreeFunction
6 Outcome
Remove
Selected attribute
Name: Age
Missing: 0 (0%)
Distinct: 15
Type: Numeric
Unique: 15 (100%)
Statistic
Value
Minimum 21
Maximum 68
Mean 44.4
StdDev 14.918
Class: Outcome (Num)
Visualize All
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:37 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Num) Outcome
Start
Stop
Result list (right-click for options)
23:39:08 - functions.LinearRegression
Classifier output
=== Run information ===
Scheme: weka.classifiers.functions.LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Relation: day3_exp5_diabetes
Instances: 15
Attributes: 6
Age
Pregnancies
Glucose
BMI
DiabetesPedigreeFunction
Outcome
Test mode: evaluate on training data
=== Classifier model (full training set) ===
Linear Regression Model
Outcome =
0.1108 * BMI +
-2.6579
Time taken to build model: 0.06 seconds
=== Evaluation on training set ===
Time taken to test model on training data: 0 seconds
=== Summary ===
Correlation coefficient 0.8593
Mean absolute error 0.2118
Root mean squared error 0.2506
Relative absolute error 44.1305 %
Root relative squared error 51.1514 %
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:39 PM
10/17/2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Num) Glucose
Start
Stop
Result list (right-click for options)
23:39:08 - functions.LinearRegression
23:42:48 - functions.LinearRegression
Classifier output
=== Run information ===
Scheme: weka.classifiers.functions.LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Relation: day3_exp5_diabetes
Instances: 15
Attributes: 6
Age
Pregnancies
Glucose
BMI
DiabetesPedigreeFunction
Outcome
Test mode: evaluate on training data
=== Classifier model (full training set) ===
Linear Regression Model
Glucose =
0.2524 * Age +
0.4321 * Pregnancies +
0.9567 * BMI +
82.6819 * DiabetesPedigreeFunction +
1.4013 * Outcome +
50.5037
Time taken to build model: 0.01 seconds
=== Evaluation on training set ===
Time taken to test model on training data: 0 seconds
=== Summary ===
Correlation coefficient 0.9999
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:42 PM
10/17/2026



Program Visualization Tools Help
Weka GUI Chooser
Weka Explorer
Preprocess Classify Cluster Associate Select attributes Visualize
Open file... Open URL... Open DB... Generate... Undo Edit... Save...
Filter
Choose None Apply Stop
Current relation
Relation: hotdogs_buns_ketchup_chips_coke
Instances: 6
Attributes: 5
Sum of weights: 6
Attributes
All None Invert Pattern
No. Name
1 Hot_Dogs
2 Buns
3 Ketchup
4 Chips
5 Coke
Remove
Selected attribute
Name: Hot_Dogs
Missing: 0 (0%)
Distinct: 2
Type: Nominal
Unique: 0 (0%)
No. Label Count Weight
1 yes 4 4
2 no 2 2
Class: Coke (Nom)
Visualize All
Status
OK
Log
x 0
Applications
Explorer
Experimenter
KnowledgeFlow
Workbench
Simple CLI
Waikato Environment for Knowledge Analysis
Version 3.9.6
(c) 1999 - 2022
The University of Waikato
Hamilton, New Zealand
26°C
Light rain
Search
ENG
IN
11:44 PM
10/17/2026


Start Weka Lab Exercise
chatgpt.com
ChatGPT
New chat
Pinned
SELF WITH RESUME
Frontend Backend Database Structure
Docker Kubernetes Jenkins Setup
Cryptography Formula Revision
Explain lost update
Projects
No projects
Recents
Start Weka Lab Exercise
Capgemini Test Pattern
Job Link Guidance
Hierarchical inheritance example
Kavya Nissanki
Go
Weka Explorer
Preprocess Classify Cluster Associate Select attributes Visualize
Associator
Choose Apriori -N 10 -T 0 -C 0.6 -D 0.05 -U 1.0 -M 0.3333 -S -1.0 -c -1
Start Stop
Result list (right-click for ...
23:46:23 - Apriori
Associator output
Apriori
=======
Minimum support: 0.4 (2 instances)
Minimum metric <confidence>: 0.6
Number of cycles performed: 12
Generated sets of large itemsets:
Size of set of large itemsets L(1): 10
Size of set of large itemsets L(2): 25
Size of set of large itemsets L(3): 24
Size of set of large itemsets L(4): 11
Size of set of large itemsets L(5): 2
Best rules found:
1. Chips=yes 4 ==> Buns=no 4 <conf:(1)> lift:(1.5) lev:(0.22) [1] conv:(1.33)
2. Buns=no 4 ==> Chips=yes 4 <conf:(1)> lift:(1.5) lev:(0.22) [1] conv:(1.33)
3. Ketchup=no 3 ==> Hot_Dogs=yes 3 <conf:(1)> lift:(1.5) lev:(0.17) [1] conv:(1)
4. Ketchup=yes 3 ==> Coke=no 3 <conf:(1)> lift:(1.5) lev:(0.17) [1] conv:(1)
5. Buns=yes 2 ==> Hot_Dogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
6. Chips=no 2 ==> Hot_Dogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
7. Coke=yes 2 ==> Hot_Dogs=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
8. Hot_Dogs=no 2 ==> Buns=no 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
9. Hot_Dogs=no 2 ==> Ketchup=yes 2 <conf:(1)> lift:(2) lev:(0.17) [1] conv:(1)
10. Hot_Dogs=no 2 ==> Chips=yes 2 <conf:(1)> lift:(1.5) lev:(0.11) [0] conv:(0.67)
Status
OK
Log
x 0
Ask Gemini
Share
Value
0.3333
0.6
26°C
Light rain
Search
ENG
IN
11:46 PM
10/17/2026


Weka Explorer
Preprocess Classify Cluster Associate Select attributes Visualize
Associator
Choose FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Start Stop
Result list (right-click for ...
23:46:23 - Apriori
23:46:58 - FPGrowth
Associator output
=== Run information ===
Scheme: weka.associations.FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Relation: hotdogs_buns_ketchup_chips_coke
Instances: 6
Attributes: 5
Hot_Dogs
Buns
Ketchup
Chips
Coke
=== Associator model (full training set) ===
FPGrowth found 9 rules (displaying top 9)
1. [Hot_Dogs=no]: 2 ==> [Coke=no]: 2 <conf:(1)> lift:(1.5) lev:(0.11) conv:(0.67)
2. [Chips=no]: 2 ==> [Coke=no]: 2 <conf:(1)> lift:(1.5) lev:(0.11) conv:(0.67)
3. [Hot_Dogs=no]: 2 ==> [Buns=no]: 2 <conf:(1)> lift:(1.5) lev:(0.11) conv:(0.67)
4. [Coke=no, Buns=no]: 2 ==> [Hot_Dogs=no]: 2 <conf:(1)> lift:(3) lev:(0.22) conv:(1.33)
5. [Hot_Dogs=no]: 2 ==> [Coke=no, Buns=no]: 2 <conf:(1)> lift:(3) lev:(0.22) conv:(1.33)
6. [Coke=no, Hot_Dogs=no]: 2 ==> [Buns=no]: 2 <conf:(1)> lift:(1.5) lev:(0.11) conv:(0.67)
7. [Buns=no, Hot_Dogs=no]: 2 ==> [Coke=no]: 2 <conf:(1)> lift:(1.5) lev:(0.11) conv:(0.67)
8. [Coke=no, Ketchup=no]: 1 ==> [Chips=no]: 1 <conf:(1)> lift:(3) lev:(0.11) conv:(0.67)
9. [Ketchup=no, Chips=no]: 1 ==> [Coke=no]: 1 <conf:(1)> lift:(1.5) lev:(0.06) conv:(0.33)
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:47 PM
10/17/2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Open file...
Open URL...
Open DB...
Generate...
Undo
Edit...
Save...
Filter
Choose None
Apply
Stop
Current relation
Relation: rule_based_vs_decision_tree
Instances: 14
Attributes: 5
Sum of weights: 14
Attributes
All
None
Invert
Pattern
No.
Name
1 outlook
2 temperature
3 humidity
4 windy
5 play
Remove
Selected attribute
Name: outlook
Missing: 0 (0%)
Distinct: 3
Type: Nominal
Unique: 0 (0%)
No.
Label
Count
Weight
1 sunny 5 5
2 overcast 4 4
3 rain 5 5
Class: play (Nom)
Visualize All
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:48 PM
10/17/2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose J48 -C 0.25 -M 2
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) play
Start
Stop
Result list (right-click for options)
23:51:41 - trees.J48
Classifier output
Number of Leaves : 5
Size of the tree : 8
Time taken to build model: 0 seconds
=== Evaluation on training set ===
Time taken to test model on training data: 0 seconds
=== Summary ===
Correctly Classified Instances 14 100 %
Incorrectly Classified Instances 0 0 %
Kappa statistic 1
Mean absolute error 0
Root mean squared error 0
Relative absolute error 0 %
Root relative squared error 0 %
Total Number of Instances 14
=== Detailed Accuracy By Class ===
TP Rate FP Rate Precision Recall F-Measure MCC ROC Area PRC Area Class
1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000 yes
1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000 no
Weighted Avg. 1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000
=== Confusion Matrix ===
a b <-- classified as
9 0 | a = yes
0 5 | b = no
Status
OK
Log
x 0
26°C
Light rain
Search
ENG
IN
11:51 PM
10/17/2026


Weka Classifier Tree Visualizer: 23:51:41 - trees.J48 (rule_based_vs_decision_tree)
Tree View
outlook
= sunny
= overcast
= rain
humidity
yes (4.0)
windy
= high
= normal
= TRUE
= FALSE
no (3.0)
yes (2.0)
no (2.0)
yes (3.0)
26°C
Light rain
Search
ENG
IN
11:53 PM
10/17/2026