Task Analysis Using AI Tools

Search and Select a Restaurant or Meal

Domain: Online Food Delivery Mobile Application

1. User Task (For Reference)

Goal:

Find a restaurant or specific meal that matches the user's cravings, dietary restrictions, budget, and available time, as quickly and confidently as possible.

Primary Actor:

A hungry user (customer) using a food delivery app.

Trigger:

The user feels hungry, is planning a meal, or needs to order food for themselves or a group.

Preconditions:

App is installed, user is logged in, and location services are enabled.

Basic Flow:

1. Open the app; the app detects the user's current location.
2. User browses the home feed/categories or searches by keyword.
3. User applies filters (cuisine, price, rating, dietary needs, delivery time).
4. User reviews the list of restaurants or dishes returned.
5. User selects a restaurant and opens its menu.
6. User selects a specific dish to view details.

Postcondition:

A restaurant and/or meal is selected and ready to be added to the cart.

2. Competitive Products for Reference (Shortcomings)

Product	Identified Shortcoming
Uber Eats	**Sponsored/ad-placed restaurants are mixed into organic results, cluttering relevance and search trust.**
DoorDash	**No reliable 'open now' filter; closed restaurants still appear in search results.**
Grubhub	**Keyword search is literal and does not handle typos or synonyms (e.g., 'mexican' misses 'taqueria').**
Zomato	**Rich discovery content (photos/reviews) loads slowly, hurting search speed on weaker connections.**
Swiggy	**Combined filters (e.g., 'pure veg' + 'fast delivery') reset when the user navigates back to results.**

3. Human Factors and Environmental Considerations

- Cognitive load: decision fatigue from excessive options leads users to 'satisfice' rather than find the optimal choice.
- Physical context: frequent one-handed use while walking or commuting requires larger, thumb-friendly tap targets.

-

Environmental: outdoor glare reduces photo/menu readability; unstable networks (subways, elevators) cause failed searches.
- Time pressure: searches often occur during short lunch breaks, increasing stress when results load slowly.
- Sensory bias: hunger increases reliance on appealing photos over accurate information (ratings, wait times).
- Accessibility: screen-reader users need descriptive alt text for food images and clearly labeled filter controls.

4. Pain Points, Challenges, and Tools Used by Users

Pain Points:

- Overwhelming number of choices with little personalized guidance.
- Irrelevant sponsored results mixed into organic search.
- Inconsistent or missing 'open now' status.
- Slow-loading search results due to heavy imagery.
- Filters that do not persist when navigating back.

Challenges:

- Balancing personalization and speed without overwhelming the user.
- Surfacing trustworthy ratings while filtering out fake reviews.
- Reliably filtering for dietary restrictions (vegan, halal, allergens).

Tools Used by Users:

- In-app search bar and filter/sort menus.
- Saved favorites and reorder lists.
- External review sites (Yelp, Google Reviews) cross-referenced before deciding.
- Screenshots shared with others to make a group decision.
- Voice assistants for quick, hands-free queries.