Task Analysis Using AI Tools

Check Out and Make Payment

Domain: Online Food Delivery Mobile Application

1. User Task (For Reference)

Goal:

Confirm delivery details, apply promotions, select a payment method, and successfully submit the order.

Primary Actor:

A customer with a finalized cart.

Trigger:

The user has reviewed the cart and is ready to pay.

Preconditions:

Cart contains at least one item; delivery address is available or must be set.

Basic Flow:

1. Review the cart contents and total.
2. Confirm or edit the delivery address.
3. Select a delivery time (ASAP or scheduled).
4. Apply a promo code, if any.
5. Select a tip amount.
6. Choose a payment method and confirm the order.
7. Receive an order confirmation.

Postcondition:

The order is placed and payment is processed successfully.

2. Competitive Products for Reference (Shortcomings)

Product	Identified Shortcoming
DoorDash	**A high default tip percentage is pre-selected, and the $0 tip option is hard to find.**
Uber Eats	**Service and small-print fees are not clearly itemized until the final screen, surprising users.**
Grubhub	**Promo codes often fail silently without explaining why (expired vs. ineligible restaurant).**
Zomato	**Saved payment methods sometimes fail to sync with the in-app wallet, forcing re-entry of card details.**
Swiggy	**New addresses lack a map-pin confirmation step, sometimes resulting in incorrect delivery locations.**

3. Human Factors and Environmental Considerations

- Cognitive: users must quickly process multiple cost components (item total, fees, tip, tax), risking error or mistrust.
- Trust/emotional: hidden fees and default high tips create frustration and a feeling of being manipulated.

-

Physical: entering payment or address details one-handed on a small screen is error-prone.
- Environmental: checkout often happens under time pressure (hunger, short breaks) or with unstable connectivity, risking duplicate charges on retry.
- Security: users are often wary of saving card data due to data breach concerns.

4. Pain Points, Challenges, and Tools Used by Users

Pain Points:

- Non-transparent fees revealed late in the checkout flow.
- Manipulative default tip amounts.
- Promo codes that fail without clear explanation.
- Incorrect delivery addresses due to lack of map confirmation.
- Failed or duplicate payment attempts on poor connections.

Challenges:

- Balancing monetization (fees/tips) with pricing transparency.
- Robustly handling network failures during payment without double-charging the user.
- Making promo/discount logic clear and explainable.

Tools Used by Users:

- Digital wallets (Apple Pay, Google Pay).
- Saved debit/credit cards.
- Banking apps to verify charges after checkout.
- Screenshots of order confirmations for receipts/reimbursement.
- Browser-based coupon sites for promo codes.