Task Analysis Using AI Tools

Track Real-Time Order Delivery

Domain: Online Food Delivery Mobile Application

1. User Task (For Reference)

Goal:

Monitor order preparation and delivery progress to plan arrival time and ensure the order is received.

Primary Actor:

A customer waiting for their delivery.

Trigger:

The order has been placed and confirmed by the restaurant.

Preconditions:

An active order exists with a tracking status.

Basic Flow:

1. View the order status screen.
2. See stage updates (preparing, picked up, en route).
3. View the live map and courier location.
4. Receive push notifications for status changes.
5. Contact the courier or support if an issue arises.
6. Receive the order and mark it complete.

Postcondition:

The order is delivered and marked complete, or an issue is escalated to support.

2. Competitive Products for Reference (Shortcomings)

Product	Identified Shortcoming
Uber Eats	**Live map ETA is frequently inaccurate, swinging drastically as the courier takes alternate routes.**
DoorDash	**In-app courier contact (chat/call) is sometimes unresponsive due to the courier's own connectivity.**
Grubhub	**Status remains stuck on 'preparing' long after the food has actually been picked up.**
Zomato	**No proactive notification when a delivery is delayed; the user must manually refresh the app.**
Swiggy	**Continuous GPS polling for the live map drains battery quickly, frustrating users with low battery.**

3. Human Factors and Environmental Considerations

- Cognitive: uncertain ETAs trigger an anxious 'app-checking loop'.
- Physical/environmental: users may change location before delivery (different room/building), requiring flexible last-minute updates.
- Context of use: tracking happens alongside other tasks (working, cooking), requiring glanceable, low-attention notifications.

-

Device constraints: low battery and weak signal are common near delivery time, so the tracking UI must be power-efficient and resilient to connectivity gaps.

- Emotional: frustration escalates with inaccurate ETAs, especially when hungry.

4. Pain Points, Challenges, and Tools Used by Users

Pain Points:

- Inaccurate or constantly shifting ETAs.
- Unresponsive courier contact options.
- Stale status updates that do not reflect reality.
- High battery drain from live tracking.
- No proactive alerts for delays.

Challenges:

- Providing reliable real-time GPS tracking while managing battery usage.
- Generating realistic, dynamically updated ETAs.
- Creating a clear escalation path when deliveries run late.

Tools Used by Users:

- Push notifications and lock-screen status widgets.
- In-app live map view.
- In-app chat/call to courier or support.
- External maps (Google Maps) to cross-check courier location.