

search-bug

Jane Doe

2/17/23

Table of contents

Preface	3
1 Introduction	4
2 How to set a redirect	5
2.1 Non GitHub pages site (e.g. Netlify)	5
2.2 GitHub pages	5
References	6

Preface

This is a Quarto book.

To learn more about Quarto books visit <https://quarto.org/docs/books>.

1 + 1

[1] 2

1 Introduction

This is a book created from markdown and executable code.

See Knuth (1984) for additional discussion of literate programming.

```
1 + 1
```

```
[1] 2
```

2 How to set a redirect

2.1 Non GitHub pages site (e.g. Netlify)

Replace the content of the current website with a `index.html` and `404.html` files both containing:

```
<html>
<head>
<meta http-equiv="refresh" content="0;URL=https://docs.ropensci.org/<pkgname>/">
</head>
</html>
```

2.2 GitHub pages

You can setup the redirect from your main user gh-pages repository:

- create a new repository (if you don't have one yet): `https://github.com/<username>/<username>.github.io`
- In this repository create a directory `<pkgname>` containing 2 files: a `index.html` and `404.html` file, which both redirect to the new location (see previous subsection).
- Test that `https://<username>.github.io/<pkgname>/index.html` now redirects.

References

Knuth, Donald E. 1984. “Literate Programming.” *Comput. J.* 27 (2): 97–111. <https://doi.org/10.1093/comjnl/27.2.97>.