

SL Box Verification & Correction

For each image, fix the bounding boxes for a given phrase: tighten or reshape loose boxes, delete boxes that do not match the phrase, add boxes for any missed instances, then state whether every instance is now boxed.

Your Goal

Each item shows an image, a **phrase**, and a set of candidate bounding boxes. Your job is to make the boxes **correct and high quality** — not merely to accept or reject them.

For every box you have three tools:

1. **Edit** (drag the box body to move, drag the handles to resize) to make a close-but-imperfect box tight and complete, then **Mark good**.
2. **Mark good** (✓) when the box is already tight and correct.
3. **Delete** (X) when the box does not correspond to the phrase at all.

Then **add boxes** for any instance of the phrase that has no box, and finally answer the **exhaustiveness** question.

Unfamiliar With the Phrase?

If you don't know the phrase, or aren't sure what it looks like, **briefly research it before annotating** — a quick image or web search is usually enough to learn what the object looks like and how to recognize it.

- **Once familiar**, go ahead and annotate as normal (edit, mark good, delete, add).
- **If you're still unsure** what the phrase means or what a correct box should cover after researching, don't guess — use "**Phrase is unclear or unfamiliar**" to reject it as unclear/vague.

There is also a **?** next to the phrase in the task that repeats this reminder.

Edit First, Delete Rarely

Editing is the default action for an imperfect box. If a box is around the right object but is loose, shifted, too big, or slightly cuts the object off — **fix it**, don't delete it.

Delete a box when it is around the wrong thing: a different object, or nothing that the phrase describes.

Also **delete duplicate boxes**: when two or more boxes cover the same instance of the phrase, keep the single best box and delete the rest. Each instance should have exactly one box.

Think First

A box is around the correct object, but there is a clear band of empty space on all four sides. What do you do?

→ Edit it. Drag the handles inward until the edges touch the object, then Mark good. Do not delete it (it is the right object) and do not leave the gap (the bar is strict — tighten any visible gap).

Box Quality Standard (strict)

After your edits, a **good** box must satisfy ALL of:

1. **Matches the phrase** — it is drawn around an object the phrase actually describes.
2. **Tight** — the edges sit right against the object. **Tighten any visible whitespace gap** — "a little loose" is not acceptable; edit it.
3. **Complete** — the *entire* object is inside the box. **If any part is cut off, extend the box** to enclose it.
4. **Exactly one box per instance** — each box wraps a single instance, and each instance has a single box. If one box covers several instances, split it. If several boxes cover the same instance, delete the duplicates and keep the best one.
5. **Every instance has its own box** — add boxes for any instance left unboxed.

Adding Missed Boxes

Use **Add box** (under the Boxes list) and drag a rectangle around any instance of the phrase that has no box. New boxes are marked **new**. Make them tight and complete, just like edited boxes.

Are All Instances Boxed? (Exhaustiveness)

After every box is decided (good or deleted) and you have added any missing boxes, answer **Are all instances of the phrase boxed?**

- **Yes** — every visible instance of the phrase now has a correct box. *(If the phrase is not present at all and you deleted every box, the answer is also Yes — there are no instances to box.)*

- **No** — there are still instances visible that you were unable to box. Use this only when you genuinely cannot box the remaining instances.

When to Reject the Whole Item

Use **Reject Item** when the image itself can't be annotated:

- Explicit content
- Image quality too poor to judge
- Image failed to load

Use **"Phrase is unclear or unfamiliar"** when the phrase is non-visual, too vague to know what to box, or you still cannot identify it after briefly researching it (see *Unfamiliar With the Phrase?* above).

Keyboard Shortcuts

Key	Action
G or A	Mark the selected box good
X or D	Delete the selected box
E	Edit the selected box (drag to reshape)
Esc	Finish editing / cancel add
Enter	Submit (when every box is decided and exhaustiveness is answered)

Knowledge Check

A box is around the correct object but is noticeably loose. What is the right action?


- Edit it to make it tight, then mark it good
- Delete it because it isn't perfect
- Mark it good as-is — close enough

→ A, Editing is the default for a fixable box. The quality bar is strict, so tighten the gap rather than leaving it or deleting a valid instance.

Tightness — edit out any whitespace gap

GOOD EXAMPLE

Loose box around the right object. EDIT it: drag the handles inward until the edges touch the object, then mark good.



Before: loose → edit




After: tight ✓ good

The object is correct, so don't delete — tighten it. The bar is strict: edit out even small visible gaps, then mark good.

BAD EXAMPLE

Leaving a large band of empty space around the object.




Far too much whitespace

A box much larger than the object is not acceptable. Resize it tight; only delete if it isn't the phrase at all.


Completeness — extend to enclose the whole object

GOOD EXAMPLE

Box cuts off part of the object. EDIT it: drag the edge out until the full object is inside, then mark good.



Before: cut off → edit




After: full object ✓ good

Extend the box so the entire object is enclosed. Don't accept a box that clips the object.

BAD EXAMPLE

Roughly half of the object is outside the box.




~50% cut off

Far too much of the object is outside. Edit the box to cover the whole object before marking good.


One instance per box — split a box that covers several

GOOD EXAMPLE

One box covers two instances. Fix it: resize it onto one instance and ADD a second box for the other.



Before: one box, two instances




After: a tight box each

Each instance needs its own tight box. Reshape the existing box onto one instance and add boxes for the rest.

BAD EXAMPLE

Leaving a single big box around multiple instances.




One box for both

A single box must not group multiple instances together.


Duplicates — keep one box per instance

GOOD EXAMPLE

Two boxes cover the same instance. Keep the single best box and DELETE the duplicate.



Before: two boxes, one instance




After: one box kept

Each instance must have exactly one box. Keep the tightest/most accurate box and delete the rest.

BAD EXAMPLE

Leaving multiple overlapping boxes on the same instance.




Two boxes on one instance

Duplicate boxes on a single instance inflate the count and must be removed down to one.


Add a box for missed instances

GOOD EXAMPLE

Only one of two instances is boxed. Use Add box to draw a tight box around the missed instance (shown as 'new').



Before: one instance unboxed




After: added a box (new)

Box every instance. After adding, exhaustiveness can be answered Yes.

BAD EXAMPLE

Confirming only the provided box and answering Yes while an instance is still unboxed.




Instance still unboxed

If a visible instance has no box, either add a box for it, or answer 'No' to exhaustiveness — don't claim it's complete.


Delete — box is around the wrong object

GOOD EXAMPLE

A box is around an object the phrase does NOT describe. Delete it (X).



Wrong object → delete




After: box removed

Delete is correct only when the box doesn't correspond to the phrase at all.

BAD EXAMPLE

Deleting a box that is around the right object just because it's loose.



Right object, just loose

This box is the right object — it should be edited tight, not deleted. Deleting fixable boxes loses real instances.