

PREMIUM ANIMATED WEBSITES

Website Pipeline

Claude Code Edition

A step-by-step process for building premium animated websites with AI — from finding a design reference to deploying on a host.

PIPELINE STEPS

01	02–03	04	05–07	08	09	10	11
Brief	Reference	Build	Style	Assets	Animations	Optimize	Deploy

ANTIGRAVITY VS CLAUDE CODE

ANTIGRAVITY

- Screenshot → AI builds in browser
- Edit visually → export
- Vendor lock-in

CLAUDE CODE

- Screenshot → Claude writes clean code
- Iterate in plain English → full control
- Standard Next.js / HTML output

TOOL STACK

PHASE 1 — BRIEF & STRATEGY

01 Brief & Copywriting

Define the brand, audience and tone of voice. Generate all page copy with AI — using [Perplexity](#) or [Claude.ai](#) — before touching any code or design.

[Perplexity](#)[Claude.ai](#)

```
"You are a senior copywriter. Write hero headline, subheadline, 3 feature descriptions, CTA and footer copy for [BRAND]. Tone: [cinematic / bold / minimal]. Output JSON."
```

PHASE 2 — REFERENCE

02 Find a Section Reference

Browse [Dribbble](#), [Behance](#) or [Awwwards](#) for strong hero sections. Search tags: landing page, hero, product, dark UI.

[Dribbble](#)[Behance](#)[Awwwards](#)

[dribbble.com](#) · [behance.net](#) · [awwwards.com](#)

PHASE 2 — REFERENCE


03 Strip the Background — Clean UI Only

Use GPT Image 4o or [OpenArt](#) to strip all background graphics. Keep only typography, buttons and nav on a solid black background. This becomes your precise layout reference for Claude Code.

[GPT Image 4o](#)[OpenArt](#)


"A high-fidelity mockup based on [screenshot]. Only UI elements on solid black background. All background imagery removed. Text and buttons in strict black and white. Stark, minimal, high-contrast monochrome."

STEP 03 · BEFORE



Original reference

STEP 03 · AFTER



Clean B&W UI for Claude

PHASE 3 — BUILD IN CLAUDE CODE

04 Recreate the Layout from Screenshot

Open [Claude Code](#). Attach the B&W screenshot and describe the task. Claude Code reads the image and recreates the layout pixel-close. You get a working template — customise it from there.


Claude Code

Next.js 16

React Spring

"You are a senior web designer and developer. Recreate the referenced layout one-to-one using Next.js 16. Match fonts (use similar creative typefaces), spacing, proportions and element positioning. Use React Spring to animate elements sequentially on load."

STEP 04 · WORKING SESSION



Claude Code recreating the layout from the stripped reference

PRO TIP

Attach the cleaned reference and the original together — Claude Code uses the clean version for layout and the original for mood, colour feel and typographic intent.

PHASE 4 — FONTS & COLOR

05 Typography

Pick trending display fonts on [Google Fonts](#) and the [Awwwards Free Fonts](#) collection.
Search for: Condensed, Black, Extended.

[Google Fonts](#)[Awwwards Fonts](#)

[fonts.google.com](#) · [awwwards.com/free-fonts](#)

PHASE 4 — FONTS & COLOR

06 Color Palettes

Find trending color combinations on [Coolors → Trending Palettes](#). Export as CSS variables and hand them directly to Claude Code.

[Coolors](#)

```
"Take this palette [HEX list] and apply it to the project. Update all CSS custom properties. Primary CTA button — [COLOR]."
```

[coolors.co/palettes/trending](#)

PHASE 4 — 3D MODELS

07 3D Models

Search free 3D models on [Sketchfab](#). Download GLB / GLTF and embed via Three.js or Spline — Claude Code will write the integration.

[Sketchfab](#)

[sketchfab.com/feed](#)

PHASE 5 — VISUAL ASSETS

08 Image & Video Generation

Generate hero illustrations, 3D characters and looping video backgrounds with [OpenArt](#). [Kling 3.0](#) produces seamless loop videos — perfect as animated site backgrounds.

OpenArt

Kling 3.0

```
"3D render, [description], dark cinematic background, soft rim lighting, 4K, transparent bg. Style: Clay / Glossy / Neon."
```

[openart.ai](#)

PHASE 6 — ANIMATIONS

09 Animations Referenced from Pinterest

Collect short animation clips on [Pinterest](#) — hover states, scroll reveals, marquee, sticky sections. Drop the references into Claude Code and ask it to implement them with [GSAP](#) or [Framer Motion](#).

Pinterest

GSAP

Framer Motion

```
"Implement these animation references with GSAP ScrollTrigger. Hero text: staggered reveal on load. Cards: fade + lift on scroll into view. Marquee: infinite horizontal loop, pause on hover. Respect prefers-reduced-motion."
```

[pinterest.com](#)

PHASE 7 — OPTIMIZATION

10 Asset Compression

Compress all assets before deploying with [Squoosh](#) and Claude Code. Heavy files kill load speed and conversion rates.

Squoosh

Claude Code

```
"Audit /public: convert all images to WebP, add lazy loading. Video: MP4+WebM under 2MB. Preload hero font. Reserve space for hero image to prevent layout shift (CLS)."
```

- ☐ PNG / JPG → WebP (Squoosh, quality 80%)
- ☐ Video loop → MP4 + WebM, max 2 MB
- ☐ Fonts: preload in <head>
- ☐ Images: lazy loading + explicit width / height attributes
- ☐ Animations: add @media (prefers-reduced-motion)
- ☐ Text contrast: minimum AA (4.5 : 1)

PHASE 8 — DEPLOY

11 Host the Site

Static sites: drag the folder onto [Vercel](#) or [Netlify](#). For Next.js — one command in the terminal. Connect a custom domain via DNS in under 5 minutes (e.g. with [Hostinger](#)).

Vercel

Netlify

Hostinger

```
"Generate vercel.json: cache /public/* immutable 1 year, redirect www → apex domain, 404 → index.html for SPA routing."
```

- ☐ Static site: drag & drop folder onto [vercel.com](#) / [netlify.com](#)
- ☐ Next.js: `npm run build` → `vercel deploy`
- ☐ Domain: add an A-record or CNAME in your DNS settings
- ☐ HTTPS: provisioned automatically on Vercel / Netlify
- ☐ Run Lighthouse — target 90+ Performance score

REFERENCE

All Pipeline Links

Every tool referenced in the pipeline, grouped by phase.

REFERENCES

Dribbble

dribbble.com

Behance

behance.net

Awwwards

awwwards.com

Pinterest (animations)

pinterest.com

FONTS & COLOR

Google Fonts

fonts.google.com

Awwwards Free Fonts

awwwards.com/free-fonts

Coolors Trending

coolors.co/palettes/trending

ASSETS

OpenArt (images + video)

openart.ai

Sketchfab (3D models)

sketchfab.com/feed

Kling 3.0 (video loops)

klingai.com

DEPLOY

Vercel

vercel.com

Netlify

netlify.com

Hostinger

hostinger.com

MADE BY TEXTURA AGENCY

More pipelines and case studies

→ textura.agency