

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://www.sp.senai.br/

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [address](#) ▼

https://www.sp.senai.br/

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 5, column 5; to line 5, column 28

```
head>↵      <meta charset="utf-8" />↵      <
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 16, column 9; to line 16, column 64

```
>↵          <link rel="canonical" href="https://www.sp.senai.br/" />↵↵↵
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 23, column 9; to line 23, column 57

```
>↵          <meta name="og:title" content="SENAI - Portal" />↵
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 24, column 9; to line 24, column 79

```
>↵          <meta name="og:image"
content="https://sp.senai.br/images/Senai.jpg" />↵
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 25, column 9; to line 25, column 61

```
><.....<meta property="og:image:type" content="image/jpg" /><.....
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 26, column 9; to line 26, column 56

```
><.....<meta property="og:image:width" content="750" /><.....
```

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 27, column 9; to line 27, column 55

```
><.....<meta name="og:site_name" content="SENAI-SP" /><.....
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 28, column 9; to line 28, column 115

```
><.....<meta name="og:description" content="Portal SENAI-SP - Servi&#xE7;o Nacional de Aprendizagem Industrial" /><.....
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 29, column 9; to line 29, column 65

```
><.....<meta name="og:url" content="https://www.sp.senai.br/" /><.....
```

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 30, column 9; to line 30, column 49

```
><.....<meta name="og:locale" content="pt_BR" /><.....
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 31, column 9; to line 31, column 49

```
><.....<meta name="og:type" content="website" /><.....
```

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 32, column 9; to line 32, column 57

```
><.....<meta itemprop="name" content="SENAI - Portal" /><.....
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 33, column 9; to line 33, column 116

```
>↵      <meta itemprop="description" content="Portal SENAI-SP -  
Serviço Nacional de Aprendizagem Industrial" />↵
```

14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 34, column 9; to line 34, column 80

```
>↵      <meta itemprop="image"  
content="https://sp.senai.br/images/Senai.jpg" />↵
```

15. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 39, column 5; to line 39, column 70

```
pg">↵      <link href="/lib/font-awesome/css/all.min.css" rel="stylesheet"  
/>↵      <
```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 40, column 5; to line 40, column 86

```
t" />↵      <link href="/lib/font-awesome-escola/css/font-awesome.min.css"  
rel="stylesheet" />↵↵
```

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 44, column 5; to line 44, column 81

```
-->↵      <link href="/lib/twitter-bootstrap/css/bootstrap.min.css"  
rel="stylesheet" />↵      <
```

18. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 45, column 5; to line 45, column 93

```
t" />↵      <link rel="stylesheet" href="/lib/bootstrap-steps-  
master/dist/bootstrap-steps.min.css" />↵      <
```

19. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 46, column 5; to line 46, column 51

```
s" />↵      <link href="/css/style.css" rel="stylesheet" />↵      <
```

20. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 47, column 5; to line 47, column 58

```
t" />< <link href="/css/style-custom.css" rel="stylesheet" /><
```

21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 52, column 5; to line 52, column 60

```
et">< <link rel="stylesheet" href="/css/cookie-consent.css" /><
```

22. **Error** Saw `<!--` within a comment. Probable cause: Nested comment (not allowed).

At line 66, column 5

```
/09/23 ->><!-- Google tag (gt
```

23. **Warning** The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.

At line 66, column 5

```
/09/23 ->><!-- Google tag (gt
```

24. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 77, column 1; to line 77, column 94

```
/script><<meta name="google-site-verification"  
content="vzNPc3L3jNIPbpbQsWyNuQHdW19mLSeICo7mlovHyUg" /><!--
```

25. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 85, column 1; to line 85, column 31

```
ipt> --><<script type="text/javascript"><_link
```

26. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 89, column 10; to line 89, column 40

```
<</script><script type="text/javascript"><(func
```

27. **Error** Bad start tag in `img` in `noscript` in `head`.

From line 100, column 1; to line 100, column 120

```
noscript><</nos
```

28. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 100, column 1; to line 100, column 120

```
noscript></nos
```

29. **Error** Stray end tag `noscript`.

From line 101, column 1; to line 101, column 11

```
t=gif" /></noscript><<!--
```

30. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 116, column 11; to line 118, column 2

```
<noscript><img height="1" width="1"  
style="display:none">src="https://www.facebook.com/tr?  
id=433871838635613&ev=PageView&noscript=1"></noscript>
```

31. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 116, column 11; to line 118, column 2

```
<noscript><img height="1" width="1"  
style="display:none">src="https://www.facebook.com/tr?  
id=433871838635613&ev=PageView&noscript=1"></noscript>
```

32. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 121, column 1; to line 121, column 31

Code --><<script type="text/javascript">!funct

33. **Error** Stray end tag `head`.

From line 126, column 14; to line 126, column 20

```
;</script></head><<body
```

34. **Error** Start tag `body` seen but an element of the same type was already open.

From line 127, column 1; to line 127, column 6

```
t></head><<body><<
```

35. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 196, column 17; to line 196, column 125

```
<input class="w-100 mt-3 mb-md-0" tabindex="0" id="s1" name="s1"  
type="search" placeholder="Pesquise aqui" /><
```

36. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 209, column 21; to line 210, column 54

```

```

37. **Error** Bad value for attribute `aria-controls` on element `a`: An IDREFS value must contain at least one non-whitespace character.

From line 225, column 37; to line 225, column 157

```
<a class="nav-link pl-3 bg-senai w-100" data-toggle=""
href="/cursos/" role="tab" aria-controls="" aria-selected="false">
```

38. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 653, column 9; to line 653, column 79

```
> 
```

39. **Error** Duplicate ID `login`.

From line 666, column 21; to line 667, column 110

```
<a id="login" aria-label="Link para login na area de alunos"
href="/sou-aluno" class="d-none d-lg-inline-flex text-
uppercase align-items-center icone" target="_self">
```

40. **Warning** The first occurrence of ID `login` was here.

From line 654, column 9; to line 656, column 98

```
> <a id="login" aria-label="Link para login na area de alunos"
href="/sou-aluno" class="d-none d-lg-inline-flex text-uppercase
align-items-center icone" target="_self">
```

41. **Error** Bad value for attribute `aria-controls` on element `a`: An IDREFS value must contain at least one non-whitespace character.

From line 691, column 33; to line 691, column 147

```
<a class="nav-link pl-3 bg-senai" data-toggle="" href="/cursos/"
role="tab" aria-controls="" aria-selected="false">
```

42. **Error** An element with `role=tab` must be contained in, or owned by, an element with `role=tablist`.

From line 691, column 33; to line 691, column 147

```
<a class="nav-link pl-3 bg-senai" data-toggle="" href="/cursos/"
role="tab" aria-controls="" aria-selected="false"><
```

43. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1163, column 9; to line 1163, column 51

```
>< <input type="hidden" id="canonical_path" /><
```

44. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1164, column 9; to line 1164, column 69

```
>< <input type="hidden" id="canonical_context_path" value="/" /><
```

45. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1165, column 9; to line 1165, column 67

```
>< <input type="hidden" id="canonical_scheme" value="https" /><
```

46. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1166, column 9; to line 1166, column 63

```
>< <input type="hidden" id="canonical_referer" value="" /><<
```

47. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 1171, column 1; to line 1171, column 47

```
er><< <script charset="UTF-8" type="text/javascript"><windo
```

48. **Error** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 1171, column 1; to line 1171, column 47

```
er><< <script charset="UTF-8" type="text/javascript"><windo
```

49. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1171, column 1; to line 1171, column 47

```
er><< <script charset="UTF-8" type="text/javascript"><windo
```

50. **Error** Element `style` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 1193, column 1; to line 1193, column 7

```
<<<style><<<
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

51. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1236, column 41; to line 1236, column 372

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex="0" tipo="s" alt="Transforma  
Digital no Brasil Mais Produtivo e lançaada na Fiesp">
```

52. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1239, column 45; to line 1239, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p>
```

53. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1249, column 41; to line 1249, column 324

```

```

54. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1252, column 45; to line 1252, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p>
```

55. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1262, column 41; to line 1262, column 418

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex="0" alt="O Digital do SENAI-SP  
reconhecida internacionalmente pelo Fórum Econômico Mundial">
```


56. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1265, column 45; to line 1265, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"
tabindex="0"></p>
```

57. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1275, column 41; to line 1275, column 422

```
<img width="920" height="520" class="card-img img-fluid card-img-
maior objFit fallback-img" tabindex...para impulsionar desenvolvimento e
forma&#xE7;&#xE3;o profissional do setor metroferrovi&#xE1;rio ">
```

58. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1278, column 45; to line 1278, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"
tabindex="0"></p>
```

59. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1288, column 41; to line 1288, column 410

```
<img width="920" height="520" class="card-img img-fluid card-img-
maior objFit fallback-img" tabindex...s cursos gratuitos na &#xE1;rea de
Fabrica&#xE7;&#xE3;o Mec&#xE2;nica e Mec&#xE2;nica Industrial! ">
```

60. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1291, column 45; to line 1291, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"
tabindex="0"></p>
```

61. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1301, column 41; to line 1301, column 424

```
<img width="920" height="520" class="card-img img-fluid card-img-
maior objFit fallback-img" tabindex...sinam protocolo de inten&#xE7;&#xF5;es
para projetos de pesquisa e forma&#xE7;&#xE3;o profissional">
```

62. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1304, column 45; to line 1304, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"
tabindex="0"></p>
```

63. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1314, column 41; to line 1314, column 394

```
<img width="920" height="520" class="card-img img-fluid card-img-
maior objFit fallback-img" tabindex="0">NAI-SP e Sebrae-SP lan&#xE7;am Jornada de
Descarboniza&#xE7;&#xE3;o para a ind&#xFA;stria paulista">
```

64. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1317, column 45; to line 1317, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"
tabindex="0"></p>
```

65. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1327, column 41; to line 1327, column 338

```
<img width="920" height="520" class="card-img img-fluid card-img-
maior objFit fallback-img" tabindex="0">e395-492c-a446-e5c655aab4b1_o.png&tipo=s"
alt="SENAI-SP lan&#xE7;a curso gratuito online sobre ESG">
```

66. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1330, column 45; to line 1330, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"
tabindex="0"></p>
```

67. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1340, column 41; to line 1340, column 365

```
<img width="920" height="520" class="card-img img-fluid card-img-
maior objFit fallback-img" tabindex="0">_o.png&tipo=s" alt="SENAI-SP inova com
5G5M: conectividade em 5 minutos para ambientes industriais">
```

68. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1343, column 45; to line 1343, column 124

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"
tabindex="0"></p>
```

69. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1386, column 49; to line 1386, column 381

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...tipo=s" alt="Transforma&#xE7;&#xE3;o
Digital no Brasil Mais Produtivo &#xE9; lan&#xE7;ada na Fiesp">
```

70. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1389, column 53; to line 1389, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p>
```

71. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1402, column 49; to line 1402, column 333

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...0916_d7fd998e-f284-4a62-b38b-
2f35888711f4_o.png&tipo=s" alt="Processo Seletivo - Cursos Superiores">
```

72. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1405, column 53; to line 1405, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p>
```

73. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1418, column 49; to line 1418, column 427

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...o Digital do SENAI-SP &#xE9; reconhecida
internacionalmente pelo F&#xF3;rum Econ&#xF4;mico Mundial">
```

74. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1421, column 53; to line 1421, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p>
```

75. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1434, column 49; to line 1434, column 431

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...para impulsionar desenvolvimento e
forma&#xE7;&#xE3;o profissional do setor metroferrovi&#xE1;rio ">
```

76. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1437, column 53; to line 1437, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p>
```

77. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1450, column 49; to line 1450, column 419

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...s cursos gratuitos na &#xE1;rea de
Fabrica&#xE7;&#xE3;o Mec&#xE2;nica e Mec&#xE2;nica Industrial! ">
```

78. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1453, column 53; to line 1453, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p>
```

79. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1466, column 49; to line 1466, column 433

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...sinam protocolo de inten&#xE7;&#xF5;es para
projetos de pesquisa e forma&#xE7;&#xE3;o profissional">
```

80. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1469, column 53; to line 1469, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p><↵
```

81. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1482, column 49; to line 1482, column 403

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...NAI-SP e Sebrae-SP lan&#xE7;am Jornada de
Descarboniza&#xE7;&#xE3;o para a ind&#xFA;stria paulista"><↵
```

82. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1485, column 53; to line 1485, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p><↵
```

83. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1498, column 49; to line 1498, column 347

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde...e395-492c-a446-e5c655aab4b1_o.png&tipo=s"
alt="SENAI-SP lan&#xE7;a curso gratuito online sobre ESG"><↵
```

84. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1501, column 53; to line 1501, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p><↵
```

85. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1514, column 49; to line 1514, column 374

```
<img width="920" height="520" class ="card-img img-fluid card-img-
maior objFit fallback-img" tabinde..._o.png&tipo=s" alt="SENAI-SP inova com
5G5M: conectividade em 5 minutos para ambientes industriais"><↵
```

86. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1517, column 53; to line 1517, column 118

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">
</p>
```

87. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1564, column 21; to line 1564, column 122

```

```

88. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1570, column 33; to line 1571, column 61

```

```

89. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1581, column 33; to line 1581, column 134

```

```

90. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1591, column 33; to line 1591, column 127

```

```

91. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1601, column 33; to line 1602, column 85

```

```

92. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1612, column 33; to line 1613, column 101

```
↵
```

93. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1626, column 33; to line 1627, column 98

```
↵
```

94. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1640, column 33; to line 1641, column 89

```
↵
```

95. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1651, column 33; to line 1651, column 130

```
↵
```

96. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1661, column 33; to line 1661, column 117

```
↵
```

97. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1671, column 33; to line 1672, column 102

```
↵
```

98. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1685, column 33; to line 1686, column 90

```
↵
```

99. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1696, column 33; to line 1696, column 130

```
↵
```

100. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1706, column 33; to line 1707, column 75

```
↵
```

101. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1717, column 33; to line 1718, column 73

```
↵
```

102. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1728, column 33; to line 1729, column 84

```
↵
```

103. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1750, column 33; to line 1750, column 312

```
<img width="750" height="420" src ="https://cronos-  
media.sesisenaisp.org.br//api/media/1-0/files?img...7;a 11 tecnologias para o  
futuro da ind&#xFA;stria" class="img-fluid fallback-img" loading="lazy" />↵
```

104. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 1757, column 33; to line 1757, column 314

```
<img width="750" height="420" src ="https://cronos-  
media.sesisenaisp.org.br//api/media/1-0/files?img...#xE7;&#xE3;o Digital na
```



```
Constru&#xE7;&#xE3;o Civil" class="img-fluid fallback-img" loading="lazy" /><
```

105. **Error** Element `style` not allowed as child of element `div` in this context.
(Suppressing further errors from this subtree.)

From line 1770, column 1; to line 1770, column 7

```
<<style>< .
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

106. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1819, column 49; to line 1819, column 396

```
<img width="920" height="520" class ="card-img img-fluid card-img-  
maior objFit fallback-img" loading...tipo=s" alt="SENAI-SP recebe o Pr&#xEA;mio  
Chico Mendes de Ecologia e Meio Ambiente, em Piracicaba"><
```

107. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1821, column 53; to line 1821, column 132

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p><
```

108. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1831, column 49; to line 1831, column 397

```
<img width="920" height="520" class ="card-img img-fluid card-img-  
maior objFit fallback-img" loading...ipo=s" alt="SENAI-SP - Conhe&#xE7;a os  
cursos gratuitos na &#xE1;rea de Constr&#xE7;&#xE3;o Civil"><
```

109. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1833, column 53; to line 1833, column 132

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p><
```

110. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1843, column 49; to line 1843, column 337

```
<img width="920" height="520" class ="card-img img-fluid card-img-  
maior objFit fallback-img" loading...g=img_81_240426_2cf7eeaf-d1fd-49c9-bf67-  
0d1ac8a99b89_o.png&tipo=s" alt="Banco de Talentos SENAI-SP">
```

111. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1845, column 53; to line 1845, column 132

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p>
```

112. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1855, column 49; to line 1855, column 432

```
<img width="920" height="520" class ="card-img img-fluid card-img-  
maior objFit fallback-img" loading...ncontro no M&#xE9;xico sobre  
desenvolvimento e integra&#xE7;&#xE3;o de migrantes nas Am&#xE9;ricas">
```

113. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1857, column 53; to line 1857, column 132

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p>
```

114. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1867, column 49; to line 1867, column 392

```
<img width="920" height="520" class ="card-img img-fluid card-img-  
maior objFit fallback-img" loading...png&tipo=s" alt="SENAI-SP oferece cursos de  
drone para atender crescente demanda da ind&#xFA;stria">
```

115. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1869, column 53; to line 1869, column 132

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p>
```

116. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1879, column 49; to line 1879, column 420

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" loading...re 90 mil vagas para capacita&#xE7;&#xE3;o  
gratuita em Tecnologia da Informa&#xE7;&#xE3;o em 2024"></pre>
```

117. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1881, column 53; to line 1881, column 132

```
<p class="card-text card-titulo-maior text-truncate mt-2 style-h2"  
tabindex="0"></p></pre>
```

118. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1921, column 57; to line 1921, column 388

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex...tipo=s" alt="SENAI-SP recebe o Pr&#xEA;mio  
Chico Mendes de Ecologia e Meio Ambiente, em Piracicaba"></pre>
```

119. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1923, column 61; to line 1923, column 126

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">  
</p></pre>
```

120. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1936, column 57; to line 1936, column 389

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex...ipo=s" alt="SENAI-SP - Conhe&#xE7;a os  
cursos gratuitos na &#xE1;rea de Constr&#xE7;&#xE3;o Civil"></pre>
```

121. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1938, column 61; to line 1938, column 126

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">  
</p></pre>
```

122. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1951, column 57; to line 1951, column 329

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex=g=img_81_240426_2cf7eeaf-d1fd-49c9-bf67-  
0d1ac8a99b89_o.png&tipo=s" alt="Banco de Talentos SENAI-SP">
```

123. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1953, column 61; to line 1953, column 126

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">  
</p>
```

124. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1966, column 57; to line 1966, column 424

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex=ncontro no M&#xE9;xico sobre  
desenvolvimento e integra&#xE7;&#xE3;o de migrantes nas Am&#xE9;ricas">
```

125. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1968, column 61; to line 1968, column 126

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">  
</p>
```

126. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1981, column 57; to line 1981, column 384

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex=png&tipo=s" alt="SENAI-SP oferece cursos  
de drone para atender crescente demanda da ind&#xFA;stria">
```

127. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1983, column 61; to line 1983, column 126

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">  
</p>
```

128. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1996, column 57; to line 1996, column 412

```
<img width="920" height="520" class="card-img img-fluid card-img-  
maior objFit fallback-img" tabindex...re 90 mil vagas para capacita&#xE7;&#xE3;o  
gratuita em Tecnologia da Informa&#xE7;&#xE3;o em 2024"><
```

129. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 1998, column 61; to line 1998, column 126

```
<p class="card-text card-titulo-maior mt-2 style-h2" tabindex="0">  
</p><
```

130. **Error** Element `style` not allowed as child of element `body` in this context. (Suppressing further errors from this subtree.)

From line 2040, column 5; to line 2040, column 11

```
ain><< <style><<
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `body`:

[Flow content](#).

131. **Error** Duplicate ID `Camada_2`.

From line 2107, column 17; to line 2107, column 54

```
<g id="Camada_2" data-name="Camada 2"><g id=
```

132. **Warning** The first occurrence of ID `Camada_2` was here.

From line 2091, column 17; to line 2091, column 54

```
<g id="Camada_2" data-name="Camada 2"><g id=
```

133. **Error** Duplicate ID `Layer_1`.

From line 2107, column 55; to line 2107, column 90

```
Camada 2"><g id="Layer_1" data-name="Layer 1"><path
```

134. **Warning** The first occurrence of ID `Layer_1` was here.

From line 2091, column 55; to line 2091, column 90

```
Camada 2"><g id="Layer_1" data-name="Layer 1"><path
```

135. **Error** Duplicate ID `Layer_1`.

From line 2111, column 13; to line 2111, column 124

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 500 500" class="svg-icon">
<title
```

136. **Warning** The first occurrence of ID `Layer_1` was here.

From line 2091, column 55; to line 2091, column 90

```
Camada 2"><g id="Layer_1" data-name="Layer 1"><path
```

137. **Error** Attribute `vw` not allowed on element `div` at this point.

From line 2225, column 5; to line 2225, column 28

```
<div vw class="enabled">
```

Attributes for element `div`:

[Global attributes](#)

138. **Error** Attribute `vw-access-button` not allowed on element `div` at this point.

From line 2226, column 9; to line 2226, column 45

```
<div vw-access-button class="active"></div>
```

Attributes for element `div`:

[Global attributes](#)

139. **Error** Attribute `vw-plugin-wrapper` not allowed on element `div` at this point.

From line 2227, column 9; to line 2227, column 31

```
<div vw-plugin-wrapper>
```

Attributes for element `div`:

[Global attributes](#)

140. **Error** Stray start tag `script`.

From line 2256, column 1; to line 2256, column 8

```
></html><<script>
```

141. **Fatal Error** Cannot recover after last error. Any further errors will be ignored.

From line 2256, column 1; to line 2256, column 8

```
></html><<script>
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 829 milliseconds.

