

**SERVICE DELIVERY RAPID RESPONSE FROM 22 AUGUST TO 4 SEPTEMBER
2017: INFRASTRUCTURE DIRECTORATE**

The following maintenance work has been completed:

ROADS AND STORMWATER CENTRAL:

	WORK DONE	WARDS	QUANTITIES
22 August 2017			
	Street Patching : Elizabeth St	32	6m ²
	Heeron Str	32	8m ²
	De Kaap Str	32	4m ²
	Phakati & Ndaki Road	12	6m ²
	Blading of Roads: Road 649	15	193m
	Road 650	15	229m
	Road 651	15	183m
	Repair of Paving: Lewis Store Taxi Rank	32	8m ²
	Avbob	32	10m ²
	Cleaning of Catchpits: Power Road	32	12
23 August 2017			
	Street Patching : Riebeeckstad, Nataniel Str	10	6m ²
	Craib Avenue	25	9m ²
	Phakati & Mantsebo School	12	6m ²
	Blading of Roads: Road 652	15	160m
	Road 653	15	164m
	Road 654	15	160m
	Road 655	15	160m
	Repair of Paving: Lewis Store Taxi Rank	32	10m ²
	Avbob	32	10m ²
	Cleaning of Catchpits: Mothusi Road	28	7
	Cleaning of Street: Mothusi Street	28	375m
24 August 2017			
	Street Patching : Phakati & Mantsebo School	12	22m ²
	Bethhold street	25	9m ²
	Flora Str	25	10m ²
	Blading of Roads: Losaba		Continued
	Repair of Paving: Bradlows	32	10m ²
	Avbob	32	10m ²
	Cleaning of lined channel: Bronville	11	30m
25 August 2017			
	Street Patching : Reinet Street	32	4m ²
	12th street	32	7m ²
	Constantia road	31	11m ²

	Blading of Roads: Road 677	15	163m
	Repair of Paving: Bradlows	32	6m ²
	Avbob	32	6m ²
	Cleaning of catchpits: Alfred Nzo	17	25m
	Cleaning of Un-lined Channels : Bronville	11	30m
28 August 2017			
	Street Patching : 12th street Preparation and gravel	32	9m ²
	Blading of Roads: No Grader		
	Repair of Paving: Avbob	32	10m ²
	Avbob	32	12m ²
	Cleaning of Street: Alfred Nzo	17	175m
	Cleaning of lined Channels : Sand river	11	28m
30 August 2017			
	Street Patching : 12th street	32	17m ²
	Preparation : Muizen Street	32	20m ²
	Blading of Roads: No Grader		
	Repair of Paving: Avbob	32	10m ²
	Court	32	5m ²
	Cleaning of Street: Alfred Nzo	17	150m
	Cleaning of lined Channels :	11	28m
	Sand river	11	10m
	TLB cleaning Drive way		
31 August 2017			
	Street Patching : 12th street	32	19m ²
	Preparation : Muizen Street	32	21m ²
	Blading of Roads: No Grader		
	Repair of Paving: Court	32	2m ²
	Cleaning of Catchpits: Nassau Street	27	1
	Cleaning of Street: Alfred Nzo	17	489m
	Cleaning of lined Channels (TLB): Sand river	11	8m
	Excavate Lined Channel: Sand river	11	13m
01 September 2017			
	Street Patching : 12th street	32	19m ²
	Preparation(Prime) : Muizen Street	32	21m ²
	Blading of Roads: No Grader		
	Repair of Curbs: Avbob	32	3m ²
	Repair of Paving: Court	32	2.5m ²
	Cleaning of Street: Alfred Nzo	17	300m
	Cleaning of lined Channels (TLB): Sand river	11	5m
	Excavate Lined Channel: Sand river	11	20m

04 Sept 2017			
	Street Patching : Finch Street no.84	33	8m ²
	No.86	33	6m ²
	No.82	33	2m ²
	No.40	33	2m ²
	Preparation(Prime) : Muizen Street	32	8m ²
	Blading of Roads: Airport runway		550m
	Repair of Curbs: Avbob	32	3m ²
	Repair of Paving: Court	32	2.5m ²
	Cleaning of Street: Alfred Nzo	17	300m
	Cleaning of lined Channels (TLB): Sand river	11 11	5m 20m
	Excavate Lined Channel: Sand river		

BUILDING MAINTENANCE:

	WORK DONE	Area
22 August 2017		
	Plumbers <ul style="list-style-type: none"> Burst water pipe for Welkom Club repaired. Leaking and rusted water supply pipes to geyser repaired Restored water supply to toilet Carpenters <ul style="list-style-type: none"> Installation of roller door to storeroom in progress Replaced damaged cylinder lock Assisted plumber to open and close roof sheets for repairs of leaking supply pipes Bricklayer <ul style="list-style-type: none"> Busy making burglar proofing for windows. Painters <ul style="list-style-type: none"> Assisted carpenter with roof sheets 	Rovers Rugby field station No.3 Concor Flats in Bronville RE1/4 Rathaba hostel. Parks department at North park, Doorn. E4-101 Masimong residential unit. No.3 Concor Flats in Bronville Bronville South pumpstation Nno.3 Concor Flats in Bronville.
23 August 2017		
	Plumbers <ul style="list-style-type: none"> Leaking water pipe repaired Blocked urinal pipes were opened. Repaired leaking water pipe next to 	Between RD1/8 and RC1/9 Rathaba hostel. Ferdi Meyer Hall Unit RE1/1 in Rathaba hostel. No.20 Long Road Flats.

	<ul style="list-style-type: none"> Opened blocked gulley for <p>Carpenters</p> <ul style="list-style-type: none"> Installation of roller door to storeroom of Parks department completed. Replaced damaged door hinges <p>Bricklayer</p> <ul style="list-style-type: none"> Busy making burglar proofing for windows <p>Painters</p> <ul style="list-style-type: none"> Remained at workshop due to lack of Transport 	<p>North park, Doorn</p> <p>E4-104 Masimong residential unit.</p> <p>Bronville South pumpstation</p>
24 August 2017		
	<p>Plumbers</p> <ul style="list-style-type: none"> Replaced five (5) toilet cisterns at the ablutions of the hall and offices Repaired burst water pipe in front of offices Repaired leaking supply pipe to shower in the Laboratory Repaired leaking water pipe next to unit. Closed off leaking geyser valve for pending copper fittings <p>Carpenters</p> <ul style="list-style-type: none"> Repaired roof leak Continue with the replacement of blown roof sheets. <p>Bricklayer</p> <ul style="list-style-type: none"> Busy making burglar proofing <p>Painters</p> <ul style="list-style-type: none"> Cleaning of concrete roofs, opening blocked gutters and downpipes completed 	<p>Thabong Community Centre</p> <p>Welkom Swimming Pool</p> <p>Thabong Waste Water Treatment Plant. No.D21 in D-hostel No. 52 Long Road flats</p> <p>Rathaba hostel. Welkom Cemetery</p> <p>Bronville South pumpstation</p> <p>Welkom Club</p>
25 August	<p>Plumbers</p> <ul style="list-style-type: none"> Attended to leaking pipe at Continued to replace two (2) toilet cisterns at the ablutions of offices Repaired leaking water pipe behind change rooms next to pavilion <p>Carpenters</p> <ul style="list-style-type: none"> Repaired roof leak Continue with the replacement of blown roof sheets 	<p>Rovers Rugby field in Welkom Club. Thabong Community Centre. Welkom Swimming Pool.</p> <p>Unit no.RN48 at Rathaba hostel. Welkom Cemetery</p>

	Bricklayer <ul style="list-style-type: none"> Remained in workshop due to lack of material to finish burglar proofing and security doors. Painters <ul style="list-style-type: none"> Cleaning of concrete roofs, opening blocked gutters and downpipes in progress. 	Traffic Training College
28 August 2017		
	Plumbers <ul style="list-style-type: none"> Attended to leaking flexi pipe of damaged hand wash basin. Repaired water supply pipe to toilet cistern and geyser pipes Attended to leaking toilet cistern Carpenters <ul style="list-style-type: none"> Installed door lock. Repaired loose cupboards doors Busy with replacement of damaged ceiling in kitchen, bathroom and bedroom of. Bricklayer <ul style="list-style-type: none"> Transferred to Roads and Stormwater Section. Painters <ul style="list-style-type: none"> Continue to clean concrete roofs, open blocked gutters and downpipes 	2 nd floor ladies ablutions at Public Safety building No.52 Long Road Flats. No.54 Long Road Flats 1 st floor ladies ablutions at Thabong Community Centre Laboratory counters at Thabong Sewer plant. No.24 Long Road Flats Traffic Training College.
30 August 2017		
	Plumbers <ul style="list-style-type: none"> Repaired leaking water pipes Busy with sewer blockage and leaking water pipe Carpenters <ul style="list-style-type: none"> Repaired wooden free standing Podium. Busy with replacement of damaged ceiling and roof seal Bricklayer <ul style="list-style-type: none"> Transferred to Roads and Stormwater Section. Painters <ul style="list-style-type: none"> Cleaning of concrete roofs, open blocked gutters and downpipes completed. 	No.A3-G03 and A3-103 at Masimong Residential Units. No.133 Mercutio Street in Bedelia. Council Chamber Offices of Parks Department in Virginia Welkom Firestation

	<ul style="list-style-type: none"> Continue to clean concrete roofs, open blocked gutters and downpipes 	Traffic Training College.
31 August 2017		
	<p>Plumbers</p> <ul style="list-style-type: none"> Repaired leaking water pipes and opened blocked sewer pipes Repaired leaking water pipe Busy with blocked sewer pipes and manholes <p>Carpenters</p> <ul style="list-style-type: none"> Repaired door lock handles Busy with replacement of damaged ceiling and roof seal <p>Bricklayer</p> <ul style="list-style-type: none"> Transferred to Roads and Stormwater Section. <p>Painters</p> <ul style="list-style-type: none"> Cleaning of concrete roofs, open blocked gutters and downpipes in progress. Continue to clean concrete roofs, open blocked gutters and downpipes 	<p>House no.133 Mercutio Street in Bedelia. Unit no.D21 in D-hostel Unit no. D22/1, D13/1, D5 in D-hostel.</p> <p>Unit no.414C Stateway flats. Offices of Parks Department in Virginia.</p> <p>Traffic Training College</p> <p>Traffic Training College.</p>
1 September 2017		
	<p>Plumbers</p> <ul style="list-style-type: none"> Replaced urinal flushmaster Installation of toilet cistern completed. Repaired leaking water pipe Opened blocked sewer pipes and manholes <p>Carpenters</p> <ul style="list-style-type: none"> Repaired loose toilet roll holders Busy with replacement of damaged ceiling and roof seal <p>Bricklayer</p> <ul style="list-style-type: none"> Transferred to Roads and Stormwater Section. <p>Painters</p> <ul style="list-style-type: none"> Busy with cleaning of concrete roofs, open blocked gutters and downpipes. 	<p>3rd floor men's ablutions of Reinet building. House no.133 Mercutio Street No.F6-103 Masimong Residential unit. Unit no. D22/1, D13/1, D5 and D21 in D-hostel.</p> <p>1st floor ablutions of Reinet building. Offices of Parks Department in Virginia.</p> <p>Traffic Training College</p>
4 September 2017		
	<p>Plumbers</p> <ul style="list-style-type: none"> Opening of blocked sewer pipes completed. 	Firehouse-P

	<ul style="list-style-type: none"> Opened one blocked gulley and another gulley to be excavated. <p>Carpenters</p> <ul style="list-style-type: none"> Replacement of damaged ceiling and roof seal completed. Replaced damaged door lock <p>Painters</p> <ul style="list-style-type: none"> Remained in workshop due to lack of transport. 	<p>House no.133 Mercutio Street in Bedelia</p> <p>Offices of Parks Department in Virginia Office 115 1st floor in main building.</p>
--	--	---

ODENDAALSRUS AND KUTLWANONG:

	BRANCH	ACTIVITY TO BE PERFORMED	AREA
22 August 2017			
	Sewer Section	<ul style="list-style-type: none"> RESCUE ROD - Unblock outfall sewer in Van Der Vyver Street. A- TEAM - repair broken manhole at the corner of Hauptfleitch and Van Der Vyver Street. B-TEAM – Unblock sewer line at 169 Block 4, 7137 K/8 and mainline of 1132 K/2 	<p>ODENDAALSRUS WARD--36</p> <p>KUTLOANONG WARD—18, WARD 21</p>
	Water Section	<ul style="list-style-type: none"> Repair burst pipe at 713 K/3, repair water meters at 328 B/7 and 163 B/1 	KUTLOANONG WARD -- 20
	Roads & Storm Water	<ul style="list-style-type: none"> ROADS TEAM—Cleaning of catch pits in Althea Street Residencia 	ODENDAALSRUS WARD--35
	Water & Sewer	<ul style="list-style-type: none"> Normal maintenance for water, waste water as per complains received 	ALLANRIDGE AND NYAKALLONG
23 August 2017			
	Sewer section	<ul style="list-style-type: none"> Unblock, clean and vacuum sewer line with Rescue Rod equipment. 	Kutlwanong Ward 18
	Water section	<ul style="list-style-type: none"> Repair water meters in K/5 (3869, 3755, 3669, 3011, 2652, 3839, 3818, 2922, 3676, 3731, 3047, 3708, 2894, 2890, 3873, 3680, 2661, 2808, 3027, 2619, 2687, 2688, 3625) 	Kutlwanong Ward 18
	Water / Sewer section	<ul style="list-style-type: none"> Repair water mainline in Frank Street 	Odendaalsrus Ward 35
	Water section	<ul style="list-style-type: none"> Repair water leakage in Kurboom Street 	Allanridge Ward 36

	Sewer section	<ul style="list-style-type: none"> • Unblock sewer in Allanridge and Nyakalong as per complains received— (NO BACKLOGS) 	Nyakalong and Allanridge Ward 19 & Ward 36
	Roads /Storm Water section	<ul style="list-style-type: none"> • Clean the catch pits in Residencia Althea road. 	Odendaalsrus Ward 35
24 August 2017			
	Sewer Section	<ul style="list-style-type: none"> • RESCUE RODS-- Continue to unblock outfall sewer in K/5 and also mainline of K/7. • A- TEAM—Repair broken manhole at the corner of Hauptfleitch and Van Der Vyver Street. • Unblock Town Hall mainline sewer • B-TEAM – Unblock sewer line at 16 Block 1, 934 K/3 and mainline of 1336 K/1 	Odendaalsrus Ward--36 Kutloanong Ward 18, Ward 21
	Water section	<ul style="list-style-type: none"> • Repair burst pipe at 713 K/6 AND 396 B/I, repair water meters at 191 B/2, 91 B/1, 206 B/1 and 186 B/4 and replace water at 100 B/1 	Kutloanong Ward – 20, Ward 21 & Ward 18
	Roads And Storm Water	<ul style="list-style-type: none"> • ROADS TEAM—Clean the catch pits in Althea Street Residencia 	Odendaalsrus Ward 35
28 August 2017			
	SEWERAGE SECTION	<ul style="list-style-type: none"> • A- TEAM—Unblock sewer connection at 94 Althea Street • B-TEAM – Rescue Rods continues to unblock sewer mainline in K/5. • Repair sewer connection at 9398 K9 	ODENDAALSRUS WARD--35 KUTLOANONG WARD--18
	WATER SECTION	<ul style="list-style-type: none"> • A-TEAM --Repair water meters at 10223 K/2, 10224 K/2, 10205 K/2, 10258 K/2, 1142 K/2 and 3908 K/2. • B- TEAM - Repair water meters at 2890 K/5, 2894 K/5, 2808 K/53676 K/5, 3731 K/5, 3818 K/5, 3839 K/5, 3869 K/5, 3755 K/5. • C- TEAM – Repair leakages at 88 Erasmus Street, 17 Vanadium 	KUTLOANONG WARD – 20, WARD 21 and WARD 18

		Street, 65 Ben Regal Street.	
	ROADS AND STORM WATER	<ul style="list-style-type: none"> ROADS TEAM—Continue to clean the catch pits in Althea Street Residencia 	ODENDAALSRUS WARD--35
29 August 2017			
	SEWERAGE SECTION	<ul style="list-style-type: none"> A- TEAM—Unblock sewer connection at Cosmos 9, V.D.Vyver mainline and Frank Street with Rescue Rods. B-TEAM – Rescue Rods continues to unblock sewer mainline in K/5. 	ODENDAALSRUS WARD--35 KUTLOANONG WARD--18
	WATER SECTION	<ul style="list-style-type: none"> A-TEAM – (Backlogs) Continue to repair water meters at 10223 K/2, 10224 K/2, 10205 K/2, 10258 K/2, 1142 K/2 and 3908 K/2. B- TEAM - Repair water meters at 4496 K/6, 3680 K/5, 3011K/5, 3669 K/5 and 3755 K/5. C- TEAM – Repair leakages at 88 Erasmus Street, 17 Vanadium Street, 65 Ben Regal Street. 	KUTLOANONG WARD – 20, WARD 21 and WARD 18 WARD 35 and 36
	ROADS AND STORM WATER	<ul style="list-style-type: none"> ROADS TEAM—Repair paving at 24 Cobalt Street. 	ODENDAALSRUS WARD--36
30 August 2017			
	SEWERAGE SECTION	<ul style="list-style-type: none"> A- TEAM—Unblock sewer connection at Voortrekker 1, Voortrekker 5, Corner Brian and Frank Street. B-TEAM – Rescue Rods continues to unblock sewer mainline in K/7. 	
	WATER SECTION	<ul style="list-style-type: none"> A-TEAM – (Backlogs) Continue to repair water meters at 1142 K/2, 3908 K/2, 1422 K/4, 4 B/4. B- TEAM - Repair water meters at 4496 K/6, 3680 K/5, 3011K/5, 3669 K/5 and 3755 K/5. 	
	ROADS AND STORM WATER	<ul style="list-style-type: none"> ROADS TEAM—Repair paving at Josias and Odendaal Street. 	

31 Augustus 2017			
	SEWERAGE SECTION	<ul style="list-style-type: none"> A- TEAM—Do sewer connection at Cosmos 9, Unblock sewer at 65 Voortrekker. B-TEAM – Rescue Rods continues to unblock sewer mainline in K/5, K/7 and K/6. 	ODENDAALSRUS WARD--35 KUTLOANONG WARD--18
	WATER SECTION	<ul style="list-style-type: none"> A-TEAM – (Backlogs) Repair water meters at 3011 K/5, 3400 K/5, 2787 K/5, 2788 K/5, 2931 K/5. B- TEAM - Repair water meters at 369 B/5, 910 K/3, 3940 K/2, 378 B/4, 80 B/1, 402 B/1. 	KUTLOANONG WARD – 20, WARD 21 and WARD 18
	ROADS AND STORM WATER	<ul style="list-style-type: none"> ROADS TEAM—Repair paving at Old Post Office in Odendaalsrus. 	ODENDAALSRUS WARD--36
01 - 03 September 2017			
	SEWERAGE SECTION	<ul style="list-style-type: none"> A- TEAM—Unblock sewer connection at Althea 94 with Rescue Rods. B-TEAM – Rescue Rods continues to unblock sewer mainline in K/5. 	ODENDAALSRUS WARD--35 KUTLOANONG WARD--18
	WATER SECTION	<ul style="list-style-type: none"> A-TEAM – (Backlogs) Continue to repair water leakages at 2854 K/5, 4567 K/6, 4568 K/6, 4852 K/6, 220 K/10, 7743 K/9, 7777 K/9, 2147 K/7. B- TEAM - Repair water leakages at C- TEAM – Repair leakages at 88 Erasmus Street, 17 Vanadium Street, 65 Ben Regal Street. 	KUTLOANONG WARD – 20, WARD 21 and WARD 18 WARD 35 and 36
	ROADS AND STORM WATER	<ul style="list-style-type: none"> ROADS TEAM—Backfill Jan Ferraira 13, Vanadium 17 and Cosmos 9. 	ODENDAALSRUS WARD--36
4 – 5 September 2017			
	SEWERAGE SECTION	<ul style="list-style-type: none"> A- TEAM—Do house sewer connection at Brian Street. Frank Street 	ODENDAALSRUS WARD--35

		<ul style="list-style-type: none"> B-TEAM – Rescue Rods continues to unblock sewer mainline in K/5, K/7, K/6 and graveyard mainline. 	KUTLOANONG WARD--18
	WATER SECTION	<ul style="list-style-type: none"> A-TEAM – (Backlogs) Continue to repair water leakages at 7257 B/1, 717 K/3, 740 K/3, 748 K/3, 773 K/3, 786 K/3, 833 K/3, 847 K/3, 862 K/3. B- TEAM - Repair water leakages at 4820 K/6, 2795 K/5, 2928 K/5, 2857 K/5, 3026 K/5, 2755 K/5. C- TEAM – Repair leakages at 7 Jacaranda Street, 6 Bernitz Street, 9 Elysia Street and 28 Acton Street. 	KUTLOANONG WARD – 20, WARD 21 and WARD 18 WARD 35
	ROADS AND STORM WATER	<ul style="list-style-type: none"> ROADS TEAM—Complete backfilling Jan Ferraira 13 and clean the catch pits in Residencia. 	ODENDAALSRUS WARD--36

VIRGINIA, HENNENMAN, VENTERSBURG:

	WORK DONE	WARDS	QUANTITIES
28 August 2017 – no transport			
Roads & Stormwater	Street Patching : Preparation :	0 3	0 2907 m ²
	Blading of Roads: No Grader	0	0
	Repair of Paving:	0	0
	Cleaning of Street:	0	0
	Cleaning of lined Channels : Sand river	0	0
29August 2017 - no transport			
Roads & Stormwater	Street Patching : Preparation :	0 0	0 0
	Blading of Roads: No Grader	0	0
	Repair of Paving:	0	0
	Cleaning of Street:	0	0
	Cleaning of lined Channels :	0	0
30 August 2017 - no transport			
Roads & Stormwater	Street Patching : Preparation :	0 0	0 0
	Blading of Roads: No Grader	0	0
	Repair of Paving:	0	0
	Cleaning of Catchpits:	0	0
	Cleaning of Street:	0	0

	Cleaning of lined Channels (TLB): Sand river	0	0
	Excavate Lined Channel:	0	0
31 August 2017 - no transport			
Roads & Stormwater	Street Patching :	0	0
	Preparation :	0	0
	Blading of Roads: No Grader	0	0
	Repair of Paving:	0	0
	Cleaning of Catchpits:	0	0
	Cleaning of Street:	0	0
	Cleaning of lined Channels (TLB): Sand river	0	0
	Excavate Lined Channel:	0	0

DATE	BRANCH	ACTIVITY TO BE PERFORMED	AREA
28 August 2017			
VIRGINIA	SEWERAGE SECTION	<ul style="list-style-type: none">TEAM—Unblock sewer84 Zondereind46 Debbie10 JukskeiRefuse department101 WindsorState street7 Berg9 Doringboom	WARD--8 WARD 9 WARD 9 WARD 9 WARD 8 WARD 9 WARD 9 WARD 9
HENNENMAN		<ul style="list-style-type: none">24 Fourie1 SportWhites Golf Club440 Phomolong2208 Phomolong11 Stasie	WARD 3 WARD 3 WARD 3 WARD 2 WARD 2 WARD 1
VENTERSBURG		<ul style="list-style-type: none">1057 Mmamahabane784 – 785 Mmamahabane	WARD 1 WARD 1
VIRGINIA	WATER SECTION	<ul style="list-style-type: none">STRIKE	WARD 2
HENNENMAN		<ul style="list-style-type: none">3883 Phomolong – burst pipe	
VENTERSBURG		<ul style="list-style-type: none">None	
29 August 2017			
VIRGINIA	SEWERAGE SECTION	<ul style="list-style-type: none">STRIKE	WARD 2 WARD 2
HENNENMAN		<ul style="list-style-type: none">10799 Phomolong	

VENTERSBURG		<ul style="list-style-type: none"> • 515 Phomolong • 1080 Phomolong • Harker Street • 2502 – 2503 Mmamahabane 	WARD 2 WARD 1 WARD 1
VIRGINIA HENNENMAN VENTERSBURG	WATER SECTION	<ul style="list-style-type: none"> • STRIKE • 2145 Phomolong – burst pipe • 25 Eureka – burst pipe • NONE 	WARD 2 WARD 3
30 August 2017			
VIRGINIA HENNENMAN VENTERSBURG	SEWERAGE SECTION	<ul style="list-style-type: none"> • STRIKE • 659 Phomolong • 676 Phomolong • Smith street • Mainline - Substation 	WARD 2 WARD 2 WARD 1 WARD 1
VIRGINIA HENNENMAN VENTERSBURG	WATER SECTION	<ul style="list-style-type: none"> • STRIKE • 16 Park – water connection • 1 Sport – burst pipe • 205 Phomolong – burst pipe • 1349 Mmamahabane – water connection • 476 Mmamahabane – water connection • 332 Mmamahabane – water connection • 417 Mmamahabane – water connection • 1067 Mmamahabane – water connection • 819 Mmamahabane – water connection 	WARD 3 WARD 3 WARD 2 WARD 1 WARD 1 WARD 1 WARD 1 WARD 1 WARD 1

31 AUGUSTUS 2017			
VIRGINIA HENNENMAN VENTERSBURG	SEWERAGE SECTION	<ul style="list-style-type: none"> • STRIKE • 2 Beck • 11649 Phomolong • 3383 Phomolong • Mafty shop • 1711 – 1712 Mmamahabane • 2214 – 2219 Mmamahabane • Shoping complex • Mainline – back of Mmamahabane 	WARD 3 WARD 2 WARD 2 WARD 3 WARD 1 WARD 1 WARD 1 WARD 1
VIRGINIA HENNENMAN VENTERSBURG	WATER SECTION	<ul style="list-style-type: none"> • STRIKE • 25 Buitekant - burst pipe • 89 Whilhelmina – burst pipe • 2528 Mmamahabane – water connection • 149 - 150 Mmamahabane – burst pipe 	WARD 3 WARD 3 WARD 1 WARD 1

Rapid Response Report Back by SEWER SECTION CENTRAL – 22 August to 31 August 2017:

		Activity	Area
22 August 2017			
	Sewer Section	<ul style="list-style-type: none"> • Construction of sewer connection • Unblocked main line • Everything is fine, no blockage • Everything is fine, no blockage • Everything is fine, no blockage • Unblocked main line • Unblocked main line • Unblocked main line 	24 Coral Street D Hostel 12529 Thabong 12566 Thabong 12537 Thabong 5254 Thabong Moletsi Hostel 18539 Thabong
23 August 2017			
	Sewer Section	<ul style="list-style-type: none"> • Construction of sewer connection • Unblocked main line • Unblocked main line • Unblocked main line • Plug • Unblocked main line • Unblocked main line 	24 Coral Street 25832 THB 27604 THB 2 ALLAN Koppie Alleen Cash Build Stateway 43 Nyala

		<ul style="list-style-type: none"> • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Try to open main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Pump and jet 	73 Jasons Stateway and First 26799 THB 39 Norman 1 Drakensberg 30 Egret 23 Van Riebeeck 13380 THB Intermine stores 25 Bunting 68 Lois 85 Rosalind15 Murry 77 Craib 11 Geldenhuys Stateway and First
24 August 2017			
	Sewer Section	<ul style="list-style-type: none"> • Construction of sewer connection • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Pump and jet Stateway and First 	24 Coral Street 2 Cohglan 25 Serines 11 Van Heerden 1451 THB 14 Langenhoven 4 Mnt Ayliff 12 Senza Stateway and First
25 August 2017			
	Sewer Section	<ul style="list-style-type: none"> • Construction of sewer connection • Unblocked main line • Unblocked main line • Unblocked main line • Plug • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Try to open main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Pump and jet 	24 Coral Street 25832 THB 27604 THB 2 ALLAN Koppie Alleen Cash Build Stateway 43 Nyala 73 Jasons Stateway and First 26799 THB 39 Norman 1 Drakensberg 30 Egret 23 Van Riebeeck 13380 THB Intermine stores 25 Bunting 68 Lois 85 Rosalind15 Murry 77 Craib 11 Geldenhuys Stateway and First

28 August 2017			
	Sewer Section	<ul style="list-style-type: none"> • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Try to open sewer 	12378 THB 12389 THB 4 Padua 4695 THB 2069 THB Stateway and First
29 - 30 August 2017			
	Sewer Section	<ul style="list-style-type: none"> • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Try to open sewer 	1005 THB CASHBUILD 33 ADELAAR 879 THB 19224 THB 15025 THB 4 ERASMUS 133 BUREN 10 LANDROST 4 BAILY 43 NYALA 10 MNT AYLIFF Stateway and First
01-03 September 2017			
	Sewer Section	<ul style="list-style-type: none"> • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Unblocked main line • Try to open sewer 	36 PROSPERO 7 LENA 14 MIKRO 26 ROOSMARYN 8 JANSEN 12 SENNA 7325 THB 8 KING 64 LOIS SANDERS 25433 THB 4 MNT AYLIFF 47 PAYNE LOIS 1821 THB Stateway and First

Sewer section central have one vehicle to open blockages

WATER SECTION CENTRAL:

Date	Branch	Activity	Area
22 to 24 August 2017	Water Section	<ul style="list-style-type: none"> • Fix burst pipe • Fix burst pipe • Fix burst pipe • Fix burst pipe • Fix burst pipe • Fix burst pipe 	16087 Thabong Fire Station, Volksrad C/O Arrarat and Jan Hofmeyr Road 4 Kiewiet Street 121 Power Road Rathaba Hostel 6 Finch Street

25 to 31 August 2017		• Fix burst pipe	218 Jan Hofmeyer
		• Fix burst pipe	39 Lean
		• Fix burst pipe	c/o Craib and
		• Fix burst pipe	Nathaniel
		• Fix burst pipe	68 Norman
		• Fix burst pipe	Power rd opp
		• Fix burst pipe	Hospital
		• Fix burst pipe	c/o Twist and
		• Fix burst pipe	Theron
		• Fix burst pipe	12 Sprigg
		• Fix burst pipe	12a Tana
		• Fix burst pipe	Traffic PAO
		• Fix burst pipe	Pick n Pay
		• Fix burst pipe	8 Bezuidenhout
		• Fix burst pipe	10 Sprigg
		• Fix burst pipe	1489 Thabong
		• Fix burst pipe	177 Long rd
		• Fix burst pipe	193 Long rd
		• Fix burst pipe	Sasco 11 th str
		• Backfilling	12497 Thabong
		• Backfilling	4086 Thabong
		• Backfilling	c/o Wright and Casa
		• Backfilling	Blanka
		• Backfilling	c/o Tempest and
		• Backfilling	Pretorious
		• Backfilling	12670 Thabong
		• Backfilling	Keerom str
		• Backfilling	Ambulance str
		• Backfilling	c/o Power and 5 TH
		• Backfilling	str
		• Backfilling	Rathaba hostel
		• Backfilling	Main building
		• Leak repair	c/o Arrarat and Jan
		• Leak repair	Hofmeyer
		• Leak repair	164 Jan Hofmeyer
		• Leak repair	12A Tana
		• Leak repair	Engen Garage Jan
		• Leak repair	Hofmeyer
		• Leak repair	39 Lena
		• Leak repair	Barnard str
		• Leak repair	4 Kieweit
		• Leak repair	15 Molteno
		• Leak repair	2 Gembok
		• Leak repair	3Gembok
		• Leak repair	Luxon Mansions
		• Leak repair	Cnr Topias and
		• Leak repair	Langenhoven
		• Leak repair	104 Othello
		• Leak repair	1744 Thabong
		• Leak repair	56 Church
		• Leak repair	Old SASKO
		• Leak repair	48 Romeo

		• Leak repair	2237 Thabong
		• Leak repair	2 Annacath
		• Leak repair	Cnr Kowie and
		• Leak repair	Hamlet
		• Leak repair	20 Brebner
		• Leak repair	106 Buren
		• Leak repair	14 Lutene
		• Leak repair	Cnr Bunting and
		• Leak repair	Constantia
		• Leak repair	59 Hamlet
		• Leak repair	Cnr Nyala and Paul
		• Leak repair	14 Lutine
		• Leak repair	134 and 136 Long
		• Leak repair	Swaan street
		• Leak repair	Airport road
		• Leak repair	30845 ext 15
		• Leak repair	4103 Thabong
		• Leak repair	8183 Thabong
		• Leak repair	26135 Thabong
		• Leak repair	37672 Thabong
		• Leak repair	5 Barbour
		• Leak repair	6 9 th street
		• Leak repair	16 9 th street
		• Leak repair	14 Kowie22 Micro
		• Leak repair	23 Church
		• Leak repair	Dagbreek primary
		• Leak repair	Cnr Totius and
		• Leak repair	Langenhoven
		• Leak repair	5 Molteno
		• Leak repair	12 Fischer
		• Leak repair	3 Jameson
		• Leak repair	16778 Thabong
		• Leak repair	8 Leda
		• Leak repair	Cnr Jasons and
		• Leak repair	Lucette
		• Leak repair	25 Elizabeth Eybers
		• Leak repair	48 Reitz
		• Backfilling	64 Reitz
		• Backfilling	4 2 nd street
		• Backfilling	273 Long
		• Backfilling	Cnr Long and
		• Backfilling	Tempest
		• Backfilling	177 Long
		• Backfilling	6 Jorissen
		• Backfilling	52 Romeo
		• Backfilling	50 Romeo
		• Backfilling	24 Bailey
		• Backfilling	191 Thabong
		• Backfilling	6 Buffalo
		• Backfilling	35 Oberon
		• Backfilling	Cnr Malherbe and
		• Backfilling	Opper

[illegible]

			26 Jansens Shoprite town 20030 Thabong Dagbreek primary 48 Reitz 64 Reitz 72 Reitz 30 Mikro Cnr Constantia and Nassau 3 Jameson 20 Derrick 3 Dave Fredericks 5 Barbour
--	--	--	---

WATER DEMAND:

The Water Demand Section borrowed a Bakkie and could only complete two leaking meter complaints.

Water Demand requested for the minimum of 2 vehicles from Fleet Management, but no vehicles have been received.

Date	Branch	Activity	Area
23 August 2017			
	Water Demand	<ul style="list-style-type: none"> • Fix leaking water meter • Fix leaking water meter • Fix leaking water meter • Fix leaking water meter • Fix leaking water meter • Fix leaking water meter • Fix leaking water meter • Fix leaking water meter • Fix leaking water meter 	1929 Philander Str, Bronville 438 Tom Swartz Str, Bronville 72 Zomba Str, Doorn 132 Ariel Str, Bedelia 125 Blenheim Str 37 Solomon Str 30 McLean Str 79 Toronto Str 226 Jan Hofmeyr Rd
25 August 2017			
	Water Demand	<ul style="list-style-type: none"> • Repair 3 water meters • Replace 2 water meters • Recon 1 water meter 	51 Adelaar 11 Uys 95 King 12403 Thabong 103 Eros 1929 Philander
26 August 2017			
	Water Demand	<ul style="list-style-type: none"> • Repair 17 water meters • Replace 8 water meters 	
27 August 2017			
	Water Demand	<ul style="list-style-type: none"> • Repair 12 water meters • Replace 6 water meters 	

28 August 2017			
	Water Demand	<ul style="list-style-type: none"> • Fix broken meter • Water Section • Water Section • Water Section • Move water meter 	2620 Thabong 2618 Thabong 1 Gardania 28 Parkway 2 Oktaaf
29 August 2017			
	Water Demand	<ul style="list-style-type: none"> • 28 Hubert • 31 Viola • 24 Valiant • 7 Berthold • 407 Long Road • 4538 Thabong • 1464 Thabong • 1744 Thabong • 1489 Thabong • 11982 Thabong 	Water Section Meter damaged Check pressure Water Section Water Section Replace old meter Replace Kent meter Repair connection Repair connection Repair gland
30 August 2017			
	Water Demand	<ul style="list-style-type: none"> • Replace 1 water meter • Replace 1 water meter 	
31 August 2017			
	Water Demand	<ul style="list-style-type: none"> • Repair 1 water meter 	

ELECTRICAL DEPARTMENT:

Date	Unit	Address	Ward	Work Conducted	Comments
Public Lighting Infrastructure					
22 August 2017					
	Thabong	T1/40 at Lenakeng High School	12	Replace Contactor and timer. Four (4) out of Six's (6) Lights are functioning.	Delivery of 1000 watt HPS lights are awaited
	Thabong	T1/39 at B hostel	30	Power supply secured and photo cell tested. Three (3) lights out of six functional	Delivery of 1000 watt HPS lights are awaited
	Thabong	Majakathath a Taxi rank	30	Mast cannot be brought down as it is a jack knife type.	Needs specific lowering equipment.
	Thabong	T4/38 close to Teto High School	14	All lights functioning and in order	
	Thabong	T4/87 Ladies Hostel	14	Electrical supply in order. Not functional due to globes that needs to be replaced	Delivery of 1000 watt HPS lights are awaited
	Thabong	T4/88 at Rathaba	14	Globes needs to be replaced. Electrical	Stock are available and

		Hostel		Supply in order. One(1) globe functioning , two (2) cycling and five (5) need to be replaced	will replaced on 23 August 2017
	Thabong	T5/37 Leseding Technical School	14	Mast totally vandalized.	Will follow up if already outsourced or not
	Thabong	T6/68 Close to Tavern Black Joint	12	Four (4) out Six's (6) Lights are functioning.	Delivery of 1000 watt HPS lights are awaited
	Thabong	Freedom Square	17	Mast totally vandalized.	Will follow up if already outsourced or not

Streetlight Infrastructure

	Welkom Lake View	Fiskaal Street	35	Busy with the repairs with available materials	Cherry picker was required to assist with lowering of mast in Thabong therefore repair was required to be discontinued
	Odendaalsrus CBD	Odendaal Street	36	Repair streetlight cables that were damaged in Odendaal Street at various places.	Require street lighting material.

Public Lighting Infrastructure

23 August 2017

	Thabong	T4/88 at Rathaba Hostel	14	Mast Repaired	
	Welkom	Power and Constantia	32	Repaired supply cable to circle light.	
	Welkom	State Way and Arrarat	34	Repaired supply cable to circle light.	

Streetlight Infrastructure

	Welkom Lake View	Fiskaal Street	35	Busy with the repairs with available materials	Cherry picker was required to assist with lowering of mast in Welkom and Thabong therefore repair was required to be
--	------------------	----------------	----	--	--

					discontinued
	Odendaalsrus CBD	Odendaal Street	36	Repair streetlight cables that were damaged in Odendaal Street at various places.	Require street lighting material.
	Welkom	Constantia Road	32	Repair Streetlight Cables.	Require street lighting material.
Public Lighting Infrastructure					
24 August 2017					
	Thabong		14 & 17	Could not continue with the repairs awaiting the delivery of high mast materials	Actom paid on the 24/08/2017 is in the process of deliver material as to orders received.
Streetlight Infrastructure					
	Welkom Lake View	Fiskaal and Arend Street	35	Streetlight repaired and functional	
	Odendaalsrus CBD	Corner of Mark and Odendaal Street	36	Busy with fault finding and the repair streetlight cables that were damaged in Odendaal Street at various places.	Require street lighting material.
	Welkom	Fresh Produce Market	31	Work completed	
	Welkom	Ararat Street	34	Busy with streetlight cables repairs.	Require street lighting material.
Public Lighting Infrastructure					
25 August 2017					
	Thabong		14 & 17	Could not continue with the repairs awaiting the delivery of high mast materials	Actom paid on the 24/08/2017 is in the process of deliver material as to orders received.
	Thabong	T4/87 Ladies Hostel	14	Mast cannot be lowered as a result of modification done on top section by previous contractors.	Need crane to lower and correct mast
Streetlight Infrastructure					
	Welkom	Finsch and	35	Busy with streetlight	

	Lake View	Arend Str		repairs.	
	Odendaalsrus CBD	C/o Mark/Odendaal Str	36	Busy with fault finding and the repair streetlight cables that were damaged in Odendaal Street at various places.	Require street lighting material.
	Welkom	Fresh Produce Marked	31	Work completed	
	Welkom	Ararat Street	34	Busy with various streetlight cables fault repairs in the indicated street.	Require street lighting material.
	Virginia	Taxi Rank X5	5	Repair Lights	

Public Lighting Infrastructure

28 August 2017

	Thabong		14 & 17	Could not continue with the repairs awaiting the delivery of high mast materials	Actom paid on the 24/08/2017 is in the process of deliver material as to orders received.
--	---------	--	---------	--	---

Streetlight Infrastructure

	Welkom Lake View	Finch, Weaver Swallow and Arend Street	35	Streetlight repairs. Finch street still to be completed	Require street lighting material.
	Odendaalsrus CBD	Corner of Mark and Odendaal Street	36	Busy with fault finding and the repair streetlight cables that were damaged in Odendaal Street at various places.	Require street lighting material.
	Welkom	Ararat Street	34	Busy with various streetlight cables fault repairs in the indicated street.	Require street lighting material.
	Welkom	Hex Street	33	Streetlights repaired	Require street lighting material.

Public Lighting Infrastructure

29 August 2017

	Thabong	T14/92 close to house 26070	17	Inspection conducted electrical supply is available but ring supporting fittings is skew due to damaged sling.	Dangerous to work under this high mast needs crane.
--	---------	-----------------------------	----	--	---

	Thabong	T14/59 close to house 26871	17	Inspection conducted 4X lights functional 2X non-functional	Service will be done at 50% or less functionality
	Thabong	T14/66 close to house 25763	17	Inspection conducted power and control circuit in order, 2X lights functional, 2X lights cycling and 2X lights non-functional	Service scheduled for 31/08/2017
	Thabong	T14/60 close to house 26444	17	Inspection conducted all lights functional	In order
	Thabong	Close to house 27508	17	Inspection conducted all lights functional	In order
	Thabong	T10/63 close to house 19521	17	Inspection conducted all lights non-functional and 1X phase missing from Escom supply	Requested assistance from Escom and service scheduled for 31/08/2017
	Thabong	T10/55 close to house 28595	17	Inspection conducted 4X lights functional 2X non-functional	Service will be done at 50% functionality
	Thabong	T8/42 close to house 14371	14	Inspection conducted all lights functional	In order
	Thabong	T8/70 close to house 14559	14	Inspection conducted all lights functional	In order
	Thabong	T8/73 close to house 14559	14	Inspection conducted, power supply and control circuit in order and 3X lights functional and 3X lights non-functional	Scheduled to be serviced by 01/09/2017
	Thabong	T8/72 close to house 15351	14	Inspection conducted 5X lights functional 1X non-functional	Service will be done at 50% or less functionality
Streetlight Infrastructure					
	Welkom Lake View	Finch str numbers 94-104-92-106-86-72-74-78	35	Streetlight repairs. Finch street still to be completed	Require street lighting material.
	Welkom Rheeders Park	35-Slyskan street	34	Light and post infested with bee next dangerous to conduct repair works	Will consult with health department for advise
	Welkom Rheeders	70-Hertsog street	34	Repaired in order	In order

	Park				
	Welkom Flamingo Park	4-Serinous street	34	Repaired in order	In order
	Odendaalsrus CBD	Corner of Mark and Odendaal Street	36	Busy with fault finding and the repair streetlight cables that were damaged in Odendaal Street at various places.	Require street lighting material.
	Welkom CBD	Arrarat Street	34	Busy with various streetlight cables fault repairs in the indicated street.	Require street lighting material.
	Welkom St. Helena	Tiptol Street	33	The only Streetlight in the street has cable damaged	Trenched for new cable installation but not complete yet

Public Lighting Infrastructure

30 August 2017

	Thabong	T14/66 close to house 25763	17	Inspection conducted power and control circuit in order, 2X lights functional, 2X lights cycling and 2X lights non-functional	Service scheduled for 31/08/2017
	Thabong	T10/63 close to house 19521	17	Service maintenance for today	service scheduled for 31/08/2017
	Thabong	T8/73 close to house 14559	14	Inspection conducted, power supply and control circuit in order and 3X lights functional and 3X lights non-functional	Scheduled to be serviced by 01/09/2017

Streetlight Infrastructure

	Welkom Lake View	Finch street numbers 6-12-16-20	35	Streetlight repairs. Finch street still not completed	Received some material will proceed if truck
	Welkom Rheeders Park	35-Slysken street	34	Light and post infested with bee next dangerous to conduct repair works	Will consult with health department for advise
	Welkom Bedelia	71-Mercuito street	34	Repaired in order	In order
	Welkom Jim Fouche	12-Rosemaryn street	27	Repaired in order	In order
	Odendaalsrus	Corner of	36	Busy with fault finding	Require street

	CBD	Mark and Odendaal Street		and the repair streetlight cables that were damaged in Odendaal Street at various places.	lighting material.
	Welkom CBD	Arrarat Street	34	Busy with various streetlight cables fault repairs in the indicated street.	Require street lighting material.
	Welkom St. Helena	Tiptol Street	33	Moved pole installed new cable and fitting	Work completed
Public Lighting Infrastructure					
31 August 2017					
	Thabong	T14/66 close to house 25763	17	Inspection conducted power and control circuit in order, 2X lights functional, 2X lights cycling and 2X lights non-functional	Service scheduled for 01/09/2017
	Thabong	T10/63 close to house 19521	17	Service maintenance for today	service scheduled for 01/09/2017
	Thabong	T8/73 close to house 14559	14	Inspection conducted, power supply and control circuit in order and 3X lights functional and 3X lights non-functional	Scheduled to be serviced by 02/09/2017
Streetlight Infrastructure					
	Welkom Lake View	Finch street numbers 6-12-16-20	35	Streetlight repairs. Finch street still not completed	Received some material will proceed if truck is available
	Welkom Rheeders Park	35-Slysken street	34	Light and post infested with bee next dangerous to conduct repair works	Will consult with health department for advise
	Odendaalsrus CBD	Corner of Mark and Odendaal Street	36	Busy with fault finding and the repair streetlight cables that were damaged in Odendaal Street at various places.	Require street lighting material.
	Welkom CBD	Arrarat Street	34	Busy with various streetlight cables fault repairs in the indicated street.	Require street lighting material.
Public Lighting Infrastructure					
1 – 4 September 2017					
	Thabong	T9/46	14	High mast reported by	Repaired in

				ward councilor as non-functional and urgent	order
	Thabong	Close to house 28964	14	High mast reported by ward councilor as non-functional and urgent	Repaired in order
	Thabong	T14/66 close to house 25763	17	Inspection conducted power and control circuit in order, 2X lights functional, 2X lights cycling and 2X lights non-functional	Service scheduled for 05/09/2017
	Thabong	T10/63 close to house 19521	17	Service maintenance for tomorrow delayed due to winch motors malfunction	service scheduled for 05/09/2017
	Thabong	T8/73 close to house 14559	14	Inspection conducted, power supply and control circuit in order and 3X lights functional and 3X lights non-functional	Scheduled to be serviced by 06/09/2017
Streetlight Infrastructure					
	Welkom Lake View	Finch street numbers 2-8-15	35	Streetlight repairs. Finch completed	Received some material.
	Welkom Klipan	Overhead lines		HT fuses blown feeding overhead lines to Klipan pump station used truck to replace fuses.	completed
	Welkom Lake view	19&21-Mynah street	35	Repaired in order	In order
	Welkom Lake view	21-23-6-Swann street	35	Repaired in order	In order
	Welkom Lake view	3-Mynah Street	35	Repaired in order .	In order
	Welkom Lake View	4-11-Strandlooper Street	35	Lights inspected	Work not completed yet needs new light fittings
	Welkom Lake View	3-Sterling street	35	Light inspected	Work not completed no power on pole
	Welkom Lake View	13-5-Kiwiet street	35	repaired	In order
	Welkom Lake view	4-Sunbird street	35	repaired	In order
	Welkom Lake View	5-6-Rooibekie	35	repaired	In order
	Welkom CBD	Arrarat Street	34	Busy with various streetlight cables fault repairs.	Not completed yet

