

# Individual

## User

### GET List of users

http://localhost:8080/users

### GET User data by username

http://localhost:8080/users/username

### POST New user

http://localhost:8080/users


#### Body raw (json)

json

```
{
  "username": "username",
  "email": "username@mailhog.com",
  "password": "myPassword4",
  "name": "Name",
  "surname": "Surname",
  "yearOfBirth": "1990",
  "gender": "M",
  "avatarIndex": 1,
  "rating": 0
}
```

### PATCH Edit password

http://localhost:8080/users/username

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

json

```
{
  "password": "newPassword545"
}
```

## PUT Edit user

http://localhost:8080/users/username

Body raw (json)

json

```
{
  "username": "username",
  "email": "username@mailhog.com",
  "password": "myPassword4",
  "name": "Name",
  "surname": "Surname",
  "yearOfBirth": "1990",
  "gender": "M",
  "avatarIndex": 1,
  "rating": 0
}
```


## DELETE Delete user

http://localhost:8080/users/username

## Offer

## GET List of offers

http://localhost:8080/offers

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

```
http://localhost:8080/offers/search?keyword=keyword
```

## PARAMS

keyword

keyword

## GET List of offers by category

```
http://localhost:8080/offers/byCategory?category=category
```

## PARAMS

category

category

## GET List of offers by tutorUsername

```
http://localhost:8080/offers/byTutor?tutor_username=username
```

## PARAMS

tutor\_username

username

## POST New offer


```
http://localhost:8080/offers
```

## Body raw (json)

json

```
{  
  "title": "Experienced Science Tutor",
```

```
"city": "Paris",
"description": "Experienced science tutor offering comprehensive help in physics, chemist
"creationTime": "2023-09-07 17:02:00",
```

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

```
"price": 25}
```

## PUT Edit offer

http://localhost:8080/offers/1

### Body raw (json)

json

```
{
  "title": "Math Tutor",
  "description": "Experienced math tutor. Improve your skills today!",
  "tutorUsername": "user2",
  "category": "Mathematics",
  "price": 35.0,
  "city": "New York",
  "creationTime": "2023-09-09 08:00:00"
},
```

## DELETE Delete offer

http://localhost:8080/offers/2

## Message


### GET List of messages

http://localhost:8080/messages

### GET List of messages by sender

http://localhost:8080/messages/bySenderUsername?senderUsername=user3

## PARAMS

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

### GET List of messages by receiver

```
http://localhost:8080/messages/byReceiverUsername?receiverUsername=user3
```

#### PARAMS

receiverUsername	user3
------------------	-------

### GET List of messages between users

```
http://localhost:8080/messages/betweenUsers?username1=user1&username2=user2
```

#### PARAMS

username1	user1
username2	user2

### POST New message


```
http://localhost:8080/messages
```

#### Body raw (json)

json

```
{  
  
  "sendTime": "2023-09-06 12:43:00",  
  "text": "No problem",  
  "receiverUsername": "user2",  
  "senderUsername": "user3"  
}
```

## PUT Edit Message

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

http://localhost:8080/messages/1

### Body raw (json)

json

```
{  
  
  "sendTime": "2023-09-06 12:43:00",  
  "text": "Sure!",  
  "receiverUsername": "user2",  
  "senderUsername": "user3"  
}
```

## DELETE Delete message

http://localhost:8080/messages/1

## Chat

## GET Last message between users

http://localhost:8080/chats/latestMessage?user1=user1&user2=user2


### PARAMS

user1	user1
user2	user2

## GET List of chats

http://localhost:8080/chats

## GET List of chats between users

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

### PARAMS

user1	user1
user2	user2

## GET List of user's chats

http://localhost:8080/chats/byUser?user=user1

### PARAMS

user	user1
------	-------

## POST New chat

http://localhost:8080/chats

### Body raw (json)

json

```
{  
  
  "username1": "user8",  
  "username2": "daria433",  
  "lastMessageBetween": "No problem",  
  "lastlyViewed": "2023-09-07 10:00:00",  
  "seen": false,  
  "senderUsername": "user8",  
  "lastMessageSendTime": "2023-09-07 11:00:00"  
}
```

## PATCH Edit chat seen

http://localhost:8080/chats/updateChatSeen?id=2&seen=false

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

id	2
seen	false

## PUT Edit chat

http://localhost:8080/chats/4

Body raw (json)

json

```
{

  "username1": "user6",
  "username2": "daria433",
  "senderUsername": "user6",
  "seen":false,
  "lastMessageBetween": "No problem, I am going to see what",
  "lastlyViewed": "2023-09-13 02:53:39",
  "lastMessageSendTime": "2023-09-15 13:23:00"
}
```

## DELETE Delete chat

http://localhost:8080/chats/1

## Rating


### GET List of ratings

http://localhost:8080/ratings

### POST New rating



http://localhost:8080/ratings

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

json

```
{  
  
  "from": "user1",  
  "to": "user9",  
  "rating": 2.5  
}
```

## PUT Edit rating

http://localhost:8080/ratings/1

Body raw (json)

json

```
{  
  
  "from": "user1",  
  "to": "user9",  
  "rating": 2.5  
}
```

## DELETE Delete rating

http://localhost:8080/ratings/1

## Email

## POST Send email - changed password

http://localhost:8080/emails/sendChangedPassword

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this ...

json

```
{
  "address": "johhnybsfield@mailhog.com",
  "name": "Johhny",
  "surname": "Boysfield",
  "username": "johhnybsfield"
}
```

## POST Send email - new user

http://localhost:8080/emails/sendNewUser

**Body** raw (json)

json

```
{
  "address": "martinsnewemail@mailhog.com",
  "name": "Carol",
  "surname": "Martins",
  "username": "carol65"
}
```