


**D1** BALCONY SLAB EDGE, NOSING AND COVE
1:10




**D2** TERRACE PARAPET AND COPING
1:10




**D3** THRESHOLD ONTO THE BALCONY
1:5




**D4** ROOF UPSTAND AT THE PENTHOUSE WALL
1:10

# CONSTRUCTION DETAILS

TYPICAL JUNCTIONS · 1:5 AND 1:10 · MILLIMETRES

## FIGURED FROM THE GEOMETRY

| | |
|---|---|
| EXTERNAL / PARTY WALL | 300 mm |
| INTERNAL PARTITION | 100 mm |
| PARAPET | 250 mm × 1100 high |
| STRUCTURAL ZONE | 300 mm |
| CLEAR HEIGHT | 3.00 m |
| SLAB NOSING | 180 mm |
| COVE LIGHT | 50 × 50 mm |
| BALUSTRADE | 1100 mm high |
| GLASS SET IN FROM THE EDGE | 120 mm |

## GENERAL NOTES

1. Layout only, and in a stricter sense than the rest of the set: every figured dimension here is this project's and exact, and everything hatched is a build-up nobody has specified yet. The hatched zones are drawn at a plausible thickness so the junction can be read; none of those thicknesses is a specification.

2. Each hatched zone names the QS-003 topic that has to answer for it. Until that topic is answered the detail cannot be built, priced or warranted, and no quantity is taken from this sheet.

3. The 300 mm structural zone is ours because it sets the floor-to-floor; how much of it is slab, and what is in the slab, is the engineer's. No reinforcement, cover or grade appears here.

4. Thermal performance, waterproofing warranty, movement and buildability are the specifier's. The drawing shows where things meet, not that the meeting works.

5. D1 is the junction the whole frontage depends on, and it is the one carrying a 2.00 m cantilever: read it with STR-500.

**FIVE-STOREY VACATION VILLA** — SHAMANDEEL, QUESNA, MENOUFIA, EGYPT

DRAWING

**CONSTRUCTION DETAILS**

| DRAWING No | REVISION | SCALE | DATE |
|---|---|---|---|
| **ARC-600** | **P22** | **1:5 / 1:10 @ A1** | **2026-10-11** |

Preliminary design issue — not for construction.
Do not scale; work to figured dimensions only.

REVISIONS
P19 2026-10-07 serpentine waist deepened 0.75 to 1.35 m; 15.7 m² of balcony a floor
P20 2026-10-07 internal partitions 100 mm red brick, specified by the client
P21 2026-10-07 300 mm external and party walls: brick, colour unrestricted
P22 2026-10-08 A-300 to A-302 withdrawn: enlargements of a building not being built