


# SLAB FRAMING LAYOUT AT +6.60

LEVEL +6.60 · 1:50 @ A1 · METRES

## KEY

- External / party wall cut by section, 300 mm — brick, colour unrestricted
- Internal partition, 100 mm — red brick
- Terrace parapet, 250 mm × 1100 mm high
- Single leaf door, swing shown to opening side
- Glazed opening — arched head where noted
- Element above the cut plane (pergola, slab over)
- Void / open to sky
- ▽ +0.00 — Finished floor level datum

## THE FRAME

| | |
|---|---|
| GRID | 3 × 4, A–C / 1–4 |
| SPAN A–B | 4.81 m |
| SPAN B–C | 4.39 m |
| SPAN 1–2 | 4.81 m |
| SPAN 2–3 | 4.10 m |
| SPAN 3–4 | 4.29 m |
| COLUMNS | 12 |
| COLUMN SECTION | 300 × 300 mm |
| STRUCTURAL ZONE | 300 mm |
| STOREY HEIGHT | 3.30 m |
| THIS SLAB | +6.60 |
| SLAB THICKNESS | by the engineer |

## GENERAL NOTES

1. Layout only. No member size, no slab or footing depth, no reinforcement and no load appears on this sheet or anywhere in the STR series. Those are the structural engineer's, and a column schedule with sizes invented by an architect is worse than none, because somebody builds it.

2. The grid, the column coordinates, the spans and the slab edges are measured from the same geometry the architecture is drawn from and are exact.

3. The cantilever beyond grid 1 is the balcony: 15.7 m² a floor, 1.95 m at its deepest. It is the most engineering-sensitive element here and has its own sheet, STR-500.

4. Primary beams run on the grid, because every 300 mm wall stands on a grid line. The 100 mm partitions do not and do not need to: they are carried by the slab.

**FIVE-STOREY VACATION VILLA** — SHAMANDEEL, QUESNA, MENOUFIA, EGYPT

DRAWING

**SLAB FRAMING LAYOUT AT +6.60**

| DRAWING No | REVISION | SCALE | DATE |
|---|---|---|---|
| **STR-303** | **P21** | **1:50 @ A1** | **2026-10-12** |

Layout for the engineer's design — no member sizes, no reinforcement, no loads. Not for construction.
Do not scale; work to figured dimensions only.

REVISIONS

P18 2026-10-07 scheme A adopted: serpentine balcony on every plan; site named
P19 2026-10-07 serpentine waist deepened 0.75 to 1.35 m; 15.7 m² of balcony a floor
P20 2026-10-07 internal partitions 100 mm red brick, specified by the client
P21 2026-10-07 300 mm external and party walls: brick, colour unrestricted