



City Region Postcode Rest API

FEATURES

- The City Region Postcode module offers Rest API to efficiently manage and display customer address City and Postcode on websites.

City Region Postcode Rest API EndPoints

1. Get City Data by Region Id

Endpoint : {{baseurl}}/rest/store_code/V1/city/RegionId

Method: GET

Response :

```
[
  {
    "city_id": "1",
    "country_id": "IN",
    "region_id": "580",
    "code": "AH",
    "default_name": "Ahmedabad",
    "name": "أحمد آباد"
  },
  {
    "city_id": "2",
    "country_id": "IN",
    "region_id": "580",
    "code": "RJ",
    "default_name": "Rajkot",
    "name": null
  }
]
```

2. Get Postcode Data by CityId

Endpoint : {{baseurl}}/rest/V1/city/CityId

Method: GET

Response :

```
[
  {
    "postcode_id": "1",
    "country_id": "IN",
    "region_id": "580",
    "city_id": "1",
    "postcode": "383838"
  },
  {
    "postcode_id": "2",
    "country_id": "IN",
    "region_id": "580",
    "city_id": "1",
    "postcode": "383939"
  }
]
```

Note

- To execute all the aforementioned REST API endpoints, it is obligatory to provide the Admin/Customer Bearer token.