
FILE SECTION.

FD DEPT-FILE-IN

RECORD CONTAINS 80
BLOCK CONTAINS 80 CHARACTERS
RECORDING MODE IS F
LABEL RECORDS ARE OMITTED.

01 DEPT-REC-IN.

02 DEPT-ID-IN PIC 9(4).
02 DEPT-IN-FILLER PIC X(76).

FD DEPT-FILE-OUT

RECORD CONTAINS 133
BLOCK CONTAINS 133 CHARACTERS
RECORDING MODE IS F
LABEL RECORDS ARE OMITTED.

01 DEPT-REC-OUT.

02 CC PIC X.
02 PRINT-LINE PIC X(132).

FD ERR-FILE-OUT

RECORD CONTAINS 133
BLOCK CONTAINS 133 CHARACTERS
RECORDING MODE IS F
LABEL RECORDS ARE OMITTED.

01 ERR-REC-OUT.

02 ERR-CC PIC X.
02 ERR-LINE PIC X(132).

WORKING-STORAGE SECTION.

01 EOF-SW PIC X VALUE 'N'.
88 END-OF-FILE VALUE 'Y'.

01 LINE-COUNT PIC 99 VALUE 0.
01 ERR-LINE-COUNT PIC 99 VALUE 0.
01 LINE-MAX PIC 99 VALUE 50.

01 DEPT-HEADER.

05 FILLER PIC X(30) VALUE SPACES.
05 FILLER PIC X(13) VALUE 'DEPARTMENT ID'.
05 FILLER PIC X(10) VALUE SPACES.
05 FILLER PIC X(9) VALUE 'DEPT NAME'.
05 FILLER PIC X(70) VALUE SPACES.

01 DEPT-DETAIL-LINE.

05 FILLER PIC X(33) VALUE SPACES.
05 DEPT-ID-OUT PIC X(4).
05 FILLER PIC X(16) VALUE SPACES.
05 DEPT-NAME-OUT PIC X(45).
05 FILLER PIC X(34) VALUE SPACES.

01 EMP-HEADER.

05 FILLER PIC X(5) VALUE SPACES.
05 FILLER PIC X(6) VALUE 'EMP ID'.
05 FILLER PIC X(2) VALUE SPACES.
05 FILLER PIC X(9) VALUE 'LAST NAME'.
05 FILLER PIC X(8) VALUE SPACES.
05 FILLER PIC X(10) VALUE 'FIRST NAME'.
05 FILLER PIC X(3) VALUE SPACES.
05 FILLER PIC X(10) VALUE 'START DATE'.
05 FILLER PIC X(2) VALUE SPACES.
05 FILLER PIC X(9) VALUE 'JOB TITLE'.
05 FILLER PIC X(13) VALUE SPACES.
05 FILLER PIC X(14) VALUE 'OFFICE ADDRESS'.
05 FILLER PIC X(42) VALUE SPACES.

01 EMP-DETAIL-LINE.

05 FILLER PIC X(5) VALUE SPACES.
05 ID-OUT PIC X(4).
05 FILLER PIC X(4) VALUE SPACES.
05 LAST-OUT PIC X(15).
05 FILLER PIC X(2) VALUE SPACES.
05 FIRST-OUT PIC X(10).
05 FILLER PIC X(3) VALUE SPACES.

05 SD-OUT.

10 SD-MM PIC XX.
10 FILLER PIC X VALUE '/'.
10 SD-DD PIC XX.
10 FILLER PIC X VALUE '/'.
10 SD-YY PIC XX.
05 FILLER PIC X(4) VALUE SPACES.

05 TITLE-OUT PIC X(20).
05 FILLER PIC X(2) VALUE SPACES.

05 OFF-ADDRESS-OUT.
10 STREET-OUT PIC X(20).
10 FILLER PIC XX VALUE SPACES.
10 CITY-OUT PIC X(15).
10 FILLER PIC XX VALUE SPACES.
10 STATE-OUT PIC XX.
10 FILLER PIC XX VALUE SPACES.
10 ZIP-OUT PIC X(5).

05 FILLER PIC X(8) VALUE SPACES.

01 ERR-HEADER-1.
05 FILLER PIC X(40) VALUE SPACES.
05 FILLER PIC X(12) VALUE 'ERROR REPORT'.
05 FILLER PIC X(80) VALUE SPACES.

01 ERR-HEADER-2.
05 FILLER PIC X(10) VALUE SPACES.
05 FILLER PIC X(4) VALUE '***'.
05 FILLER PIC X(51)
VALUE
'THIS REPORT LISTS EMPTY AND NONEXISTENT DEPARTMENTS'.
05 FILLER PIC X(4) VALUE '***'.
05 FILLER PIC X(63) VALUE SPACES.

01 ERR-HEADER-3.
05 FILLER PIC X(20) VALUE SPACES.
05 FILLER PIC X(7) VALUE 'DEPT ID'.
05 FILLER PIC X(9) VALUE SPACES.
05 FILLER PIC X(7) VALUE 'MESSAGE'.
05 FILLER PIC X(89) VALUE SPACES.

01 ERR-DETAIL-LINE.
05 FILLER PIC X(20) VALUE SPACES.
05 ERR-ID-OUT PIC X(4).
05 FILLER PIC X(12) VALUE SPACES.
05 ERR-MESS-OUT PIC X(15).
05 FILLER PIC X(79) VALUE SPACES.

01 MESSAGES.

05 NO-JOB-MESSAGE.

10 FILLER PIC X(20) VALUE 'NO JOB ASSIGNED'.

05 NO-OFFICE-MESSAGE.

10 FILLER PIC X(20)
VALUE 'NO OFFICE ASSIGNED'.

05 NO-DEPT-MESSAGE.

10 FILLER PIC X(15) VALUE 'DOES NOT EXIST'.

05 NO-EMP-MESSAGE.

10 FILLER PIC X(15) VALUE 'IS EMPTY'.

05 NO-INPUT-MESSAGE.

10 FILLER PIC XX VALUE SPACES.

10 FILLER PIC X(11) VALUE '=====> '.

10 FILLER PIC X(8) VALUE 'NO INPUT'.

10 FILLER PIC X(11) VALUE ' <====='.

10 FILLER PIC X(100) VALUE SPACES.

01 COPY IDMS SUBSCHEMA-CTRL.

01 COPY IDMS SUBSCHEMA-SSNAME.

01 COPY IDMS SUBSCHEMA-RECNAME.

01 COPY IDMS SUBSCHEMA-SETNAME.

01 COPY IDMS RECORD EMPLOYEE.

01 COPY IDMS RECORD DEPARTMENT.

01 COPY IDMS RECORD JOB.

01 COPY IDMS RECORD EMPLOYMENT.

01 COPY IDMS RECORD OFFICE.

EJECT

PROCEDURE DIVISION.

```
* PROCEDURE DIVISION GENERAL STRATEGY:          *
*
* 1) READ DEPT-ID-IN, WHICH CONTAINS THE          *
*   DEPT-ID NUMBER                                *
*
* 2) ACCESS THE DATABASE USING THE DEPT-ID NUMBER  *
*   WITH AN OBTAIN CALC ON THE DEPARTMENT RECORD  *
*
* 3) ACCESS ALL EMPLOYEES IN THE DEPT-EMPLOYEE SET *
*   AND RETRIEVE RELATED JOB AND OFFICE DATA     *
*
* 4) PRINT A REPORT FOR EACH DEPARTMENT           *
*
* 5) PRINT AN ERROR REPORT FOR EMPTY DEPARTMENTS *
*   AND NONEXISTENT DEPARTMENTS (NO MATCHING     *
*   DEPT-ID)                                     *
```

MAIN-LINE.

PERFORM INIT-FILES.

IF END-OF-FILE

PERFORM EMPTY-INPUT-PROCESSING

ELSE

PERFORM INIT-BIND-READY

PERFORM U220-ERR-HEADER

PERFORM DEPT-PROCESSING THRU DEPT-PROCESSING-EXIT
UNTIL END-OF-FILE.

PERFORM END-PROCESSING.

GOBACK.

INIT-BIND-READY.

```
* THE BIND STATEMENTS ARE PERFORMED INDIVIDUALLY (RATHER *
* THAN BY USING A COPY IDMS SUBSCHEMA-BINDS) IN ORDER TO *
* CHECK EACH ERROR-STATUS BY PERFORMING THE IDMS-STATUS   *
* ROUTINE.                                                 *
```

MOVE 'DEPTRPT' TO PROGRAM-NAME.

BIND RUN-UNIT.
PERFORM IDMS-STATUS.

BIND EMPLOYEE.
PERFORM IDMS-STATUS.

BIND DEPARTMENT.
PERFORM IDMS-STATUS.

BIND JOB.
PERFORM IDMS-STATUS.

BIND EMPOSITION.
PERFORM IDMS-STATUS.

BIND OFFICE.
PERFORM IDMS-STATUS.

PERFORM READY-AREA.
INIT-FILES.

OPEN INPUT DEPT-FILE-IN.
OPEN OUTPUT DEPT-FILE-OUT.
OPEN OUTPUT ERR-FILE-OUT.

MOVE SPACES TO PRINT-LINE.
MOVE SPACES TO ERR-LINE.

READ DEPT-FILE-IN
AT END MOVE 'Y' TO EOF-SW.

EMPTY-INPUT-PROCESSING.

MOVE NO-INPUT-MESSAGE TO PRINT-LINE.
MOVE '1' TO CC.
PERFORM U000-WRITE-LINE.

* THIS PARAGRAPH ACCESSES THE DATABASE USING THE DEPT-ID-0415 *
* CALCKEY VALUE. *

DEPT-PROCESSING.

MOVE DEPT-ID-IN TO DEPT-ID-0410.

OBTAIN CALC DEPARTMENT.

IF DB-REC-NOT-FOUND THEN
 PERFORM NEW-DEPT-STORE-DEPARTMENT
ELSE
 PERFORM IDMS-STATUS

IF DEPT-ID-0410 = 4485 THEN
 PERFORM OLD-DEPT-ERASE-DEPARTMENT

IF DEPT-EMPLOYEE IS NOT EMPTY THEN
 PERFORM U020-VALID-HEADER

MOVE DEPT-ID-0410 TO DEPT-ID-OUT
MOVE DEPT-NAME-0410 TO DEPT-NAME-OUT
MOVE DEPT-DETAIL-LINE TO PRINT-LINE
PERFORM U000-WRITE-LINE

PERFORM U030-EMP-HEADERS

PERFORM SET-WALK
 THRU SET-WALK-EXIT
 UNTIL DB-END-OF-SET

ELSE
 PERFORM EMPTY-SET.

READ DEPT-FILE-IN
 AT END MOVE 'Y' TO EOF-SW.

DEPT-PROCESSING-EXIT.
EXIT.

* THIS PARAGRAPH RETRIEVES EMPLOYEE, JOB, AND OFFICE DATA *
* FOR EACH EMPLOYEE IN THE DEPT-EMPLOYEE SET. *

SET-WALK.

OBTAIN NEXT EMPLOYEE WITHIN DEPT-EMPLOYEE.

```
IF DB-END-OF-SET
  GO TO SET-WALK-EXIT
ELSE
  PERFORM IDMS-STATUS.

MOVE EMP-ID-0415 TO ID-OUT.
MOVE EMP-LAST-NAME-0415 TO LAST-OUT.
MOVE EMP-FIRST-NAME-0415 TO FIRST-OUT.

MOVE START-YEAR-0415 TO SD-YY.
MOVE START-MONTH-0415 TO SD-MM.
MOVE START-DAY-0415 TO SD-DD.

IF EMP-LAST-NAME-0415 = 'KASI' THEN
  PERFORM OLD-LASTNAME-MODIFY-EMPLOYEE

IF EMP-EMPOSITION IS EMPTY
  MOVE NO-JOB-MESSAGE TO TITLE-OUT
ELSE
  FIND FIRST WITHIN EMP-EMPOSITION
  PERFORM IDMS-STATUS

  IF NOT JOB-EMPOSITION MEMBER
    MOVE NO-JOB-MESSAGE TO TITLE-OUT
  ELSE
    OBTAIN OWNER WITHIN JOB-EMPOSITION
    PERFORM IDMS-STATUS

    MOVE TITLE-0440 TO TITLE-OUT.

IF OFFICE-EMPLOYEE IS EMPTY
  MOVE NO-OFFICE-MESSAGE TO STREET-OUT
  MOVE SPACES TO CITY-OUT
  MOVE SPACES TO STATE-OUT
  MOVE SPACES TO ZIP-OUT
ELSE
  OBTAIN OWNER WITHIN OFFICE-EMPLOYEE
  PERFORM IDMS-STATUS

  MOVE OFFICE-STREET-0450 TO STREET-OUT
  MOVE OFFICE-CITY-0450 TO CITY-OUT
  MOVE OFFICE-STATE-0450 TO STATE-OUT
  MOVE OFFICE-ZIP-FIRST-FIVE-0450 TO ZIP-OUT
```

MOVE EMP-DETAIL-LINE TO PRINT-LINE.
PERFORM U000-WRITE-LINE.

SET-WALK-EXIT.
EXIT.

END-PROCESSING.

FINISH.
PERFORM IDMS-STATUS.

CLOSE DEPT-FILE-OUT.
CLOSE ERR-FILE-OUT.
CLOSE DEPT-FILE-IN.

EMPTY-SET.

MOVE SPACES TO ERR-LINE.
MOVE DEPT-ID-0410 TO ERR-ID-OUT.
MOVE NO-EMP-MESSAGE TO ERR-MESS-OUT.
MOVE ERR-DETAIL-LINE TO ERR-LINE.

PERFORM U200-WRITE-ERR-LINE.

READY-AREA.

D DISPLAY 'READY-AREA'

READY AREA DEPARTMA
 USAGE-MODE IS UPDATE

PERFORM IDMS-STATUS.

NEW-DEPT-STORE-DEPARTMENT.

D DISPLAY 'NEW-DEPT-STORE-DEPARTMENT'

STORE DEPARTMENT.
PERFORM IDMS-STATUS.

OLD-DEPT-ERASE-DEPARTMENT.

D DISPLAY 'OLD-DEPT-ERASE-DEPARTMENT'

ERASE DEPARTMENT.
PERFORM IDMS-STATUS.
OLD-LASTNAME-MODIFY-EMPLOYEE.

D DISPLAY 'OLD-LASTNAME-MODIFY-EMPLOYEE'

MOVE 'K' TO EMP-LAST-NAME-0415.
MODIFY EMPLOYEE.
PERFORM IDMS-STATUS.

U000-WRITE-LINE.

WRITE DEPT-REC-OUT AFTER POSITIONING CC.

IF CC = '1'
 THEN MOVE 0 TO LINE-COUNT
ELSE
 IF CC = ''
 THEN ADD 1 TO LINE-COUNT
 ELSE
 IF CC = '0'
 THEN ADD 2 TO LINE-COUNT.

IF LINE-COUNT > LINE-MAX
 THEN PERFORM U010-NEW-PAGE-ROUTINE.

U010-NEW-PAGE-ROUTINE.

PERFORM U020-VALID-HEADER.
MOVE DEPT-DETAIL-LINE TO PRINT-LINE.
PERFORM U000-WRITE-LINE.
PERFORM U030-EMP-HEADERS.

U020-VALID-HEADER.

MOVE DEPT-HEADER TO PRINT-LINE.
MOVE '1' TO CC.
PERFORM U000-WRITE-LINE.

MOVE '' TO CC.

U030-EMP-HEADERS.

MOVE '0' TO CC.
MOVE EMP-HEADER TO PRINT-LINE.
PERFORM U000-WRITE-LINE.

MOVE SPACES TO PRINT-LINE.
MOVE '' TO CC.
PERFORM U000-WRITE-LINE.

U200-WRITE-ERR-LINE.

WRITE ERR-REC-OUT AFTER POSITIONING ERR-CC.

IF ERR-CC = '1'
 THEN MOVE 0 TO ERR-LINE-COUNT
ELSE
 IF ERR-CC = ''
 THEN ADD 1 TO ERR-LINE-COUNT
 ELSE
 IF ERR-CC = '0'
 THEN ADD 2 TO ERR-LINE-COUNT.

IF ERR-LINE-COUNT > LINE-MAX
 THEN
 PERFORM U220-ERR-HEADER.

U220-ERR-HEADER.

MOVE ERR-HEADER-1 TO ERR-LINE.
MOVE '1' TO ERR-CC.
PERFORM U200-WRITE-ERR-LINE.

MOVE '0' TO ERR-CC.
MOVE ERR-HEADER-2 TO ERR-LINE.
PERFORM U200-WRITE-ERR-LINE.

MOVE ERR-HEADER-3 TO ERR-LINE.
PERFORM U200-WRITE-ERR-LINE.

MOVE SPACES TO ERR-LINE.
MOVE '' TO ERR-CC.
PERFORM U200-WRITE-ERR-LINE.

IDMS-ABORT.
EXIT.

IDMS-ABORT-EXIT.

COPY IDMS IDMS-STATUS.