MNO PAYMENT GATEWAY

Interface Guide

Version 01.00

08/06/2021

	Interface Guide		
	EvMak Payment API Interface		
	Document Ref No	Version	Release Date
	EVMAK_PAY_API_20210608	02.00	05/01/2023

DOCUMENT RELEASE DETAILS

Project	EvMak Payment Gateway
Document	API Guide
Document Ref No	EVMAK_PAY_API_20210608
Version Number	02.00
Release Date	05/01/2023
Prepared By	Ino Mwakalobo
Technical Reviewer	Evans Makundi
Classification	Confidential – Distribution restricted to intended audience only

1. Introduction

The scope of this document is to illustrate the technical requirements required in order for clients to integrate with evPay Mobile money integration to enable collection and disbursement of Funds. All systems should be able to interface with the Payment Gateway API following instructions provided in this document.

2. Payment Request Message

Interfacing client should send a message in the following format.

Url	/payreq/3			
Method	POST			
Request	Header	Name	Value	
		Content-Type	Application/json	
	Body	Parameter	Description	Required
		api_source	Product or request Name, This will be displayed on Confirmation message both in USSD and text message	YES
		api_to	Mobile money wallet Destination ● Mpesa ● TigoPesa ● AirtelMoney	YES
		amount	Amount to be collected	YES
		product	Product that the client is paying for.	YES
		callback	Call back URL that will send the confirmation response from MNO	YES
		hash	Request validation MD5(username|date) date format (25-04-2021)	YES
		user	Client username	YES
		mobileNo	Mobile number of end user	YES
		reference	Third part reference. The same will be used for callback payload	YES
		callbackStatus	Sample callbacks of the transactions ● Success ● Expired ● USSDCallbackCancel ● Failed`	YES

	Example		{
			"api_source": "WEBHOSTTZ",
			"api_to": "TigoPesa",
			"amount": 1000,
			"product": "BulkSMS",
			"callback": "http://evmak/vodacom/call",
			"hash": "f11ffed9b4c594578ba078b5889",
			"user": "webhost",
			"mobileNo": "255686668866",
			"reference": "EVM8724983153",
			"callbackstatus": "Success"
			}	

Response	Body	parameter	Value	
		order_id	Third part reference	
		amount	Amount requested	
		response_code	200 – Message is successful sent 403 – Authentication failed 404 – Wrong destination 500 – Internal Server Error	
		response_desc	Description for the status above	

	Example		{
			"order_id": "EVM8724983153",
			"amount": 1000,
			"response_code": 200,
			"response_desc": "Request send to the user",
			"source": "197.250.230.51"
			}	

Table: 2.0.1

2.0.2 Error or Status Codes and Descriptions

200	General Success
403	Authentication failed
500	Internal Server Error

Table: 2.0.2

3. Callback

Once the transaction is complete system will respond with the following.

Url				
Method	POST			
	Header	Parameter	Description	Required
		Content-Type	Application/json	
	Body	Parameter	Description	Required
		ResultType	This determines if the transaction is success or not.	YES
		TransactionStatus	Description of the result trype, varies from different MNO, Mpesa this will come Success for a complete transaction	YES
		TransID	MNO Reference number.	YES
		Amount	Amount that was posted .	YES
		Hash	Hash That was posted with	YES
		ThirdPartyReference	Third part Original Reference ID	YES
	Example		{ "ResultType": **true**, "TransactionStatus": "Sucess", "TransID": "98989909", "Amount": "1000", "Hash": "8bc225593d05203e524158f8ed93d03b", "ThirdPartyReference": "9899741311" }	
Response	Body	Parameter	Description	Required
		Status	Callback status. Third part system need to respond to a callback for EvMak to mark it as a complete	

			transaction.	
	Example		{ "Status": "Success" }	

4. Reconciliation

For manual reconciliation of a particular transaction
NOTE: this is to be used only if there is a discrepancy on a particular transaction.

Url				
Method	POST			
	Header	Parameter	Description	Required
		Content-Type	Application/json	
	Body	Parameter	Description	Required
		reference	Third part Original Reference ID.	YES
		user	Third part usename	YES
		Hash	Hash That was posted with	YES
	Example		{ "reference": "850143", "user": "virtually", "hash": "50f8435c8e7bf144bb83da59c274143b" }	
Response	Body	Parameter	Description	Required
		mobileNo	Mobile number of the end user	
		TransactionStatus	Transaction status	
		TransID	MNO transaction reference if any	
		amount	Amount requested	
		Hash	Hash value submitted with the request	

		ThirdPartyReference	Third part transaction reference if any	

	Example		{
			"mobileNo": "255692432983",
			"TransactionStatus": "Success",
			"TransID": "WBH252367-1768",
			"amount": "25000",
			"Hash": "6874ba257b16c10355cd0efa8ef5b",
			"ThirdPartyReference": "MP216.1716.K65118"
			}	