

ymp TUI — chat-first

Главный экран — разговор, не дашборд: один транскрипт, строка ввода внизу, тонкая шапка, статусная строка. Всё остальное — полноэкранные страницы данных в духе k9s (по `:`, `Esc` назад) и немногочисленные модаль решения. Композиция прошлого артефакта `ymp_k9s_tui.dc.html` отброшена; сам файл удалён из рабочего дерева и читается только в истории репозитория, в ревизии `35cc659`; тема, палитра, статусные цвета и шрифт — прежние. Планы помечаются текстом всегда: `ctrl` · `collab` · `verif`; каждое различие состояния живёт и без цвета. Фикстуры детерминированы: проект асме-payments, интент `it-03`, контракт `tc-07`, ран `rn-2209`, участник `pt-01`, кандидаты `cd-31/cd-32`. Ревизия 1 (2026-08-16) отвечает на пять зафиксированных отказов интерфейса: плотность транскрипта, форма отказа, таблицы `v2`, словарь состояний и разбор пулов — см. секцию Ревизия 1; там же названы отклонённые формы экранов.

Формы записей транскрипта

Шесть форм. Записи борды (`collab`) прилетят позже — форма уже зарезервирована и не потребует перевёрстки: участник ▶ тип сообщения, данные инертны — ничто в транскрипте не исполняется одной клавишей. Типы: `proposal`, `question`, `hypothesis`, `observation`, `constraint`, `dead_end`, `challenge`, `confirmation`, `decision`, `help_request`.

> you	Add idempotency keys to the payments POST API	human	· амбер-приглашение, яркий текст
ymp	Drafting contract package from intent it-03 ...	app reply	· тусклая метка, обычный текст
ymp	x run ymp auth codex — rp-codex-o3 token expired	app error	· действие первым · ≤2 строк
09:44:31	ctrl attempt at-11 started · pt-01 · base 4f21c9e	run event	· время + план + факт
09:52:10	collab pt-01 ▶ observation t-07 compares bodies byte-wise	board msg	· участник ▶ тип · untrusted
11:02:41	verif vr-21 recorded · cd-32 · all enforced checks passed	verif event	· только план верификации
ymp	interview 4/4 · budget vector [поля ниже — см. 1c]	structured block	· поля прямо в ленте

Транскрипт — семь состояний · 120×40

1a Холодный старт три строки: однострочный логотип, приглашение, две двери — остальное за ?

ymp 0.4.1 · асме-payments · main @ 4f21c9e

no contract · no run

ymp 0.4.1 · ~/code/acme-payments · store ~/.ymp owned ✓ · assurance poc_disposable ▲
state a goal in one line — nothing runs and nothing is spent until you authorize it.
:providers 2 ready · 1 measuring · 1 error · 1 off ? key map · what ▲ means

> _

idle · no run

:commands ?keys

1b Интервью по контракту вопросы уточняют скоуп; длинный вопрос переносится

ymp 0.4.1 · асме-payments · main @ 4f21c9e

tc-07 draft · no run

```
> you Add idempotency keys to the payments POST API

ymp interview 1/4 · scope · intent it-03 recorded → ev-0009 · drafting tc-07
Which endpoints must honor the Idempotency-Key header? openapi.yaml
declares three mutating routes; only POST /payments matches the
intent literally.
  1 POST /payments only
  2 POST /payments and POST /refunds
  3 every mutating endpoint
a number, or describe the scope in your own words

> you 2 — refunds reuse the same key namespace

ymp interview 2/4 · replay semantics
A replayed request carries the same Idempotency-Key but a different
body. The draft answers 409 conflict without touching payment state:
treating it as a new payment would double-charge, and silently
returning the first result would hide a client bug. Accept 409, or
specify different behavior?

> you 409 is right

ymp interview 3/4 · retention
How long must a key remain replayable after first use?
a duration, e.g. 24h — becomes requirement R2 with a visible test

> 24h_

tc-07 draft · interview 3/4 · nothing spent                                :commands ?keys
```

1c Структурный ввод в ленте бюджет-вектор и ростер — поля, фокус, валидация, дефолты

```
ymp 0.4.1 · асме-payments · main @ 4f21c9e                                tc-07 draft · no run

> you 24h

ymp interview 4/4 · budget vector & roster
Fields below are part of this conversation. Dimensions are
independent: spare capacity in one never authorizes an action
blocked by another.

┌ budget vector · 5 dimensions
├ DIMENSION      CLASS      VALUE      DEFAULT
├ usd_llm         enforced   [ 25.00 ]   USD  10.00
├ wall_clock      enforced   [ 90x      ]   1h00m
├                  x unknown unit — use h/m, e.g. 1h30m
├ participant_starts enforced [ 3        ]   1
├ disk_mb         observed   [ 512      ]   MB  512
├ tokens_est      estimated  derived from route pricing
└──────────────────────────────────────────────────────────────────────────

┌ roster
├ participants at start [ 1 ] route rp-claude-sonnet ▾ ready · probe 42s
├ recruitment ceiling  [ 3 ] agents may recruit each other within
├                        participant_starts — no assignment by you
└──────────────────────────────────────────────────────────────────────────

Tab next field · S-Tab prev · Enter accept step · Esc restore default
```

> editing fields — text input resumes after Enter

tc-07 draft · interview 4/4 · 1 field invalid

:commands ?keys

1d Ран идёт · follow live события в ленте; борд-сообщение — инертные данные

ymp 0.4.1 · acme-payments · main @ 4f21c9e

tc-07 authorized · rn-2209 running

```
09:40:57 ctrl contract tc-07 authorized by operator · ev-0041
09:40:58 ctrl run rn-2209 started · usd_llm $25.00 · wall 2h00m · starts ≤3
09:41:02 ctrl participant pt-01 started · route rp-claude-sonnet
09:44:31 ctrl attempt at-11 started · pt-01 · private copy of 4f21c9e
09:52:10 collab pt-01 ▶ observation
      visible test t-07 asserts the replayed response is identical
      byte-wise, not JSON-equal — serializer field order matters.
      Storing the rendered body, not re-rendering on replay.
10:03:44 ctrl candidate cd-31 published · pt-01 · base 4f21c9e · clean
10:03:59 verif verification vr-18 started · cd-31
10:05:12 verif vr-18 recorded · cd-31 rejected · visible t-11 failed:
      concurrent same-key requests must serialize; second request
      observed 500 after lock timeout (expected 200 with first body)
10:05:12 ctrl cd-31 remains immutable · not applied to your tree
10:06:40 ctrl attempt at-12 started · pt-01 · base 4f21c9e
10:41:09 collab pt-01 ▶ dead_end advisory row lock — deadlocks under test
      harness; switched to INSERT ... ON CONFLICT as the gate.
10:58:03 ctrl budget usd_llm reserved $2.10 for at-12 completion
```

> _

follow ▶ live

rn-2209 running · usd_llm \$7.90/\$25.00 · ev 118 · 1 candidate rejected

:commands ?keys

1e Прокрутка назад · follow paused индикатор позиции и путь обратно к live

ymp 0.4.1 · acme-payments · main @ 4f21c9e

tc-07 authorized · rn-2209 running

```
----- viewing around ev-0089 · 09:52 -----
09:48:20 ctrl workspace fact · pt-01 · src/payments/replay.rs modified
09:50:44 ctrl workspace fact · pt-01 · test run 12/14 passed · diff +148 -22
09:52:10 collab pt-01 ▶ observation
      visible test t-07 asserts the replayed response is identical
      byte-wise, not JSON-equal — serializer field order matters.
      Storing the rendered body, not re-rendering on replay.
09:55:01 ctrl workspace fact · pt-01 · test run 14/14 passed · diff +203 -31
09:57:38 ctrl budget usd_llm used $4.12 · remaining $20.88
10:03:44 ctrl candidate cd-31 published · pt-01 · base 4f21c9e · clean
10:03:59 verif verification vr-18 started · cd-31
10:05:12 verif vr-18 recorded · cd-31 rejected · visible t-11 failed:
      concurrent same-key requests must serialize; second request
      observed 500 after lock timeout (expected 200 with first body)
10:05:12 ctrl cd-31 remains immutable · not applied to your tree
```

▼ 53 newer · End resume live

> _

follow || paused · ev-0089/0142

rn-2209 **running** · usd_llm \$7.90/\$25.00 · ev 142

:commands ?keys

1f Терминальный исход · **accepted** точная причина и разрешённые следующие действия

ymp 0.4.1 · acme-payments · main @ 4f21c9e

tc-07 · rn-2209 **accepted**

```
10:59:31 ctrl candidate cd-32 published · pt-01 · base 4f21c9e · clean
10:59:47 verif verification vr-21 started · cd-32
11:02:41 verif vr-21 recorded · cd-32 · all enforced checks passed
11:02:41 ctrl run rn-2209 terminal: accepted · ev-0142
```

ymp run rn-2209 ended: **accepted**.
candidate cd-32 (pt-01, base 4f21c9e) satisfied every enforced
check: 14/14 visible tests, oracle verdict pass, integration clean.
cd-32 is an immutable candidate in the store – it has not been
applied to your working tree.

spent usd_llm \$18.42/\$25.00 · wall 1h22m/2h00m · starts 1/3

next	:candidates	inspect cd-32 and its digests
	:describe cd-32	full field groups
	ymp apply cd-32	separate command under your own authority – never automatic

> _

rn-2209 **accepted** · journal sealed at ev-0142 · integrity ✓

:commands ?keys

1g Командная строка + автодополнение известные ресурсы; Esc закрывает

ymp 0.4.1 · acme-payments · main @ 4f21c9e

tc-07 **authorized** · rn-2209 **running**

:c_

candidates	immutable candidates of the current run – 2
cancel rn-2209	cancel the live run – asks for typed confirmation
contract	describe contract tc-07
↑↓ select · Enter open · Esc close	

transcript stays visible behind the palette; events keep streaming
10:58:03 ctrl budget usd_llm reserved \$2.10 for at-12 completion
10:59:31 ctrl candidate cd-32 published · pt-01 · base 4f21c9e · clean

> command palette open

rn-2209 **running** · usd_llm \$7.90/\$25.00 · ev 119

follow ▶ live

:commands ?keys

1y Пять терминальных исходов всегда названы точно; тишина ≠ приёмка

accepted	cd-32 satisfied every enforced check	next: :candidates · ymp apply (yours)
exhausted	usd_llm remaining \$0.00 — no dimension traded	next: new contract with a larger vector
abstained	verifier could not decide: oracle timeout	next: :events vr-19 · re-run verification
cancelled	operator cancel confirmed at ev-0131	next: journal + candidates remain readable
infrastructure_error	runtime rp-codex-o4 exited 137 mid-attempt	next: :runtimes fix · journal intact ✓

Страницы данных — по «:», Esc назад в разговор · 120×40

Одна плотная таблица на страницу, фильтр, выбор, drill-down по Enter (→ **describe**). Страница занимает весь экран и наследует статусную строку — в отличие от модалов (**1n**, **1o**), которые рисуются поверх притушенного транскрипта в амбер-рамке.

1h :runtimes готовность, аутентификация, свежесть probe, точное действие починки

transcript > **runtimes(all)[5]** · 2 ready · 3 unusable

/filter Esc back

PROFILE	RUNTIME	MODEL ROUTE	READY	AUTH	PROBESTATE
rp-claude-sonnet	claude-code	claude-sonnet-4-6	yes	ok	42sready
rp-codex-o4	codex	openai/o4	yes	ok	42sready
rp-codex-o3	codex	openai/o3	no	expired	18mblocked
↳ token expired 2026-08-12 · fix: ymp auth codex					
rp-gemini	gemini-cli	gemini-2.5-pro	no	ok	18mblocked
↳ version 0.7.2 < required 0.9 · fix: upgrade gemini-cli					
rp-opencode	opencode	—	no	—	neverabsent
↳ binary not found in PATH · fix: install opencode, then c probe					
an engine is the CLI installed on this host; the account it reaches lives in :providers					

rn-2209 **running** · route in use: rp-claude-sonnet

c probe · a auth · Enter describe · ? more

ii :candidates неизменяемые; никогда не «готовы к применению» сами по себе

transcript > candidates(rn-2209)[2] /filter Esc back

ID	PRODUCER	BASE	INTEGRATION	VERIFICATION	DIGEST	AGE
cd-31	pt-01	4f21c9e	clean	rejected vr-18 · t-11 failed	2e88a1	1h04m
cd-32	pt-01	4f21c9e	clean	accepted vr-21	9c41f2	9m

immutable snapshots · ymp never applies one to your tree – ymp apply cd-32 is yours

rn-2209 accepted · 2 candidates · 1 accepted · 1 rejected Enter describe · e events · / filter · ? more

ij :events курсор, head, lag, follow, планы, целостность цепочки

transcript > events(rn-2209)[142] · cursor ev-0136 · head 142 · lag 6 · follow ▯ · integrity ✓ chain Esc back

ID	TIME	PLANE	KIND	SUBJECT
ev-0129	10:41:09	collab	board.message.dead_end	pt-01 · advisory row lock deadlocks under...
ev-0130	10:44:52	ctrl	workspace.fact	pt-01 · test run 13/14 · diff +196 -35
ev-0131	10:52:17	ctrl	workspace.fact	pt-01 · test run 14/14 · diff +212 -38
ev-0132	10:58:03	ctrl	budget.reserve	usd_llm \$2.10 · at-12 completion
ev-0133	10:59:31	ctrl	candidate.published	cd-32 · pt-01 · base 4f21c9e
ev-0134	10:59:47	verif	verification.started	vr-21 · cd-32
ev-0135	11:00:02	verif	verification.check	vr-21 · visible tests 14/14 passed
ev-0136	11:01:38	verif	verification.check	vr-21 · oracle verdict recorded (protected)
ev-0137	11:01:41	ctrl	budget.use	usd_llm used \$18.42 · remaining \$4.48
...				5 below cursor

append-only journal · ctrl control · collab untrusted board · verif protected verifier

rn-2209 running · lag 6 · F follow resumes

Enter describe · F follow · / filter · ? more

1k

:budgets независимые измерения; лимитирующее названо

transcript > budgets(rn-2209)[5] · limiting: usd_llm

Esc back

DIMENSION	CLASS	TOTAL	RESERVED	USED	REMAINING
usd_llm	enforced	\$25.00	\$2.10	\$18.42	\$4.48 ← limiting
wall_clock	enforced	2h00m	—	1h22m	38m
participant_starts	enforced	3	—	1	2
disk_mb	observed	—	—	412	—
tokens_est	estimated	—	—	1.9M	—

dimensions never trade — spare capacity in one authorizes nothing blocked by another

rn-2209 running · next stop at usd_llm \$0.00 → terminal: exhausted

Enter describe · ? more

1l

describe cd-32 drill-down по Enter из любой таблицы — группы полей

transcript > candidates > describe cd-32

Esc back

identity

id: cd-32

created: 2026-08-13 10:59:31 · ev-0133

immutable: yes — content-addressed snapshot

producer

participant: pt-01 · route rp-claude-sonnet

attempt: at-12 · started 10:06:40

base & integration

base: 4f21c9e (main) · your tree at authorization time

integration: clean — applies without conflicts to 4f21c9e

diff: +212 -38 across 6 files

verification

verdict: accepted · vr-21 · 11:02:41

visible: 14/14 passed

oracle: pass — protected; inputs and content unreadable to agents

digest: sha256:9c41f2ab55d0e7c3

journal refs

events: ev-0133 published · ev-0134...0136 verification · ev-0142 terminal

not applied to your working tree · ymp apply cd-32 is a separate command

rn-2209 **accepted**

e events of cd-32 **Esc** back

1m :agents наблюдаемые факты, без ранжирования; честно про одного участника

transcript > **agents(rn-2209)[1]** · further starts funded: 2 of ceiling 3

Esc back

ID	ROUTE	STATE	OBSERVED ACTIVITY	AGE
pt-01	rp-claude-sonnet	working	editing src/payments/replay.rs · tests 14/14 · +212 -381h21m	

observed workspace fact only · no ranking, no lead, no assignment · ? more

rn-2209 **running** · 1 participant

Enter describe · ? more

Модалы решений и оверлеи · 120×40

Модал — центрированная амбер-рамка поверх притушенного транскрипта, всегда с явным действием и Esc. Оверлей клавиш — серая рамка: справка, не решение. Единственное прерывание разговора — авторизация контракта: она необратима и начинает тратить деньги.

1n Авторизация контракта — главный экран карта покрытия требований, не проза; блокиер гасит действие

ymp 0.4.1 · асме-payments · main @ 4f21c9e

tc-07 draft · no run

> you 24h
ymp interview complete · contract package tc-07 assembled

authorize contract tc-07 — irreversible · starts spending

intent it-03 · Add idempotency keys to POST /payments and /refunds
price usd_llm ≤ \$25.00 · wall ≤ 2h00m · participant starts ≤ 3
routes rp-claude-sonnet ready · probe 42s ✓
assurance poc_disposable ▲ — provides no hostile-code containment

requirement → evidence mutation-tested
✓ R1 replayed request returns the first result t-04 t-07 6/6 killed
✓ R2 key persisted with 24h TTL t-09 2/3 killed ▲
↳ mutant m-12 (TTL never expires) survives — R2 is weakly checked
✓ R3 concurrent same-key requests serialize t-11 4/4 killed
▲ R4 audit entry per replayed request no mechanical check
↳ nothing will verify R4 — acceptance will rely on your own review
✗ R5 refunds honor the same key namespace t-13 fails on clean base
↳ BLOCKING — a test that fails before any work proves nothing

your approval grants authority, not validity — the gaps above stay yours.

[authorize] disabled — 1 blocking item f fix t-13 · d describe · Esc back

> modal open — input suspended

tc-07 draft · nothing spent :commands ?keys

футер без блокиров — действие требует явного набора:

[authorize] type authorize tc-07 > authorize tc-0_ Enter when exact · Esc back

1o Confirm — необратимая команда превью последствий + типизированное подтверждение

ymp 0.4.1 · асме-payments · main @ 4f21c9e tc-07 authorized · rn-2209 running

cancel run rn-2209 — irreversible
attempt at-12 will be killed mid-work
usd_llm \$18.42 already spent is not refunded
journal and both candidates remain readable
terminal outcome recorded: cancelled

type the run id to confirm: > rn-22_
Enter confirm — disabled until exact match Esc keep running

rn-2209 running · usd_llm \$18.42/\$25.00 :commands ?keys

1q Гвард ниже минимума наблюдаемый терминал 72×20 — меньше 80×24

terminal too small

required 80×24
observed 72×20

resize the window, or
q quit safely — run state is journaled

ymp 0.4.1 · acme-payments · main @ 4f21c9e

tc-07 authorized · rn-2209 running

keys · ? or Esc to close

global

:

?

Esc

q

transcript

↑↓ PgUp

End

g

Enter

structured fields

Tab

S-Tab

Enter

Esc

command line

this key map

close / back / transcript

quit (confirm if run live)

scroll · pauses follow

resume live follow

jump to first event

send input line

next field

previous field

accept step

restore field default

data pages

/

↑↓

Enter

d

e

c

a

F

modals

Enter

Esc

no mouse · every action reachable from this map

filter rows

select row

describe selection

describe

events of selection

probe runtime (runtimes)

auth runtime (runtimes)

follow on/off (events)

confirm — only when enabled

always the safe exit

> overlay open

rn-2209 running · usd_llm \$7.90/\$25.00

:commands ?keys

Размеры — 80×24 минимум и 180×50 широкий

Референс 120×40 показан выше. Узкие варианты сбрасывают необязательные колонки первыми и считают сброшенное; статусная строка сокращается с тем же счётчиком. На 180 колонок событие, переносившееся на 120 (1d), помещается в одну строку.

1r Транскрипт · 80×24

ymp · acme-payments

rn-2209 running

10:03 ctrl candidate cd-31 published · pt-01

10:03 verif vr-18 started · cd-31

10:05 verif vr-18 · cd-31 rejected · t-11 failed:
concurrent same-key requests must
serialize; second request observed 500
after lock timeout (expected 200)

10:06 ctrl attempt at-12 started · pt-01

10:41 collab pt-01 ▶ dead_end advisory row
lock — deadlocks under test harness

> _

follow ▶ live

rn-2209 running · \$7.90/\$25 · +2 hidden

:cmd ?keys

1t :events · 80×24 TIME, PLANE сброшены — счётчик в шапке

events(rn-2209)[142] · cols -2

ID	KIND	SUBJECT
ev-0130	workspace.fact	pt-01 · tests 13/14
ev-0131	workspace.fact	pt-01 · tests 14/14
ev-0132	budget.reserve	usd_llm \$2.10 · at-12
ev-0133	candidate.published	cd-32 · pt-01
ev-0134	verification.started	vr-21 · cd-32
ev-0135	verification.check	vr-21 · visible 14/14
ev-0136	verification.check	vr-21 · oracle verdict

hidden: TIME PLANE — plane stays readable in KIND

lag 6 · F follow

runtimes(all)[5] · cols -2

Esc back

PROFILE	RUNTIME	READY	AUTH	STATE
rp-claude-sonnet	claude-code	yes	ok	ready
rp-codex-o4	codex	yes	ok	ready
rp-codex-o3	codex	no	expired	blocked
↳ fix: ymp auth codex				
rp-gemini	gemini-cli	no	ok	blocked
↳ fix: upgrade gemini-cli ≥ 0.9				
rp-opencode	opencode	no	—	absent
↳ fix: install opencode				
hidden: MODEL ROUTE PROBE				

2 ready · 3 unusable

Enter describe

ymp 0.4.1 · acme-payments (~/.code/acme-payments) · main @ 4f21c9e

tc-07 authorized · rn-2209 ru

09:40:57	ctrl	contract tc-07 authorized by operator · ev-0041
09:40:58	ctrl	run rn-2209 started · usd_llm \$25.00 · wall 2h00m · participant starts ≤3
09:41:02	ctrl	participant pt-01 started · route rp-claude-sonnet · private copy of 4f21c9e
09:44:31	ctrl	attempt at-11 started · pt-01
09:48:20	ctrl	workspace fact · pt-01 · src/payments/replay.rs modified
09:50:44	ctrl	workspace fact · pt-01 · test run 12/14 passed · diff +148 -22
09:52:10	collab	pt-01 ▶ observation visible test t-07 asserts the replayed response is identical byte-wise, not JSON-equal — serializer field Storing the rendered body, not re-rendering on replay.
09:55:01	ctrl	workspace fact · pt-01 · test run 14/14 passed · diff +203 -31
09:57:38	ctrl	budget usd_llm used \$4.12 · remaining \$20.88
10:03:44	ctrl	candidate cd-31 published · pt-01 · base 4f21c9e · integration clean · digest 2e88a1
10:03:59	verif	verification vr-18 started · cd-31
10:05:12	verif	vr-18 recorded · cd-31 rejected · t-11 failed: concurrent same-key requests must serialize; second request observed 500 (expected 100)
10:05:12	ctrl	cd-31 remains immutable · not applied to your tree
10:06:40	ctrl	attempt at-12 started · pt-01 · base 4f21c9e
10:41:09	collab	pt-01 ▶ dead_end advisory row lock — deadlocks under test harness; switched to INSERT ... ON CONFLICT as the gate.
10:58:03	ctrl	budget usd_llm reserved \$2.10 for at-12 completion
10:59:31	ctrl	candidate cd-32 published · pt-01 · base 4f21c9e · integration clean · digest 9c41f2
10:59:47	verif	verification vr-21 started · cd-32

> _

rn-2209 **running** · **usd_llm** \$18.42/\$25.00 · reserved \$2.10 · wall 1h19m/2h00m · starts 1/3 · ev 134 · integrity ✓

1u :events · 180×50 добавлена колонка DETAIL; ничего не скрыто

transcript > **events(rn-2209)[142]** · cursor ev-0136 · head 142 · lag 6 · follow **⌘** · integrity ✓ **chain verified**

ID	TIME	PLANE	KIND	SUBJECT	DETAIL
ev-0128	10:40:51	ctrl	workspace.fact	pt-01 · src/payments/store.rs modified	at-12
ev-0129	10:41:09	collab	board.message.dead_end	pt-01 · advisory row lock deadlocks	switched to INSERT ... ON CONFLICT
ev-0130	10:44:52	ctrl	workspace.fact	pt-01 · test run 13/14	diff +196 -35
ev-0131	10:52:17	ctrl	workspace.fact	pt-01 · test run 14/14	diff +212 -38
ev-0132	10:58:03	ctrl	budget.reserve	usd_llm \$2.10	for at-12 completion
ev-0133	10:59:31	ctrl	candidate.published	cd-32 · pt-01 · base 4f21c9e	digest 9c41f2
ev-0134	10:59:47	verif	verification.started	vr-21 · cd-32	visible tests + protected oracle
ev-0135	11:00:02	verif	verification.check	vr-21 · visible tests 14/14 passed	3m10s
ev-0136	11:01:38	verif	verification.check	vr-21 · oracle verdict recorded	content protected from agents
ev-0137	11:01:41	ctrl	budget.use	usd_llm used \$18.42	remaining \$4.48
...			5 below cursor		

rn-2209 **running** · lag 6 · **F** follow resumes · journal append-only, durable

1w :runtimes · 180×50 добавлены AUTH EXPIRES и LAST ERROR

transcript > **runtimes(all)[5]** · 2 ready · 3 unusable

PROFILE	RUNTIME	MODEL ROUTE	READY	AUTH	AUTH EXPIRES	PROBESTATE	LAST ERROR / FIX
rp-claude-sonnet	claude-code	claude-sonnet-4-6	yes	ok	2026-09-02	42sready	—
rp-codex-o4	codex	openai/o4	yes	ok	2026-08-29	42sready	—
rp-codex-o3	codex	openai/o3	no	expired	2026-08-12 x	18mblocked	token expired · fix: ymp auth codex
rp-gemini	gemini-cli	gemini-2.5-pro	no	ok	2026-10-01	18mblocked	version 0.7.2 < 0.9 · fix: upgrade gemini-cli
rp-opencode	opencode	—	no	—	—	neverabsent	binary not found in PATH · fix: install opencode

an engine is the CLI installed on this host; the account it reaches lives in **:providers**

Ревизия 1 — плотность, отказы, таблицы v2, словарь состояний

Ревизия 2026-08-16 отвечает на пять зафиксированных отказов интерфейса, снятых с работающей сборки (ymp-docs/work/backlog/TUI-OWNER-FIXTURES-20260816.md). Для каждой темы здесь названы и новая форма, и отклонённая: отклонённая форма — часть контракта, потому что она объясняет, почему новая выглядит именно так. Экраны провайдеров и пулов вводятся этой ревизией и следуют модели продукта «list → select → properties → action» (brief v2 Part A §7, §8). Страница **:runtimes** остаётся отдельной: движок — это установленный на хосте CLI, провайдер — учётная запись, из которой измеряются модели. Префикс командной строки ревизия не меняет.

2a Форма отказа действие первым · ≤2 строк · механика за :describe

правило **x**-ответ занимает не больше двух строк. Первая строка начинается с действия оператора, глагол впереди; причина стоит после тире в той же строке. Механика решения живёт в **:describe refusal**, а не в ленте. Один ход оператора — ровно один ответ.

новая форма

```
> you ping
ymp x name what "ping" must leave behind — nothing in it states a result ymp
could check. Nothing was recorded. :describe refusal what a verifier needs
```

отклонено **x** nothing in the request "ping" names a result this host could check for: it asks for no artifact ymp knows how to look for, and this project runs no tests to propose a verifier from. A check invented from words that state no observable...

↳ почему отклонено: семьдесят слов объясняют механику раньше, чем названо действие оператора; и это был третий ответ приложения на один ход — два предыдущих пересказывали сборку контракта, о которой оператор не спрашивал.

2b Плотность транскрипта баннер 3 строки · фиксированная колонка · дайджест 6

баннер ровно три строки; однострочный логотип сохранён (brief v2 §5), пятистрочный отклонён

```
ymp 0.4.1 · ~/code/acme-payments · store ~/.ymp owned ✓ · assurance poc_disposable ▲
state a goal in one line — nothing runs and nothing is spent until you authorize it.
:providers 2 ready · 1 measuring · 1 error · 1 off ? key map · what ▲ means
```

колонка текст записи начинается в фиксированной колонке и не зависит от содержимого; перенос встаёт ровно под неё — 20 для события, 8 для реплики

```
09:44:31 ctrl attempt at-11 started · pt-01 · base 4f21c9e
перенос события — с 20-й колонки, а не с 22-й
```

```
ymp reply text starts in column 8
перенос реплики — с 8-й
```

дайджест шесть символов без префикса алгоритма; полная форма — только в describe

```
candidate cd-32 published · base 4f21c9e · digest 9c41f2 describe: sha256:9c41f2ab55d0e7c3
```

↳ отклонено: «sha256:9c41f2...» — семь символов префикса на каждое упоминание и колонка

в 26 знаков ради шести значащих.

2c :providers • 120×40 ширины от контента • числа вправо • заметка одна строка

transcript > providers(all)[5] • 2 ready • 1 measuring • 1 error • 1 off /filter Esc back

PROVIDER	STATE	ACCOUNT	MODELS	MEASURED
anthropic	ready	claude-code 2.1.233 (Claude...	55	1h46m
openai	ready	codex-cli 0.147.0	1	1h46m
google	measuring	" reading the account	—	now
nvidia	error	key rejected (401)	—	2m
↳ nvidia refused the key • Enter opens its properties				
mistral	off	—	—	—

the whole supported list • nothing is read from a provider until you enable it

idle • no run • pool default ready d disable • Enter properties • / filter • ? more

2d Свойства провайдера — единственная дверь во включение решение D4 • единственная точка входа во включение

transcript > providers > nvidia Esc back

provider

- state: off — not enabled; nothing has been read from this account
- account: —
- models: — measured only after enabling
- pools: none draws from this provider

what enabling permits

enabling lets repository content of any workspace on this host reach nvidia.
The full consequence is stated above the key that decides — never here alone.

e enable opens that surface • enabling is reachable only from here

a workspace may still exclude this provider by policy • ? more

nothing enabled here · nothing measured e enable · Esc back

2f :pools · 120×40 пул выводится из провайдеров · тот же словарь состояний

transcript > pools(all)[2] · 1 ready · 1 measuring /filter Esc back

POOL	STATE	DRAWS FROM	MODELS	MEASURED
default	ready	anthropic, openai	56	1h46m
review	measuring	google	—	now

a pool is what a run draws from; a provider is where the models come from

idle · no run · default ready — a run can start Enter properties · r measure again · ? more

2e PickerModal — включение с выбором consent-строки над клавишей · выбор обратим

ymp 0.4.1 · acme-payments · main @ 4f21c9e no contract · no run

enable anthropic

consent · reversible by d disable

enabling permits repository content of any workspace on this host to be sent to anthropic, including the bounded excerpts used to derive what "done" means before a run starts. Asked once, here — never per project and never per run.

the enabled account joins

[x] default

the pool every run draws from unless told otherwise

[] offered only

measured and listed; no pool draws from it

Space select · e enable — nothing is read until you press it

Esc cancel

nothing enabled · nothing measured :commands ?keys

2g Таблицы v2 — ширины, эллипсис, выравнивание, фильтр правила, по которым рисуется каждая страница данных

ширина колонка = max(заголовок, самое длинное значение) + 2, но не больше собственного капа; остаток ширины получает последняя текстовая колонка, а не размазывается по всем

эллипсис значение обрывается на ... внутри своей ячейки, и между ... и следующей колонкой всегда остаётся хотя бы один пробел; «(Cl...55» такой раскладкой не строится

числа выровнены вправо по разряду; «→» ставится там, где величина не измерена, и никогда там, где измеренная величина равна нулю

фильтр / фильтрует по всем колонкам, /state:ready — по одной; шапка показывает фильтр

↳ строка говорит факт об этой строке. Причина, одинаковая для всех строк, стоит в шапке один раз и не повторяется под каждой строкой. Под записью недоверенного плана collab строка ↳ не несёт клавишу действия: она остаётся данными (INV-4)

заметки под таблицей не больше одной строки; всё остальное — за ?

футер подсказки клавиш одной строкой справа в статусной строке

колоночный фильтр — шапка называет его и путь назад:

```
transcript > providers(all)[5] · /state:ready · 2 shown of 5 Esc clears
```

↳ отклонено: четыре строки статической документации под таблицей, повтор одной и той же причины под каждой строкой и обрыв значения вплотную к соседней колонке.

2h Классы действий обратимое — клавиша · consent — модал · необратимое — набор

обратимое одна клавиша, без подтверждения — результат отменяется той же клавишей
d disable · r measure again · F follow · / filter

consent модал; последствие стоит строкой прямо над клавишей, которая принимает решение
е enable — включение провайдера и есть согласие на раскрытие (решение D4)
модал открывается только со страницы свойств: list → Enter → properties → e;
клавиша включения в списке не существует (brief v2 Part A §8)

необратимое модал с превью последствий и набранное подтверждение точного идентификатора
authorize tc-07 · cancel rn-2209 — см. 1n, 1o

клавиша никогда не принимает решение с последствием, о котором на экране не сказано;
модал никогда не встаёт там, где действие отменяется одной клавишей.

2i Словарь состояний сущности off · ready · measuring · error — одинаково везде

off оператор не включал · ничего не измеряется и ничего не тратится

ready измерено и пригодно к работе · возраст последнего измерения назван

measuring измерение идёт сейчас · " и слово; ячейка никогда не остаётся пустой

error измерение состоялось и не удалось · причина и действие в строке ↳

ENTITY	off	ready	measuring	error
provider	not enabled	account measured	reading the account	account refused
pool	no provider enabled	draws from N providers	reconciling	no usable provider
run	not authorized	authorized, not started running		cannot start — runtime unusable

- «enabled» перестаёт быть состоянием: включение — это действие оператора, а состояние после него называется ready, measuring или error. Шапка считает одним словарём, и сумма счётчиков равна числу строк: providers(all)[5] · 2 ready · 1 measuring · 1 error · 1 off.
- пул не может быть назван отсутствующим, пока хотя бы один провайдер ready: он либо ready, либо measuring. Строка «this host holds no pool» допустима только когда все провайдеры off.
- ран, который завершился, выходит из этого словаря: его состояние — ended, а какой именно это конец, называет одно из пяти имён исхода:
accepted · exhausted · abstained · cancelled · infrastructure_error
Слово error здесь означает, что ран не смог пойти, и никогда не подменяет исход infrastructure_error, которым завершается уже начатый ран.
- StateKind (loading · empty · stale · degraded · error, 1z) остаётся свойством поверхности, а не сущности; на одном экране оба маркера стоят рядом и не подменяют друг друга.

2j :providers · 80×24 ACCOUNT и MEASURED сброшены — счётчик в шапке

```
providers(all)[5] · cols -2 Esc back
```

PROVIDER	STATE	MODELS
anthropic	ready	55
openai	ready	1
google	measuring	—
nvidia	error	—

```
↳ key rejected (401) · Enter properties
mistral    off      -
hidden: ACCOUNT MEASURED
```

```
2 ready · 1 measuring · 1 error · 1 off      Enter properties · ? more
```

2k :providers · 180×50 добавлены AUTH, POOLS и LAST READING; ничего не усечено

```
transcript > providers(all)[5] · 2 ready · 1 measuring · 1 error · 1 off
```

PROVIDER	STATE	ACCOUNT	AUTH	MODELS	MEASURED	POOLS	LAST READING
anthropic	ready	claude-code 2.1.233 (Claude Code)	detected	55	1h46m	default	ok · 55 models offered
openai	ready	codex-cli 0.147.0	detected	1	1h46m	default	ok · 1 model pinned
google	measuring	" reading the account	detected	—	now	review	started 4s ago
nvidia	error	api key	rejected	—	2m	—	refused: key rejected (401)
mistral	off	—	—	—	—	—	not enabled — nothing has been read

```
the whole supported list · nothing is read from a provider until you enable it
```

```
idle · no run · pool default ready · 56 models offered
```

```
d disable · En
```

Дисциплина состояний · фикстуры · handoff

1z Виды состояний и матрица маркеры текстовые — переживают отсутствие цвета

маркер вида состояния — всегда в строке шапки страницы или записи:

```
loading    events(rn-2209) · loading...  spinner " + слово; никакой пустой таблицы
```

```
empty      candidates(rn-2209)[0]      честная причина: no candidates published yet
stale      runtimes(all)[5] · stale 18m  probe cache старше порога · с re-probe
degraded   events(rn-2209)[142] · ▲ lag 37  поток отстаёт; данные верны, но не свежи
error      events(rn-2209) · x journal unreadable: EACCES ~/.ymp/journal
```

SURFACE	loading	empty	stale	degraded	error
transcript	✓	✓ 1a	—	✓ 1e	✓
structured entry	—	—	—	—	✓ 1c invalid
runtimes	✓	✓	✓	✓ 1h	✓
providers	✓	—	✓	—	✓
pools	✓	✓	✓	—	✓
candidates	✓	✓	—	—	✓
events	✓	✓	—	✓ lag	✓ integrity
budgets	✓	—	✓	—	✓
describe	✓	—	✓	—	✓
agents	✓	✓	—	✓	✓
authorize modal	✓	—	✓ probe	✓ 1n	✓ blocking
confirm modal	—	—	—	—	✓ mismatch
size guard	—	—	—	—	✓ 1q

— = вид не применим к поверхности; ✓ без ссылки задан маркером из легенды выше

вид поверхности и состояние сущности (2i) — разные оси: providers(all)[5] · stale 18m

при строке nvidia error законно и говорит о разном — о свежести списка и о самой записи

fx Детерминированные фикстуры — одни и те же id на всех экранах

```
project      acme-payments · ~/code/acme-payments · main @ 4f21c9e
store        ~/.ymp · owned ✓ · v7 · journal #8841 · ymp 0.4.1 darwin/arm64
intent       it-03 «Add idempotency keys to the payments POST API» · ev-0009
contract     tc-07 · R1-R5 · tests t-04 t-07 t-09 t-11 t-13 · oracle protected · authorized ev-0041
budget       usd_llm $25 · wall 2h · starts 3 (enforced) · disk_mb (observed) · tokens_est (estimated)
run          rn-2209 · 09:40:58 → 11:02:41 · terminal accepted · ev-0041...0142
participant  pt-01 · route rp-claude-sonnet · attempts at-11, at-12
candidates   cd-31 rejected vr-18 (t-11) digest 2e88a1 · cd-32 accepted vr-21 digest 9c41f2 (полный только в describe)
verificationvr-18 cd-31 rejected (t-11) · vr-21 cd-32 accepted · vr-19 abstained (oracle timeout) — только в полосе исхода
runtimes     rp-claude-sonnet ready · rp-codex-o4 ready · rp-codex-o3 auth expired · rp-gemini 0.7.2<0.9 · rp-openssl abse
providers     anthropic ready 55 · openai ready 1 · google measuring · nvidia error (401) · mistral off
pools        default ready ← anthropic, openai (56) · review measuring ← google
board        ev-0090 observation (t-07 byte-wise) · ev-0129 dead_end (advisory lock)
```

ho Handoff — переиспользуемые структуры

AppFrame шапка 1 строка · тело · строка ввода · статусная строка; общая для транскрипта и страниц

TranscriptEntry enum: Human · AppReply · AppError · RunEvent(plane) · BoardMsg(participant, type) · StructuredBlock
префикс 7ch (метка) или 19ch (время+план); перенос встаёт ровно под колонку начала текста
один ход оператора — один ответ приложения; дайджест в ленте и в таблице — 6 символов

FieldRow label · class · [value] · unit · default; состояния focused (инверсия) / invalid (x строкой ниже)

DataPage breadcrumb(count) + маркер состояния · заголовки колонок · строки · fix-строка L · футер клавиш
заметка под таблицей ≤1 строки; остальное — за ?
drop-порядок колонок объявлен страницей; счётчик cols -N в шапке

DescribeGroups именованные группы key: value; ключи 14ch

DecisionModal амбер-рамка · заголовок + пометка необратимости · тело · действие (может быть disabled) · Esc

TypedConfirm ввод точного id; Enter активен только при полном совпадении

PickerModal амбер-рамка · consent-строки прямо над клавишей решения · SelectColumn · Space/клавиша действия
открывается только со страницы свойств; в списке клавиши включения нет

SelectColumn [x]/[] перед строкой; Space переключает, клавиша действия применяет выбор

ColumnWidths max(заголовки, значение)+2 с капом колонки · остаток — последней текстовой · числа вправо
эллипсис внутри ячейки, между ... и соседней колонкой всегда ≥1 пробел

FooterHints подсказки клавиш одной строкой справа в статусной строке: d disable · Enter props · / filter · ? more

ActionClass reversible — клавиша · consent — PickerModal со строкой последствия · irreversible — TypedConfirm

RefusalReply x + действие оператора первым · ≤2 строк · механика за :describe refusal

HelpOverlay серая рамка · группы клавиш; ? и Esc закрывают

SizeGuard required/observed · безопасный выход; рисуется вместо всего при <80×24

StateKind loading · empty · stale · degraded · error — текстовый маркер в шапке поверхности

EntityState off · ready · measuring · error — одно слово для provider, pool и run; терминальные исходы рана
(accepted · exhausted · abstained · cancelled · infrastructure_error) им не заменяются

planes ctrl(#8f8f8f) · collab(#d3872f) · verif(#8fbf5f) — всегда словом, цвет вторичен

