User: How to use our facility.

First, we need to click the bottoms and we can see this:

Then, we can choose the different bottom, Pick up (the first bottom) parts and Courier (the second bottom)

If we choose the second bottom, we can see this:

We just click "disagree" (the first bottom) or "agree" (the second bottom)

Step 1 of login authentication: Enter 4-bit checks code (code rule of mobile phone check code), check automatically send 6-bit SMS dynamic code to the sender's mobile phone through the background system.

This picture shows that courier login, the fist blank we need to write down the phone number. The second blank we need to write down the 4-bit password.

Login Authentication Step 2: Enter 6-bit SMS dynamic code and check it. After checking, return the sender's information (express company, account balance, etc.)

This picture shows that we need to write down the password.

Login Success Interface

This picture shows that two sections, one is deliverer retrieves, other is begin delivery.

2. Delivery by courier

Step 1: Scan or input package barcode

This picture shows that the courier need to write down the code. The end of this page is record how many boxes we can use.

Step 2: Enter the user's mobile phone number

This picture shows that we need to write down the users who need to take the takeout, the first blank, we need to write down the phone number, and second blank, we need to write down the phone number again.

Step 3: Choose the size of the slot

This picture shows that we have five sizes of the boxes, and how many boxes we can use.

Can carry out "re-open the box door", "re-select the box mouth", "successful delivery", "cancel delivery"

箱门反馈

格口[028]开启成功
请投递包裹并关好格口！

重开箱门, 执行操作界面还剩 59 秒，即将退出操作返回首页
https://blog.csdn.net/arno1988

This picture shows that lattice-028 open successful, please put the takeout into the box and close the door.

> Normal operation: The sender closes the correct slot and the timeout file is deemed successful.

箱门反馈

格口[028]没有检测到包裹！

重开箱门, 执行操作界面还剩 52 秒，即将退出操作返回首页   重选格口, 投递成功, 取消投递,
https://blog.csdn.net/arno1988

This picture shows that it is successful.

> Abnormal operation 1: The sender saves the wrong slot position and closes the wrong slot. It can point to reopen the box door and open the wrong slot.

This picture shows that it is fault.

3. User pick up

Step1: User pick-up (4 digits after entering mobile phone number and pick-up password)

Step2:
When we click "sure", we can see this:

That is the process of the demonstration. We will modify the Chinese to the English by the next step.