Suggested Use: Adults take one (1) capsule one to two (1-2) times daily, preferably with meals or as directed by a healthcare professional.

CAUTION: Do not exceed recommended dose. St. John's Wort may contribute to photosensitivity resulting in skin irritation and redness in persons exposed to strong sunlight to fanning booths. Avoid use in patients at risk of bleeding, taking anticoagulants, or with clotting disorders, based on case reports of bleeding. Discontineu use 2-3 weeks prior to some surgical and dental procedures due to increased risk of bleeding. Use cautiously in patients with history of bedzure, based on reports of seizure due to Ginkgo seed ingestion. Use cautiously in children. Avoid use in couples who are trying to conceive, based on theoretical reduction of fertility. Pregnant or nursing mothers, children under 18, individuals taking MAO Inhibition Drugs, or with a known medical condition should consult a physician before using this or any dietary supplement.

ALLERGENWARNING: CONTAINS SOY (LECITHIN).

KEEP OUT OF THE REACH OF CHILDREN. DO NOT USE IF SAFETY SEAL IS DAMAGED OR MISSING. STORE IN A COOL DRY PLACE.

†These statements have not been evaluated by the FDA. This product is not intended to diagnose, cure, treat or prevent any disease.



## VYTA\*MIND

ENHANCED MEMORY BFOCUS

PLANT DERIVED

## PROPRIETARY BLEND

60 CAPSULES Dietary Supplement

## **SUPPLEMENT FACTS**

Serving Size: 1 Vegetable Capsule Servings Per Container: 60

, , , , , , , , , , , , , , , , , , ,		
Amount Per	Amount Per Serving	
St. John's Wort (as .3% hypericine)	250 mg	*
Glutamine (as L-glutamine hydrochloride)	150 mg	*
Phosphatidylserine Complex	125 mg	*
Bacopa monnieri (20%)	100 mg	*
DMAE Bitartrate	50 mg	*
N-Acetyl-L-Carnitine HCI	50 mg	*
Ginkgo biloba (as 24% extract)	50 mg	*
Huperzine-A	10 mcg	*

\* Daily Value not established

Other Ingredients: Rice Flour, Vegetable cellulose (veggie cap), Silicon Dioxide.

Manufactured for: Seven Limb 3708 S Douglas Ave Oklahoma City, OK Sevent imble.com



