



智能婴童 大有不同
Special baby strollers with intelligence

Item: Baby stroller/intelligent wheeled child conveyance
Model: LX6038
Manufacture: Zhongshan AnSheng Daily Products Co., Ltd.
ADD: Factory Zhang Chikai, GuangfeiWei, Yumin No.5
Economic Cooperatives, Dongsheng Town, Zhongshan City,
Guangdong Province.
Brand Distributor: Shanghai AYou Info-Tech Co.,Ltd
ADD : Room 1409, Building A, Zhennan Road No. 1370,
Putuo District, Shanghai.
Tel: 021-66989233
Web: www.sangeyouzi.com

品名：儿童推车/智能婴儿手推车
型号：LX6038
制造商：中山安晟日用制品有限公司
地址：广东省中山市东升镇裕民五经济合作社“
广丰围”裕隆一路张池开房产厂房
品牌商：上海阿柚信息科技有限公司
地址：上海市普陀区真南路1370号A栋1409
电话：021-66989233
网址：www.sangeyouzi.com



智能婴童 大有不同
Special baby strollers with intelligence



LX6038儿童推车使用说明

Manual of LX6038 baby stroller

① 使用婴儿推车前请先阅读说明书，请保留作将来参考

Please read the manual before operation and retain it for future reference.

目录

前言 P03

警告/注意事项 P04

开机及蓝牙连接 P06

屏幕模式及操作 P07

充电器使用说明 P09

整车及包含零配件 P10

车架组装 P12

睡蓝及包含零部件 P13

睡蓝组装 P14

功能说明 P15

拖行模式操作 P18

折叠操作 P19

前言

尊敬的用户，感谢您使用三个柚子智能婴儿手推车/牛顿，为了便于您正确的操作本产品，使用前请仔细阅读本说明书，请务必认真阅读“警告/注意事项”。

本说明书仅适用于上海阿柚信息科技有限公司“LX6038”智能婴儿手推车产品，本公司保留最终解释权，书中的所有内容仅供用户使用和维护时参考，未尽事宜，欢迎用户向本公司的客户服务部门咨询，不足之处，欢迎广大用户提出宝贵意见。

(本说明书中技术规格如有变更恕不另行通知)

警告

- 孩童的安全是您的责任！
- 本推车的组装应由成人进行！
- 请在使用前确保所有卡合关节都卡合到位！
- 任何使用都使用安全束缚系统！
- 时刻关照你的孩童，请不要让孩童玩耍婴儿车！
- 同一时间，本婴儿车适用一个孩童使用，不适合15公斤以上使用！
- 在手把上面吊重物会影响婴儿车的稳定性，请使用配置的储物篮，放置不超过4.5公斤的物品！
- 本婴儿车不适合滑行或者跑步！
- 为避免夹伤孩童，请在收合/打开婴儿车时确保孩童在安全距离之外！
- 请确保任何人使用婴儿车前要知悉使用方法！
- 请不要让孩童在没有成人帮助下爬上婴儿车！
- 请确保孩童在任何时候都系上长度适合的安全带！
- 对婴儿车做任何调整前，请确保孩童在安全距离之外！
- 不要让婴儿车及任何配件靠近高温环境或发热对象，避免孩童受热受伤！
- 停车时要踩下刹车，靠近其他移动车辆或火车时要握紧把手，即使已经踩下刹车，外部的牵引力仍可移动婴儿车！
- 不要乘坐多于一个孩童，超重放置物品！
- 卧兜内不应增加厚度超过30mm的棉垫！
- 不应使用不被生产厂商认可的配件或者零件，否则会破坏婴儿车或破坏安全性！
- 请注意上坡或者下坡，在使用楼梯或者电梯时，请先移除孩童及收好婴儿车！
- 不适用婴儿车时，请将婴儿车收藏妥当！
- 请勿挤，压，碰推车显示屏幕，并使用配套充电器！清洁推车时，请勿充电！
- 座椅适用年龄：6-36个月！睡篮适用年龄：0-6个月！
- 卧兜不适合9公斤以上的婴儿使用！
- 切勿近火！
- 执行标准：GB14748-2006 GB19865-2005！
- 为避免窒息，使塑料覆盖物远离儿童！睡篮只可放置在推车车架上使用！
- 必须定期检查充电器的电线、插头、外壳和其它部件是否损坏，发现损坏时应停止使用，直至修复完好！

注意事项

- 使用者应日常维护婴儿车并请按照使用说明正确使用充电器。
- 应定时检查安全锁，刹车，安全带，扣具，座位调节，关节及调节器以保证完好及正常工作。
- 轮子和轮胎会在使用中磨损，应按照需要更换，请联系经销商。
- 如任何零部件开始难以操作，请检查是否由污垢造成，然后尝试用少许润滑剂涂抹在零部件之间，定时涂抹润滑剂可以延长婴儿车的使用寿命以及使打开和收合更容易。
- 对推车塑料零件及金属零件，可以使用温水加少许清洁剂擦拭，不要使用刺激性含氮，漂白成分或酒精类清洁剂，请不要用湿布清理推车屏幕。
- 受潮后，可以用干布擦拭及在温暖环境自后风干。受潮后储藏会导致发霉。
- 存放在干燥安全的地方，避免儿童接触。
- 不要受阳光下长期照射，会导致布料颜色变浅。
- 在给第二个婴童使用婴儿车前或使用18个月，应邀重新保养及维修，先到的先执行。



- 1 长按该位置3秒以上，系统自动开机，请耐心等待

开机操作方法




- 2 开机完成后进入时间显示模式，若无其他操作，30s后屏幕将进入熄屏状态

蓝牙连接说明

1. 下载三个柚子APP并安装
2. 打开APP，如图（1）点击允许蓝牙开启
3. 将手机靠近推车屏幕，APP会自动搜索推车。
4. 点击绑定三个柚子推车，如图（2）
5. Done，enjoy！



图（1）



图（2）



A 电量显示

B 体重去皮按钮

C 蓝牙连接标志

D 体重单位

E 温度显示区域

F 速度单位

G 模式切换按钮

H 里程模式指示

I 里程数值显示

J 里程单位



体重显示模式




时间显示模式



速度显示模式1



速度显示模式2

1. 屏幕显示模式可通过切换按钮  来手动切换
2. 无操作状态30s后，系统自动进入熄屏状态
3. 使用推车时，屏幕自动点亮
4. 不使用推车时，熄屏状态，单击屏幕右下角切换按钮区域，可点亮屏幕



适用220v插座

说明：

- 1.请务必使用如图的配套充电器
- 2.输入电压要求：220v,50/60HZ
- 3.电池电量充满时间约为3~4小时



充电操作步骤：

- 1.将DC电源线插入充电头上
- 2.将充电头插入220v的插座上
- 3.将DC电源线的圆口插入到充电口
- 4.充电中...
- 5.屏幕开始闪烁，指示充电完成

整车图



拆卸图



整车图



拆卸图



- G** 蚊帐
- H** 脚套
- I** 雨罩
- J** 睡篮
- K** 屏显套
- L** 充电器





① 向上提起车架，听到“咔嚓”声即可



② 对准并推入完成后轮安装



③ 对准推入完成前轮安装



④ 安装座椅



⑤ 安装座椅扶手



睡篮安装效果图



睡篮效果图



- A** 座椅铝框 **B** 睡篮布套 **C** 扶手 **D** 睡篮棉垫
E 睡篮支撑侧板 **F** 顶棚



① 插入睡篮支撑侧板



② 睡篮布套一侧通过魔术贴固定



③ 睡篮布套另一侧通过拉链固定



④ 将睡篮棉垫放置到睡篮内部



⑤ 将顶棚滑动安装到睡篮上



⑥ 安装扶手



⑦ 将睡篮放置到车架上



⑧ 完成效果图



① 前轮定向键



② 前轮与车架分离按钮



③ 后轮与车架分离按钮



④ 脚刹



⑤ 座椅与车架分离按钮



⑥ 顶棚上下滑动拆除/安装



7 座椅角度调节按钮，拉起后可上下调节座椅角度



8 下雨时请使用显示屏套



9 打开两侧拨片，把手可自由伸缩



10 5点式安全带



11 背带卡扣





蚊帐使用



雨罩使用



置物篮



超大视窗



步骤一

推杆两边后侧收车按钮同时向上拉



步骤二

脚稍稍用力向外推刹车杆



步骤三

可自由拖行

步骤一

推杆两边后侧收车按钮同时向上拉



步骤二

推杆同时往下压



步骤三

收车最后状态

Contents

Introduction	P21
Warning / Attention	P22
Start up and Bluetooth connection	P24
Screen mode and operation	P25
Manual of the charger	P27
Complete baby stroller and its components	P28
Frame assembly	P30
Sleeping basket and components	P31
Sleeping basket assembly	P32
Opreation of drag model	P33
Use mode	P36
Folding operation	P37

Introduction

Dear customers, thanks for using the 3 pomelos intelligent baby stroller. Please read the manual carefully before your operation, in order to ensure your right operation, also please pay attention to the “Warning/Attention” content.

This manual is only applicable for the intelligent baby stroller “LX 6038” by Shanghai Pomelos Info-Tech Co.,Ltd. And the company reserves the right of final interpretation. The content of the manual only provide reference for the operation and maintenance. The outstanding issues are welcome to consult from the service center of our company. We also welcome you to provide any suggestion for our insufficient aspects.

(All technical parameters in the manual are subject to change without notice in advance)

Warning

- It is your responsibility to keep the children safe. This baby stroller should be assembled by an adult! !
- Please ensure all the joints are totally fixed before operation !
- Ensure the safety system is applied all the time !
- Please take care of your child, do not allow any other child operate the baby stroller !
- One baby stroller can only use for one child, any child over 15kg is not allowed !
- Do not use the handle as holder for any weights, which will decrease the stability of the cart, please apply the basket with articles less than 4.5kg !
- This baby stroller is not applied for sliding or running !
- Please keep the children outside of the safe distance while folding or starting up the cart in order to avoid any injury of children !
- Please ensure anyone who operate this cart fully understand the manual before operation !
- Do not allow any other child climb onto the cart without supervision from an adult !
- Please ensure the child using proper length of safe belt !
- Please keep the children outside of the safe distance before any adjustment to the cart !
- Do not get close any high temperature heat source in order to avoid injury of children !
- Stamp down the brake when parking, hold tight to the handle bars when other vehicles or train passing by, because the external drag forces may move the baby stroller even if the brake is pressed down !
- Do not allow over one child using the stroller, or using the basket with overweight articles. Pads thicker than 30mm should not be added in the sleeping basket. !
- Do not apply any component other than the ones produced or approved by the manufacture, in order to protect the safety of the product !
- In the case of any upslope, downslope, stairs or elevator, parents shall take the child from the stroller and fold it for further movement !
- Please fold the stroller when it is not use !
- Do not squeeze, press or hit the screen and always use the original charger , Please don't charge when you clean the baby stroller !
- Seat apply for children from 6-36 months old, sleeping basket apply for infant from 0-6 months old. The lying bag is not applicable for babies over 9 kg!
- Keep away from the fire !
- Operative standard: GB 14748-2006 GB19865-2005 !

Warning

- Keep any plastic cover away from children, in order to avoid the accident of suffocation! Sleeping basket can only be used on the framework !
- The electric wire of charger, plugs, shell and the other components must be checked regularly. If they are found damaged, please stop using them until they are completely repaired !

Attention

- Please proceed maintenance of the cart for daily use and always use the charge by following instruction .
- Please check the safe lock, brake, safe belt, lock, seat adjustment, joints and controller regularly in order to ensure the normal operation.
- The abrasion of wheels requires exchange the relevant spear parts, please contact the distributor for the components.
- In the case of any difficulties found during the operation, please firstly check whether this issue is caused by dirt; then applying lubricant between components regularly will maintain the smoothness of folding and opening, meanwhile extend the service life of the product.
- Water with a little cleaner may be applied for cleaning the plastic and metal components, do not apply any liquor cleaner with nitrogen or bleach, or use wet rag to clean the screen .
- Any damp situation can be managed by wiping with dry rag and with natural air drying. Damp without any management will cause mustiness.
- Storage requires dry condition, and avoids the reach of children .
- Direct sunlight will fade the color of fabric.
- When a second child need to use the stroller or it is used for 18 months, please re-implement maintenance.



- ① Press the start button for about 3 seconds, and kindly wait for the system starting up.

Strat up



- ② After starting, the system will automatically enter into time display mode, and turn into screen break after 30s.

Bluetooth connection

- 1.Download the pomelos application and proceed installation.
- 2.Open the application and allow Bluetooth, see figure (1).
- 3.Put your mobile close to the screen, the application will start to search the baby stroller.
- 4.Click and connect the stroller, see in figure (2).
- 5.Done, enjoy.



图 (1)




图 (2)



- | | | |
|-----------------------|-----------------------|-------------------------------|
| A Battery | B Net weight | C Bluetooth connection |
| D Weight unit | E Temperature | F Speed unit |
| G Mode switch | H Mileage mode | I Mileage display |
| J Mileage unit | | |



weight display mode




Time display mode



Speed display mode1



Speed display mode2

- 1.Screen display model can be manually switched by pressing this button 
- 2.System will automatically enter into screen break mode after 30s without any operation.
- 3.Screen will light up when pushing the stroller.
- 4.When system enters into screen break mode, manually clicking the switch button at the lower right corner will light up the screen



Charger position



Apply for 220V

Instruction :

1. Always use the original charger as shown in figure
2. Input voltage: 220V, 50/60Hz
3. Charging process requires 3-4 hours to be fully charged



USB -DC cable

Charger

Charging steps:

1. Insert the DC cable into charging head
2. Insert the charging head into 220 V plug base
3. Insert the round head of DC cable into charging port
4. Charging
5. Screen blinking, finish charging

The overall of the stroller



The components



The overall of the stroller



The components



- G** Mosquito net
- H** Podotheca
- I** Raining cover
- J** Sleeping basket
- K** Screen cover
- L** Charger





- ① Pull the frame upward until the sound of "click" occurs




- ② Adjust the angle then insert to finish the assembly of back wheel



- ③ Adjust the angle then insert to finish the assembly of front wheel



- ④ Assembly the seat



- ⑤ Install the handle of seat





A Aluminum frame of seat

C Handle

E Sleeping basket support side plate

B Sleeping basket cover

D Sleeping cushion

F Ceiling



1 Insert the support side plate of sleeping basket



2 Use Velcro to fix the sleeping basket cover on one side



3 Use zipper to fix the sleeping basket cover on the other side



4 Put the cushion into the sleeping basket



5 Slide the ceiling and install it onto the basket



6 Install the handles



7 Assemble the basket onto the frame



8 Finished



1 Press here to direct the front wheel



2 Press here to separate the front wheel and the frame



3 Press here to separate the back wheel and the frame



4 Brake



5 Press here to separate the seat and the frame



6 Slide upward or downward to remove or install the canopy



7 The button for angle adjustment shall be use after pulling up



8 Please use the monitor canopy in the case of raining



9 The picks are designed for adjusting rods



10 Safe belt designed with 5 belts to ensure the safety of children



11 Belt buckle





Usage of the mosquito net



Usage of the canopy



About the basket



Super vision of the window



Step 1

press the two folding buttons on both push rods and pull them upward



Step 2

slightly push the braking rod outward by foot



Step 3

drag freely

Step 1

press the two folding buttons on both push rods and pull them upward



Step 2

press both push rods downward



Step 3

achieve the final status