



Comment	Description	Designator	Footprint	LibRef	Quantity
AMS1117_3.3V		A1	SOT223	AMS1117	1
BEEP		BEEP1	BEEP	BEEP	1
104		C1, C2, C3, C4, C5, C6, C7, C8, C9, C10, C11, C12	C 0805	C_0805	12
5.5*2.1		CON1	DC-005	DC-005	1
S1A		D1, D2	SMA	S1G, S1A	2
S1G		D3	SMA	S1A	1
100uF/35V	贴片电解电容	E1, E2, E3, E4, E6, E7	CM D(6.3*7.7)	C-CM	6
EC11		E5	EC11	EC11	1
ESP32		ESP1	ESP32	ESP32	1
T110		F1, F2	FU 1812	FU	2
Н		H1	HDR_1X4	HDR_1x4	1
Н		H2	HDR2.54-M-LI-6P	HDR_1x6	1
НХ		HX1, HX12, HX13, HX14, HX15	XH2.54-LI-2P	XH_2	5
НХ		HX2, HX3, HX4, HX5	XH2.54-LI-4P	XH_4	4
НХ		HX6, HX7, HX8, HX9, HX10, HX11	XH2.54-LI-3P	XH_3	6
IDC		11, 12, 13	IDC2.54_2X6P	IDC2.54_12P	3
74HC595		IC1, IC2	SOP16	74HC595	2
CH340C	串口转USB	IC3	SOP16	CH340C	1
TF_Card		J1	Micro SD	TF_Card	1
HDR-1X8	8P接插件	JP1, JP2, JP3, JP4, JP5, JP6, JP7, JP8	HDR2.54-M-LI-8P	Header 8	8
KEY		K1	8*8KEY6	8*8key	1
HDR-1X6		KF1	KF128-5.08-6P	KF5.08_6P	1
68UH		L1	WHC0850	L	1
BLUE	BLUE	LED1, LED2, LED3, LED4, LED5	LED 0603B	LED_B	5
LM2596S		LM1	TO263-5A	LM2596S	1
M3		M1, M2, M3, M4, M5, M6, M7, M8	M3	M3	8
mos-AO3400		mos-AO1, mos-AO2	SOT23-3	mos-AO3400	2
S8050		Q1, Q2, Q3	SOT23-3	S8050	3
HY1403	HY3403	Q4	TO252	MOS	1
HY3403	HY3403	Q5	TO252	MOS	1
4.7K		R1, R2, R3, R4, R5, R6, R7, R8	R 0603	R_0603	8
10K		R9, R10, R11, R12, R16, R22, R23, R28	R 0603	R_0603	8
22R		R13, R18, R25, R29	R 0603	R_0603	4
100K		R14, R19, R26, R30	R 0603	R_0603	4
1K		R15, R17, R20, R21, R24, R27, R31, R32, R33, R34, R35, R36, R37	R 0603	R_0603	13
KEY		RESET1	KEY4X4X1.5	KEY	1
DEBUG PAD	调试断点焊盘	TP1, TP2, TP3, TP4	DEBUG PAD2	DEBUG	4
Type-C		USB1	Type-C	Type-C	1