



## ***RO Chokolade***

*Gruppe 5*

*Rosa Sahlholt, Magnus Nielsen,  
Anna Pálsdóttir, Daniel Funch  
& Celine Asmussen*

<https://optimistic-borg-08a66d.netlify.app/>

[https://github.com/Celi4694/ro\\_chokolade.git](https://github.com/Celi4694/ro_chokolade.git)

# **Gruppe 5**

## **Samarbejdsaftale/Gruppekontrakt**

En samarbejdsaftale/gruppekontrakt er et redskab til at opnå et lærerigt forløb sammen med din gruppe.

I bør præsentere alle jeres forventninger til gruppearbejdet for hinanden. Så kan I bedre afstemme jeres forskellige ønsker og diskutere hvordan samarbejdet skal foregå.

Samarbejdsaftalen er en dokumentation af alle jeres beslutninger om, hvilke rammer og former for samarbejde, der vil passe til jeres gruppe.

Samarbejdsaftalen er nødvendig, fordi gruppearbejde er selve omdrejningspunktet for dit studie til multimediedesigner i København. Kun når din studiegruppe fungerer, fungerer dine læringsprocesser som tilsigtet. Nogle af fordelene ved en velfungerende studiegruppe er:

- Du udvikler dig fagligt og personligt i samspil med andre
- Du lærer at samarbejde og får indsigt i egne og andres styrker og begrænsninger
- Du får løbende sparring og diskussioner med andre
- Du kan lære af andre med anden baggrund end dig selv
- Du får periodevis en fast gruppe at relatere til

Når din gruppe ikke fungerer er nogle af ulemperne:

- Ringe fagligt udbytte
- Ringe resultater
- Frustration

På 1. semester skal I anvende skabelonen herunder til at udfærdige samarbejdsaftale med.

<b>Gruppe medlemmernes fulde navne</b>	<b>Email-adresse</b>	<b>Telefonnummer</b>	
1. Celine Asmussen	c-asmmussen@live.dk	30 36 12 01	
2. Anna Pálsdóttir	annapals00@gmail.com	50 25 76 40	
3. Daniel Funch	Danielfunch.j@gmail.com	61 65 89 24	
4. Magnus Nielsen	magus3509@hotmail.com	50 66 39 93	
5. Rosa Sahlholt	rosa.sahlholt@hotmail.com	60 22 51 40	

Aftaleemne	Aftalt af gruppens medlemmer
Gruppens formål	At få lavet en god opgave, og have det sjovt.
Gruppens målsætninger	At alle gruppens medlemmer er med inde over, og at vi får afleveret til tiden.
Hvert gruppemedlems målsætning	Se ovenfor
Hvilke kompetencer ønsker gruppen at udvikle?	At kunne lave et redesign af en virksomheds website samt indhold.
Gruppens strategi (Hvordan vil gruppen sørge for at hvert enkelt medlem udvikler de ønskede kompetencer)	Godt samarbejde og tæt kommunikation
Hvor mange timer dagligt vil gruppen arbejde sammen og hver for sig?	Tre timer/så meget der nu er brug for det
Hvilke aktiviteter udenfor studiet prioriterer hvert enkelt studiemedlem?	Folk skal selvfølgelig også have tid til at slappe af, men vi bestræber os på at lægge så meget arbejde i opgaven, som der er krævet.
Hvornår vil gruppen mødes for at udføre sine opgaver sammen? Mødeplan.	Uge 1: Torsdag Uge 2: Tirsdag, onsdag, torsdag, fredag Uge 3: Mandag, tirsdag, onsdag, torsdag
Hvordan vil gruppen gibe opgaverne/projektet an? Og samle arbejdet til fælles resultater?	Skabe overblik over opgaven, og lægge en plan for udførelse og arbejde.
Hvilke irritations-momenter kan opstå i gruppe arbejdet?	Overskredet deadlines, manglende fremmøde og glemte aftaler.
Hvordan vil gruppen tackle problemerne, hvis gruppearbejdet går i hårdknude?	Holde møde, og aftale løsning og problemhåndtering.
Hvilke barrierer (forudsigelige, uforudsigelige) kan hindre gruppen i at nå sine mål for projektet?	At der ikke bliver arbejdet sammen, og medlemmerne ikke holder aftalerne.
Hvordan vil gruppen gardere sig mod ovenstående?	Vi har i gruppen aftalt konsekvenser for, hvad der sker hvis forventningerne til medlemmerne ikke mødes.
Hvordan vil gruppen til sidst i projektforløbet evaluere sit samarbejde og sin evne til at nå sine mål?	Vi vil sætte os sammen og skrive ned hvad der gik godt og hvad der gik dårligt.

Hvilke fordele ønsker gruppen at høste af at have lavet samarbejds-aftalen?	Vi ønsker at finde ud af, hvordan vi arbejder sammen som gruppe, så vi ved det til de fremtidige projekter. Og så ønsker vi selvfølgelig at lave en god opgave sammen.
Hvordan vil I sikre deling af materiale i gruppen? (f.eks Google drev eller dropbox. )	Gruppen vil dele alt indhold i en samlet mappen på Google Drev

## **Research:**

Vi har opsøgt en virksomhed, og analyseret dennes hjemmeside og deres profil. Vi har snakket med Rasmus (ejer), og han over mail givet indsigt til analyser og vurderinger af design.

### Refleksion:

Det har været svært at finde en virksomhed, så man havde det på plads fra starten af. Det at vi brugte tid på det, har så kostet os noget tid i research processen. Vi kunne altså sagtens have lavet grundigere analyser og mere detaljeret.

## **Test:**

Her har vi udført diverse test, så som 5 sekunder test, Bert test, light house og eksperttest. Dette har været med til at hjælpe os i vores planlægning og design fase.

### Reflektion:

Testene har været en vigtig del af vores processer som baggrund, dog er nogle test bedre og mere indsigtsgivende end andre. Vi har igen været tidspresset, og har nok prioriteret andre processer og opgaver, så igen kunne vi have brugt meget mere tid på denne fase. F.eks. Bert testen skulle vi have genovervejet spørgsmålene vi har stillet, så vi fik mere ud af den test.

## **Planlægning og ideudvikling (design):**

I denne proces har vi udviklet Wireframe, layout diagram, moodboard og styletile ud fra de analyser og indsigtter vi har hentet fra vores research.

### Refleksion:

Vi angreb lidt denne proces med en fordelt tilgang. Vi har alle altså lavet individuelle boards og samlet egne tanker, for derefter at bringe det i spil i et fællesrum. På den måde har vi kunne udforske alle muligheder og ideer, og komme frem til et bedre resultat, end hvis vi havde startet med en fælles løsning.

## Indhold:

I denne proces har vi udviklet storyboard, interviewguide og ideer til foto materiale. Vi har fulgt de værktøjer vi har lavet, og har på besøget hos Ro-Chokolade lavet interview, video og foto materiale. Efterfølgende er alt blevet behandlet i Premier Pro, Lightroom og Photoshop.

### Refleksion:

Vi har ikke helt fulgt en fotoplan, da vi fik tilbuddt professionelle billeder fra Rasmus' eget drev. Vi vidste altså at der var billeder nok, og vi tog derfor kun de billeder vi mente vi manglede. Det har ikke vist sig at være et problem, eller at vi har manglet materiale. Der har været nogle mindre post problemer, men alt er blevet rettet, således at vi fik det rigtige udtryk i den færdige version.

## Kodning:


Her har vi arbejdet med at style og realisere alt der foregående arbejde. Vi har fulgt moodboard, layout diagram og wireframe, for at skabe den bedste hjemmeside til Rasmus og hans virksomhed. Vi har benyttet VS Code, og bygget alt op i HTML og CSS

### Refleksion:

Denne fase har nok været den med flest udfordringer, da vi har haft en klar ide om designet og det visuelle udtryk på siden. Det har altså været svært at få koderne til at genspejle de ting vi har tænkt, og der har været mange problem og løsnings faser i gang. Det er dog til sidst blevet som vi ønskede det, og vi er tilfredse med opbygningen og processen.

## Billeder


<https://drive.google.com/drive/folders/1SgGbzuvdLQah9sCgJt3LYIvcAMqOzHWc?usp=sharing>



# Postproduktion

Oven over er 3 billeder som vi har taget, og efterfølgende har redigeret tilpasset i post. Vi skudt billederne i Raw, således at vi kunne fremkalde bedre farver og justere eventuelle fejl i post. I post har vi justeret hvid balancen, da vi brugte naturligt lys som skiftede løbende. Der har også være små justeringer på de enkelte billeder, for at få flere detaljer og farver med. Det har være justering af skygger, highlights, farver og kontrast i billederne. Nogle billede er også blevet beskåret, så de passede til den side de blev brugt på.

Et eksempel på et stykke noget af den kode vi har lavet i HTML med tilhørende CSS, har vi vores menu inde på shoppen.



Shop-menuen er opbygget af en section med et id, med 4 kasser med hver deres class. Dette gør det muligt at benytte grid, når vi kommer til CSS. Hver kasse indeholder en h2, et a tag samt et img med en class, dette betyder, når man trykker på img, kan man blive ført et sted hen, på sitet.

```
<section id="first_section">
  <div class="section1"> <a href="shop.html#second_section">
    <h2>Gaveæsker</h2>
    </a>
  </div>

  <div class="section2"> <a href="shop.html#third_section">
    <h2>Små<br>Lækkerier</h2>
    </a>
  </div>

  <div class="section3"> <a href="shop.html#fourth_section">
    <h2>Choko&shy;lade</h2>
    </a>
  </div>

  <div class="section4"> <a href="shop.html#fifth_section">
    <h2>Flædeboller</h2>
    </a>
  </div>
</section>
```

```

#first_section {
  margin-top: 4vw;
  display: grid;
  grid-template-columns: 1fr 2fr 2fr 2fr 1fr;
  grid-template-rows: 1fr auto auto 30px;
  gap: 10px;
}

#first_section img {
  opacity: 35%;
}

.image_3,
.image_2 {
  width: 53%;
}

.image_1 {
  margin-left: 11.2vw;
}

.image_4 {
  margin-right: 11.2vw;
}

.section4 h2 {
  margin-right: 11.2vw;
}

.section1 h2 {
  margin-left: 11.2vw;
}

#first_section a h2 {
  font-size: 0.4rem;
}

@media (min-width: 670px) {
  #first_section a h2 {
    font-size: 0.8rem;
  }
}

@media (min-width: 900px) {
  #first_section a h2 {
    font-size: 1.2rem;
  }
}

.section1: hover,
.section2: hover,
.section3: hover,
.section4: hover {
  opacity: 50%;
}

.section1 a > * {
  grid-area: 1/1;
}

.section2 a > * {
  grid-area: 1/1;
}

.section3 a > * {
  grid-area: 1/1;
}

.section4 a > * {
  grid-area: 1/1;
}

.section h2 {
  display: grid;
  place-content: center;
  margin-bottom: 3vw;
}

#first_section h2 {
  margin-bottom: 0rem;
  font-size: 0.8rem;
}

```

Det første vi gør er at sætte et grid på vores section med 5 kolonner og 2 rækker. Dette gør vi, fordi vi har et ønske om at placere kasserne, i et rektangel. Vi har 2 kvadratiske og 2 rektangel billeder, som skal være i rækkefølgen:

- række 1: rektangel og kvadratisk.
- række 2: kvadratisk og rektangel.

Med grid-column og grid-row, kan vi placere vores 4 kasser i grid, som vi ønsker.

Da vi gerne ville lægge vores h2 i midten af billede, bruger vi stjerne (\*). For at tage fat i alle elementer i a taget, med grid-area: 1 / 1, siger vi til css at alle elementer skal være centreret i midten. Dog skal vi også vi lige place-content: center; på h2 for at den også er centreret.

Derefter lavede vi et gap, for at få afstand, mellem alle billederne for synets skyld. Der kom en opacity på alle billeder, for at fremhæve teksten og en hover effekt, som indikerer at man kan trykke på billedet.

Font-sizen har vi sat 2 media queries, for at h2 teksten, ikke går ud over billederne.

Der er ting, som evt. kan forbedres i dette stykke kode, dog kunne vi ikke nå det på grund af tiden. Vi kunne ikke få billederne til at sidde korrekt med kun grid, derfor brugte vi margin-left og right, for at få dem på plads, dette betyder dog, at billederne ikke er helt centret, men det er den løsning, vi kom frem til med det tidspres vi nu havde.

Kode fra andre sites, vi har brugt og implementeret på vores eget:

Responsive CSS Video: <https://redstapler.co/responsive-css-video-background/>

Her har vi læst koden og set videoen, hvor det er implementeret med vores egne id/classer.

Hide Menu on Scroll: [https://www.w3schools.com/howto/howto\\_js\\_navbar\\_hide\\_scroll.asp](https://www.w3schools.com/howto/howto_js_navbar_hide_scroll.asp)

Læst koden og implementeret med vores egne id/classer og tilpasset iforhold til højde m.m.

## Virksomhedens profil

- Hvordan fremstår virksomheden nu - brand og image
- Hvordan vil de gerne fremstå overfor deres kunder?

Ro-chokolade har kørt i 10 år, og de har fået skabt sig et fint brand, på trods af de ikke har en særlig appellerende hjemmeside. Det virker som et "lokalt" brand, da Ro's selv taler meget om deres placering og nærmiljø. De har en ret loyal følger base på instagram, som følger med igennem deres opslag. Ro's arbejder traditionelt og laver håndlavet chokolade, men de laver også moderne chokolade med farver og nye smage. Chokoladen bliver sjældent lavet som lagervare, men bliver lavet så den er "frisk", og syntetiske tilsvætningsstoffer og smagsforstærkere er "naturligvis bandlyst her" som de selv skriver. Ro's er gode til at være jordnære og være tæt på deres kunder. Det kan man se i måden de skriver tekster på, og på deres udstråling i butikken. I butikken er der et glasparti ud til produktionen, således at kunder kan følge med i processen. Ro's giver også tips og tricks omkring deres produkter, men også omkring chokoladen generelt og hvordan man selv kan lave det. De er altså også interessante og oplysende overfor deres kunder.

### Brugerprofiler (beskrivelse af målgruppe)

<https://www.facebook.com/rochokolade/>

Hvad ved virksomheden om deres nuværende målgruppe?

De er folk som elsker chocolate

Familie folk

Grupper...

Hvilken målgruppe ønsker de at nå fremadrettet?

"Vores målgruppe er nok hovedsagelig kvinder i alderen 25-45 år. Men egentlig ret blandet med mænd i samme aldersgruppe. Derudover har vi en del firma ordre. Det er alt fra det offentlige til nye moderne firmaer.

Vores kunder er folk som vil prøve noget andet og mere håndlavet end Summerbird og andre mere kendte firmaer. Og selvfølgelig folk som godt kan lide design i chokolade. Ikke folk som går efter super klassisk chokolade.

Jeg har ikke en fastsat plan over hvem min målgruppe er eller bør være. Jeg laver chokolade som jeg har lyst til. Så må folk købe det eller lade være. :)"

# Analyse af eksisterende site

<http://www.ro-chokolade.com>

## Styletile (designanalyse) - Magnus

ro-chokolade.com og ro-chokolade.selz.com/da

01

Color Palette

Site uden webshop



Site med webshop



02

Typography

Site uden webshop

Overskrift 1 Anton - Anton Regular - 35px

Overskrift 2 Helvetica-W01-Bold - Helvetica W01 Bold - 17px

Overskrift 3 Lulo-Clean-W01-One-Bold Lulo Clean W01 One Bold 14px

Overskrift 4

Overskrift 5 Basic - Basic Regular - 25px

Brødtekst Helvetica-W01-Light - Helvetica W01 Light - 12px

Site uden webshop

Overskrift 1 Playfair Display Playfair Display Regular - 6,4rem  
Playfair Display Playfair Display Regular - 4,1rem

Overskrift 2

Overskrift 3

Overskrift 4 Playfair Display Playfair Display Regular - 2rem

Overskrift 5

Brødtekst Raleway - Raleway Thin ExtraLight - 16px

Links (a) Raleway - Raleway Thin ExtraLight 1,6rem

Underoverskrift Playfair Display Playfair Display Regular - 1,8rem

03

Iconography



04

UI Elements

Site uden webshop



Site uden webshop

Indsend

Flødebollekursus  
lukket hold  
2.000,00 kr DKK

Name:

E-mail:

Message:

Indsend

## Fotostil - Magnus

### Motiver

Ro chokolade skaber en hyggelig stemning, de 2 primære farver er sort og hvid med lidt varme toner i. Der fremgår ikke særlig mange andre farver men når de gør, er de nedtonet.

Fotos af etableringsfasen: flødeboller chokolade.

Fotos af steder: Der fremgår ikke rigtigt nogle steder på billederne, andet end med skiltet udenfor.


Fotos af visionen/produktet: flødeboller og chokolade.

Fotos har:

- Lys, skygger og kontrast.
- Nedtoning af andre farver.
- En ikke særlig interessant komposition.
- Ikke særlig meget dybde.


Fotos virker:

- Opstillet.
- Hyggelige.



## Sitemap - Rosa

(overblik over sider/indhold på sitet)



## Indholdsoversigt - Rosa

hvad er der af indhold på det eksisterende site



## Funktionalitets liste - Magnus

hvor man kan navigere rundt på sitet. Hvad er de vigtigste brugerrejser på sitet?

Menu, som man kan navigere rundt på de forskellige sider.  
Kontaktoplysninger og åbningstider, står i bunden, så alt det vigtige står i bunden.  
Bund menu, så man kan navigere rundt på de forskellige sider.  
Fri fragt ved køb af over 299.-kr, hvor man skal indtaste en kode, som står under teksten.  
Lokation af butikke med Google maps.  
Kontakt os form: hvor man kan skrive navn, mail og besked og derefter en knap, hvor man kan sende beskeden.  
Klik på en produkt, og kom ind på en undervise, hvor man kan se en lille beskrivelse af produktet samt pris, navn, køb knap, læg i kurven knap og en brødkrummesti.

Det vigtigste på brugerrejse, er at få bruger til at købe nogle af produkterne. Det kan fx gøres ved, at skabe en spændende og lækker forside, der giver bruger lyst til produkterne (chokolade).

## Wireframe - Magnus

(sidernes layout og elementernes placering: navigation, header, footer etc.). Vælg fx 3 sider, som går igen flest gange på sitet.

Der ligger en pdf med wireframen i, filen hedder: ro-chokolade-wireframe



## Håndlavet chokolade

Af Ramus Olsen

### Send Chokolade til en du holder af

Alt er håndlavet, og besøger man butikken, vil  
man kunne se chokoladen blive til i baglokalet.  
Chokolade smager bedst når det er helt friskt.

FRI FRAGT PÅ KØB OVER 299 KR.

Brug koden MP14XWB for at få fri fragt.

### Produkt navn

Pris

Butikkens åbningstider  
Man-fre: 10.00-18.00 Lørdag:  
10.00-17.00 Søndag: 12.00-17.00  
info@ro-chokolade.dk  
tlf: 27855200

Ro Chokolade © 2021 · Leveret af Selz

Hjem

Om RO

Kontakt

Flødebollekursus

Følg

Vi accepterer

## Håndlavet chokolade

Af Ramus Olsen


### Send Chokolade til en du holder af

Alt er håndlavet, og besøger man butikken, vil man kunne se chokoladen blive til i baglokalet.

Chokolade smager bedst når det er helt friskt.


FRI FRAGT PÅ KØB OVER 299 KR.

Brug koden MPJ14XWB for at få fri fragt.




Produkt navn

Pris




Produkt navn

Pris




Produkt navn

Pris




Produkt navn

Pris




Produkt navn

Pris




Produkt navn

Pris




Produkt navn

Pris



Produkt navn

Pris



Produkt navn

Pris

Hjem

Kontakt

Følg

Vi accepterer

Om RO

Flødebollekursus

[Hjem](#)[Kontakt](#)[Følg](#)[Vi accepterer](#)[Om RO](#)[Flødebollekursus](#)

### Butikkens åbningstider

Man-fre: 10.00-18.00 Lørdag: 10.00-17.00 Søndag: 12.00-17.00

[info@ro-chokolade.dk](mailto:info@ro-chokolade.dk)

tlf: 27855200

Navn | Navn E-mail | E-mail

Meddeelse

[Indsend](#)[Hjem](#)[Kontakt](#)[Følg](#)[Vi accepterer](#)[Om RO](#)[Flødebollekursus](#)

### Butikkens åbningstider

Man-fre: 10.00-18.00 Lørdag: 10.00-17.00 Søndag: 12.00-17.00

info@ro-chokolade.dk

tlf: 27855200



**Produkt navn**  
[Pris](#)

**Produkt navn**  
[Pris](#)

[Hjem](#)[Kontakt](#)[Følg](#)[Vi accepterer](#)[Om RO](#)[Flødebollekursus](#)

#### Butikkens åbningstider

Man-fre: 10.00-18.00 Lørdag: 10.00-17.00 Søndag: 12.00-17.00

info@ro-chokolade.dk

tlf: 27855200

# 5 Sec test

Lav en 5 sek. test med hver enkel bruger:


1) vis sitet til brugeren i 5 sekunder

2) bed brugeren notere svar på flg. Spørgsmål:

- Hvad handler dette site om?
  - Mad
  - Chokolade
  - Chokolade (men kun fordi hun læste det, ellers ville hun ikke have nogen anelse)
  - Fancy chokolade
  - Chokolade
  - Webshop
- Hvad var mest øjnefaldende på sitet?
  - Det sort
  - "Det grimme symbol" og den røde knap
  - Den røde runde knap til webshoppen
  - Manden
  - Tomhed
  - Åbningstider, ikke i tvivl om
- Beskriv hjemmesiden med ét ord!
  - Kedelig
  - Mangelfuld
  - Enkel
  - Dyrkt
  - Mørkt
  - Kedelig

3) overvej hvordan I kan bruge resultatet til jeres redesign

4) gem resultatet til jeres procesdokumentation



**Lav en 5 sek. test med hver enkel bruger:**

- 1) vis sitet til brugeren i 5 sekunder**
- 2) bed brugeren notere svar på flg. Spørgsmål:**

- Hvad handler dette site om?
  - Slik
- Hvad var mest i øjenfaldene på sitet?
  - Glad mand
- Beskriv hjemmesiden med ét ord!
  - Mangler budskab

# Moodboard



# Styletile

skrifter

## overskrift h3

font-family: Roboto Mono - size: 2vw

## overskrift h4

font-family: Roboto Mono - size: 1.5vw

**Brødtekst** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce non viverra lacus, sed accumsan lacus. Sed eget justo non velit interdum viverra ut et leo. Vivamus facilisis, nulla sed ullamcorper tempus, arcu tellus tincidunt ligula, et volutpat nisi nisl tristique ex. Maecenas nec leo a est pretium fringilla ut non nunc.

font-family: open sans - size: 1.2vw


farver

#A6A6A6

#000000

#ffffff

logo



UI-elementer


Læg i kurv Tilmeld

Shop Om RO Kontakt Flødebollekursus Din Kurv

## Storyboard RO-chocolate



- Vis udenfor (gaden måske)
- Skiltet
- Gå ind i butikken
- Rasmus byder velkommen
- Vis over buttiken
- Overblik over noget chokolade
- Chokolade laves
- Det store glasparti
- Chocolade ind i glasparti...
- Nogen detaljer, fx flødeboller
- Kunde at købe noget
- Rasmus smiler
- Slut



## **Interviewguide - Ro's Chokolade**

- Navn og beskæftigelse?
- Hvad for noget chokolade laver I?
- Hvorfor og hvordan startede du?
- Hvad giver det her arbejde dig?
- Hvorfor det store glasparti?
- Er I mest traditionelle eller moderne?
- Hvad er det I gerne vil skabe for kunderne?
- Smagsforstærkere er bandlyste?
- Hvorfor den her chokolade og ikke den nede fra netto?  
Hvad er forskellen?  
Hvad er specielt ved din chokolade?
- Hvad er dit yndlingsstykke? (smag)  
og hvad er mest populær


## Ro chokolade



[Se vores lækker produkter](#)



Se hvordan de laver deres chokolade



### En butik fyldt med lækkerier

Excepteur sint occaecat cupidatat non proident,  
sunt in culpa qui officia deserunt

[Gå til vores webshop](#)




### Mest solgte

Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia  
deserunt



### Se med på instagram

Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia  
deserunt



Vi accepterer:



#### Butikkens åbningstider



Man-fre: 10.00-18.00

Lørdag: 10.00-17.00

Søndag: 12.00-17.00

Mail: [info@ro-chokolade.dk](mailto:info@ro-chokolade.dk)

TLF: 27855200



## Kategorier

Chokolade

Gave  
æsker

Flødeboller

Pålæg



Chokolade

Produkt navn  
Pris

Pålæg

Produkt navn  
Pris

Produkt navn  
Pris

Produkt navn  
Pris

Gaveæsker

Produkt navn  
Pris

Produkt navn  
Pris

Produkt navn  
Pris

Vi accepterer:



Butikkens åbningstider



Man-fre: 10.00-18.00


Lørdag: 10.00-17.00

Søndag: 12.00-17.00

Mail: info@ro-chokolade.dk

TLF: 27855200





Forside → Chokolade bar1 →

## Produkt navn

Pris


Antal

Select 1

[Køb den nu](#)[Læg i kurv](#)


Excepteur sint occaecat cupidatat non  
proident, sunt in culpa qui officia deserunt

## Lignende produkter




Produkt navn

Pris



Produkt navn

Pris





Produkt navn

Pris

Vi accepterer:

**Butikkens åbningstider**

Man-fre: 10.00-18.00  
Lørdag: 10.00-17.00  
Søndag: 12.00-17.00

**Mail:** info@ro-chokolade.dk**TLF:** 27855200

# Om RO

## Historie om ro

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.



## Kontakt os

Send en mail

Navn | Navn

E-mail | E-mail

Meddelelse

Indsend

## Google Maps



Vi accepterer:



### Butikkens åbningstider

Man-fre: 10.00-18.00

Lørdag: 10.00-17.00

Søndag: 12.00-17.00

Mail: [info@ro-chokolade.dk](mailto:info@ro-chokolade.dk)

TLF: 27855200



# Kursus

## Historie om ro

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut ero labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco poriti laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in uienply voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat norin prident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## Pris

[Tilmeld](#)

## Historie om ro

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut ero labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco poriti laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in uienply voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat norin prident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## Pris

[Tilmeld](#)


Vi accepterer:



### Butikkens åbningstider

Man-fre: 10.00-18.00  
Lørdag: 10.00-17.00  
Søndag: 12.00-17.00

**Mail:** info@ro-chokolade.dk  
**TLF:** 27855200



# Layout diagram - Om og kontakt

header

nav

main

section #first\_section

h2

.section\_wrapper

.col\_left

h3

p

.col\_right

img

section #second\_section

h2

.section\_wrapper

.col\_left

img / google maps link

.col\_right

h3

info box...

footer

# Header

Nav

## Main

first\_section

container

img1

img2

img3

img4

second\_section

container

Col

img

Knap

Col

img

Knap

Col

img

Knap

third\_section

container

Col

img

Knap

Col

img

Knap

Col

img

Knap

fourth\_section

container

Col

img

Knap

Col

img

Knap

Col

img

Knap

fifth\_section

container

Col

img

Knap

Col

img

Knap

Col

img

Knap

## Footer

# Layoutdiagram kursus.html

Grid —————

## Struktur for kursus.html

header

main

section#first\_section

section#second\_section

section#third\_section

footer

section#first\_section

h2

.img baggrund

section#second\_section

div#third\_section\_left

h3

p

h3

button

div#third\_section\_right

img

section#third\_section

div#third\_section\_left

img

div#third\_section\_right

h3

p

h3

button

html

header

main

#section

.section\_wrapper

.col\_left

img

.col\_right

h3

h4

h4

.køb\_knap

h4

.drop\_menu

.kurv\_knap

p

footer

main

header

section#section\_one

section#section\_two

section#section\_three

section#section\_four

footer

Grid

Flex

header

.logo

a

img

nav

ul

4xli

a

img

# footer

.col\_left

p

img

img

.col\_middel

p

p

p

.col\_right

img

img

.arrow\_top

img

p

main

section#section\_one

.section\_wrapper

h2

.col

p

img

p

img

main

section#section\_one

.section\_wrapper

h2

video

.col

p

img

p

img

main

section#section\_two

.section\_wrapper

.col\_left

h2

p

.col

p

img

.col\_right

video

main

section#section\_three

.section\_wrapper

h2

p

.col

img

img

img

main

section#section\_four

.section\_wrapper

h2

p

.col

img

img

img

img

img


img

img

img


## Bert analyse af eksisterende hjemmeside

# BERT-analyse



## Bert analyse af ny hjemmeside

### BERT-analyse



# Procesdokumentation

Trello Board: <https://trello.com/b/MKAi5Jgk/redesign>

Burndown chart: <https://printyourburndown.com/>

Ro chokolade: <http://www.ro-chokolade.com/> og <https://ro-chokolade.selz.com/da>

Github: [https://github.com/Celi4694/ro\\_chokolade](https://github.com/Celi4694/ro_chokolade)

Netlify: <https://optimistic-borg-08a66d.netlify.app/>

Prototype: <https://xd.adobe.com/view/25b90508-e129-4f1b-53b8-851e437ae559-5388/?fullscreen>

Prototype kodeord: Proto1234

## Onsdag d. 19 maj:

### Planlagt:

Sende mails ud til virksomheder

Finde en virksomhed der vil være med

### Gennemført:

Følgende virksomheder har fået en e-mail:


Fester & farver

Rallys

Kildevæld


Hart bageri

Ro-chokolade



### Daily scrum:

## Burndown chart:



## Torsdag d. 20 maj:

### Planlagt:

Virksomhedsanalyse

- virksomhedsprofil, brugerprofil

Bert analyse

Interviewguide

Storyboards

Wireframes

Indspiration: <https://lakridsbybulow.dk/>

<https://svanekechokoladeri.dk/>

<https://odensechokoladehus.dk/>

### Gennemført:

Virksomhedsanalyse

- virksomhedsprofil, brugerprofil, style tile


Undtagen målgruppe (Venter svar fra Rasmus)

Interviewguide


Bert analyse

## Storyboards Wireframes

### Scrum:



### Burndown chart:



[https://www.printyourburndown.com/burndown.html?chart\\_title=Resign%20af%20RO%20chokolade&burn\\_up=false&label\\_y\\_axis=Opgaver&start\\_date=2021-05-20&end\\_date=2021-06-03&starting\\_value=27&working\\_days=ny...](https://www.printyourburndown.com/burndown.html?chart_title=Resign%20af%20RO%20chokolade&burn_up=false&label_y_axis=Opgaver&start_date=2021-05-20&end_date=2021-06-03&starting_value=27&working_days=ny...) 1/1

## Fredag d. 21 maj:

### Planlagt:

Wireframe

Moodboard

Styletile

## Story board

### Gennemført:

Story board

Wireframe

Moodboard

### Prototype:

Link: <https://xd.adobe.com/view/25b90508-e129-4f1b-53b8-851e437ae559-5388/?fullscreen>

Kodeord: Proto1234


### 5 sec test

- Hvad handler dette site om?
  - Mad
  - Chokolade
  - Chokolade (men kun fordi hun læste det, ellers ville hun ikke have nogen anelse)
  - Fancy chokolade
  - Chokolade
  - Webshop
- Hvad var mest øjnefaldende på sitet?
  - Det sort
  - “Det grimme symbol” og den røde knap
  - Den røde runde knap til webshoppen
  - Manden
  - Tomhed
  - Åbningstider, ikke i tvivl om
- Beskriv hjemmesiden med ét ord!
  - Kedelig
  - Mangelfuld
  - Enkel
  - Dyrk
  - Mørkt
  - Kedelig

### BERT test:


Forvirrende - Simpel

49 svar




Dyrt - budget

50 svar




Hverdagsagtigt - Eksklusivt

50 svar



Traditionelt - moderne


50 svar





## Scrum:

### Burndown chart:



[https://www.printyourburndown.com/burndown.html?chart\\_title=Resign%20af%20RO%20chokolade&burn\\_up=false&label\\_y\\_axis=Opgaver&start\\_date=2021-05-20&end\\_date=2021-06-03&starting\\_value=27&working\\_days=ny...](https://www.printyourburndown.com/burndown.html?chart_title=Resign%20af%20RO%20chokolade&burn_up=false&label_y_axis=Opgaver&start_date=2021-05-20&end_date=2021-06-03&starting_value=27&working_days=ny...) 1/1

## tirsdag d. 25 maj:


### Planlagt:

Farver, skrifftyper og andre detaljer  
Layout diagram  
Uddele sider


### Gennemført:

Andre detaljer  
Layout diagram  
Uddele sider

### Scrum:



### Burndown chart:



[https://www.printyourburndown.com/burndown.html?chart\\_title=Resign%20af%20RO%20chokolade&burn\\_up=false&label\\_y\\_axis=Opgaver&start\\_date=2021-05-20&end\\_date=2021-06-03&starting\\_value=27&working\\_days=ny...](https://www.printyourburndown.com/burndown.html?chart_title=Resign%20af%20RO%20chokolade&burn_up=false&label_y_axis=Opgaver&start_date=2021-05-20&end_date=2021-06-03&starting_value=27&working_days=ny...) 1/1


## Onsdag d. 26 maj:

### Planlagt:


Funktionalitetsliste, fælles css...

### Gennemført:

### Scrum:



### Burndown chart:



[https://www.printyourburndown.com/burndown.html?chart\\_title=Resign%20af%20RO%20chokolade&burn\\_up=false&label\\_y\\_axis=Opgaver&start\\_date=2021-05-20&end\\_date=2021-06-03&starting\\_value=27&working\\_days=ny...](https://www.printyourburndown.com/burndown.html?chart_title=Resign%20af%20RO%20chokolade&burn_up=false&label_y_axis=Opgaver&start_date=2021-05-20&end_date=2021-06-03&starting_value=27&working_days=ny...) 1/1

## Torsdag d. 27 maj:


### Planlagt:

Producerer alt indhold til sitet.


## Gennemført:

Producerer alt indhold til sitet.

## Scrum:



## Burndown chart:



[https://www.printyourburndown.com/burndown.html?chart\\_title=Resign%20af%20RO%20chokolade&burn\\_up=false&label\\_y\\_axis=Opgaver&start\\_date=2021-05-20&end\\_date=2021-06-03&starting\\_value=27&working\\_days=ny...](https://www.printyourburndown.com/burndown.html?chart_title=Resign%20af%20RO%20chokolade&burn_up=false&label_y_axis=Opgaver&start_date=2021-05-20&end_date=2021-06-03&starting_value=27&working_days=ny...) 1/1

## Fredag d. 28 maj:

### Planlagt:

Klippe video, fortsæt kodning

### Gennemført:

Klippe video, fortsæt kodning

**Scrum:**

**Burndown chart:**

## Mandag d. 31 maj:

**Planlagt:**

Vælg billeder, webp


Test... bert, 5 sek og mere...?

Knapper

Rosas menu

**Gennemført:**

**Scrum:**



**Burndown chart:**

## Tirsdag d. 1. juni

**Planlagt:**

Test - Bert


Sidst hånd på kodning... margin, video, fonts m.m

**Gennemført:**


Test - Bert

Sidst hånd på kodning... margin, video, fonts m.m

**Scrum:**



## Burndown chart:



[https://www.printyourburndown.com/burndown.html?chart\\_title=Resign%20af%20RO%20chokolade&burn\\_up=false&label\\_y\\_axis=Opgaver&start\\_date=2021-05-20&end\\_date=2021-06-03&starting\\_value=27&working\\_days=7&working\\_time\\_in\\_hours=8&working\\_time\\_in\\_minutes=0](https://www.printyourburndown.com/burndown.html?chart_title=Resign%20af%20RO%20chokolade&burn_up=false&label_y_axis=Opgaver&start_date=2021-05-20&end_date=2021-06-03&starting_value=27&working_days=7&working_time_in_hours=8&working_time_in_minutes=0) 1/1

## Onsdag d. 2. juni


### Planlagt:

præsentation, lighthouse test


### Gennemført:

præsentation, lighthouse test

## Scrum:



## Burndown chart:



**Torsdag d. 3 juni**


**Planlagt:**

Øve pitch


## Gennemført:

Øve pitch


Scrum:



## Burndown chart:



[https://www.printyourburndown.com/burndown.html?chart\\_title=Resign%20af%20RO%20chokolade&burn\\_up=false&label\\_y\\_axis=Opgaver&start\\_date=2021-05-20&end\\_date=2021-06-03&starting\\_value=27&working\\_days=mo...](https://www.printyourburndown.com/burndown.html?chart_title=Resign%20af%20RO%20chokolade&burn_up=false&label_y_axis=Opgaver&start_date=2021-05-20&end_date=2021-06-03&starting_value=27&working_days=mo...) 1/1



▲ 0-49      50-89      90-100



## Performance

### Metrics

#### First Contentful Paint

1.5 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more.](#)

#### Time to Interactive

1.5 s

Time to interactive is the amount of time it takes for the page to become fully interactive. [Learn more.](#)

#### Speed Index

1.5 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more.](#)

#### Total Blocking Time

0 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more.](#)

#### ▲ Largest Contentful Paint

Error!

Something went wrong with recording the trace over your page load. Please run Lighthouse again. (NO\_LCP)


#### ▲ Cumulative Layout Shift

0.332

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more.](#)

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

[View Original Trace](#)



**Opportunities** — These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

## Opportunity

Estimated Savings

## ▲ Properly size images

2.12 s ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)

Show 3rd-party resources (8)

URL	Resource Size	Potential Savings
 ...Shop/Ro-10.webp (funchmedia.dk)	141.2 KiB	138.6 KiB
 ...Shop/Ro-28.webp (funchmedia.dk)	80.6 KiB	79.1 KiB
 ...Shop/done.webp (funchmedia.dk)	53.1 KiB	52.1 KiB
 ...Index/magnus_7.webp (funchmedia.dk)	37.3 KiB	37.3 KiB
 ...Index/magnus_1.webp (funchmedia.dk)	34.3 KiB	34.3 KiB
 ...Index/magnus_2.webp (funchmedia.dk)	24.3 KiB	24.3 KiB
 ...Index/magnus_3.webp (funchmedia.dk)	17.5 KiB	17.4 KiB
 ...Index/magnus_6.webp (funchmedia.dk)	9.2 KiB	4.5 KiB

## Eliminate render-blocking resources

0.6 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#)

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
/css2?family=... (fonts.googleapis.com)	1.7 KiB	760 ms

## ▲ Preconnect to required origins

Error! ^

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#)

## ▲ Preload Largest Contentful Paint image

Error! ^

Preload the image used by the LCP element in order to improve your LCP time. [Learn more.](#)

**Diagnostics** — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Image elements do not have explicit `width` and `height`

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#)

Show 3rd party resources (8)

### URL



...Shop/Ro-10.webp (funchmedia.dk)

### Failing Elements



img



...Shop/Ro-28.webp (funchmedia.dk)



img



...Shop/done.webp (funchmedia.dk)



img



...Index/magnus\_7.webp (funchmedia.dk)



img



...Index/magnus\_1.webp (funchmedia.dk)



img



...Index/magnus\_2.webp (funchmedia.dk)



img



...Index/magnus\_3.webp (funchmedia.dk)



img



...Index/magnus\_6.webp (funchmedia.dk)



img

▲ Serve static assets with an efficient cache policy — 10 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)

Show 3rd-party resources (10)

URL	Cache TTL	Transfer Size
...indhold/splashvideo_poster.PNG (designbymagnus.dk)	None	2,116 KiB
...Shop/Ro-10.webp (funchmedia.dk)	None	142 KiB
...Shop/Ro-28.webp (funchmedia.dk)	None	81 KiB
...Shop/done.webp (funchmedia.dk)	None	53 KiB
...Index/magnus_7.webp (funchmedia.dk)	None	38 KiB
...Index/magnus_1.webp (funchmedia.dk)	None	35 KiB
...Index/magnus_2.webp (funchmedia.dk)	None	25 KiB
...Index/magnus_3.webp (funchmedia.dk)	None	18 KiB
...Index/magnus_6.webp (funchmedia.dk)	None	9 KiB
...Index/magnus_4.svg (funchmedia.dk)	None	0 KiB

Avoid chaining critical requests — 7 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more.](#)

Maximum critical path latency: **620 ms**

*Initial Navigation*

```
/index.html (optimistic-borg-08a66d.netlify.app)
  /css/mutual.css (optimistic-borg-08a66d.netlify.app) - 20 ms, 1.54 KiB
  /css/index.css (optimistic-borg-08a66d.netlify.app) - 30 ms, 1.47 KiB
  /css2?family=... (fonts.googleapis.com)
    ...v20/mem8YaGs1....woff2 (fonts.gstatic.com) - 10 ms, 9.04 KiB
    ...v13/L0x5DF4xl....woff2 (fonts.gstatic.com) - 20 ms, 31.83 KiB
    ...v20/mem5YaGs1....woff2 (fonts.gstatic.com) - 30 ms, 8.91 KiB
/js/hambrugermenu.js (optimistic-borg-08a66d.netlify.app)
  /js/login.js (optimistic-borg-08a66d.netlify.app) - 460 ms, 0.08 KiB
  /js/login.js (optimistic-borg-08a66d.netlify.app) - 60 ms, 0.08 KiB
```

Keep request counts low and transfer sizes small — 28 requests • 2,580 KiB


To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	28	2,579.7 KiB
Image	10	2,515.7 KiB

Resource Type	Requests	Transfer Size
Font	3	49.8 KiB
Script	4	5.4 KiB
Stylesheet	3	4.7 KiB
Document	4	4.1 KiB
Other	4	0.1 KiB
Media	0	0.0 KiB
Third-party	22	2,572.1 KiB

Avoid large layout shifts — 5 elements found ^

These DOM elements contribute most to the CLS of the page.



Avoid long main-thread tasks — 6 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#)

Show 3rd party resources (0)

URL	Start Time	Duration
/index.html (optimistic-borg-08a66d.netlify.app)	1,003 ms	138 ms
/index.html (optimistic-borg-08a66d.netlify.app)	1,263 ms	123 ms
/index.html (optimistic-borg-08a66d.netlify.app)	1,141 ms	122 ms
/index.html (optimistic-borg-08a66d.netlify.app)	836 ms	89 ms
/index.html (optimistic-borg-08a66d.netlify.app)	925 ms	78 ms
/index.html (optimistic-borg-08a66d.netlify.app)	763 ms	73 ms

## Passed audits (27)

### Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)

### Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn more.](#)

### Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#)

### Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more.](#)

### Remove unused JavaScript — Potential savings of 64 KiB

Remove unused JavaScript to reduce bytes consumed by network activity. [Learn more.](#)

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
/embed.js (www.instagram.com)	91.5 KiB	63.8 KiB

### Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn more.](#)

### Serve images in next-gen formats

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more.](#)

### Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#)

### Initial server response time was short — Root document took 20 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more](#).

[Show 3rd-party resources \(0\)](#)

URL	Time Spent
/index.html (optimistic-borg-08a66d.netlify.app)	20 ms

#### Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn more](#).

#### Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn more](#).

#### Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more](#).

#### Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)

#### Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

#### Avoid serving legacy JavaScript to modern browsers

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#)

#### Avoids enormous network payloads — Total size was 2,580 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn more](#).



[Show 3rd-party resources \(10\)](#)

URL	Transfer Size
...indhold/splashvideo_poster.PNG (designbymagnus.dk)	2,115.8 KiB
...Shop/Ro-10.webp (funchmedia.dk)	141.5 KiB
...Shop/Ro-28.webp (funchmedia.dk)	80.8 KiB
...Shop/done.webp (funchmedia.dk)	53.4 KiB
...Index/magnus_7.webp (funchmedia.dk)	37.5 KiB
...Index/magnus_1.webp (funchmedia.dk)	34.5 KiB
...v13/L0x5DF4xl....woff2 (fonts.gstatic.com)	31.8 KiB
...Index/magnus_2.webp (funchmedia.dk)	24.5 KiB
...Index/magnus_3.webp (funchmedia.dk)	17.7 KiB

URL	Transfer Size
...Index/magnus_6.webp (funcmedia.dk)	9.4 KiB

### Avoids an excessive DOM size — 293 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more](#).

Statistic	Element	Value
Total DOM Elements		293
Maximum DOM Depth	 <b>path</b> <code>&lt;path d="M556.869,30.41 C554.814,30.41 553.148,32.076 553.148,34.131 C553.148,36.18..."&gt;</code>	14
Maximum Child Elements	 <b>div.col</b>	15

### User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

### JavaScript execution time — 0.1 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#).

[Show 3rd party resources \(0\)](#)

URL	Total CPU Time	Script Evaluation	Script Parse
/index.html (optimistic-borg-08a66d.netlify.app)	1,256 ms	56 ms	44 ms
Unattributable	263 ms	7 ms	0 ms

### Minimizes main-thread work — 1.7 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#)

Category	Time Spent
Rendering	765 ms
Other	391 ms
Style & Layout	245 ms
Script Evaluation	136 ms

Category	Time Spent
Script Parsing & Compilation	82 ms
Parse HTML & CSS	38 ms
Garbage Collection	10 ms

#### All text remains visible during webfont loads ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#)

#### Minimize third-party usage — Third-party code blocked the main thread for 0 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more.](#)

[Show 3rd-party resources \(0\)](#)

Third-Party	Transfer Size	Main-Thread Blocking Time
<a href="#">Google Fonts</a>	51 KiB	0 ms
...v13/L0x5DF4xl....woff2 (fonts.gstatic.com)	32 KiB	0 ms
...v20/mem8YaGs1....woff2 (fonts.gstatic.com)	9 KiB	0 ms
...v20/mem5YaGs1....woff2 (fonts.gstatic.com)	9 KiB	0 ms
<a href="#">Instagram</a>	5 KiB	0 ms
...EmbedSDK.js/58b07fec4121.js (www.instagram.com)	5 KiB	0 ms

#### Lazy load third-party resources with facades ^

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more.](#)

#### Largest Contentful Paint element — 0 elements found ^

This is the largest contentful element painted within the viewport. [Learn More](#)

#### Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more.](#)

#### Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

#### Avoid non-composited animations ^

Animations which are not composited can be janky and increase CLS. [Learn more](#)



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

**Contrast** — These are opportunities to improve the legibility of your content.

- ▲ Background and foreground colors do not have a sufficient contrast ratio.


Low-contrast text is difficult or impossible for many users to read. [Learn more](#).

#### Failing Elements




Vis dette opslag på Instagram

```
<div style=" color: #3897f0; font-fami...">
```



Vis dette opslag på Instagram

```
<div style=" color: #3897f0; font-fami...">
```



Vis dette opslag på Instagram

```
<div style=" color: #3897f0; font-fami...">
```

Vis dette opslag på Instagram

```
<div style=" color: #3897f0; font-fami...">
```

Vis dette opslag på Instagram

```
<div style=" color: #3897f0; font-fami...">
```

Vis dette opslag på Instagram

```
<div style=" color: #3897f0; font-fami...">
```

Et opslag delt af Ro Chokolade (@rochokolade)

```
<a href="https://www.instagram.com/p/COh4mRuKs1B/?utm_source=ig_embed&utm_campaign=..." style=" color: #c9c8cd; font-family: ..." target="_blank">
```

**Names and labels** — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.


- ▲ `<frame>` or `<iframe>` elements do not have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

#### Failing Elements



## Failing Elements



iframe#instagram-embed-0.instagram-media.instagram-media-rendered



```
iframe
<iframe class="instagram-media" id="instagram-embed-1"
src="https://www.instagram.com/p/COpGKZ1KWbe/embed/?"
cr=1&v=13&wp=480&rd=https%3D%" allowtransparency="true" allowfullscreen="true"
frameborder="0" height="0" data-instgrm-payload-id="instagram-media-payload-1"
scrolling="no" style="background: white; max-width: 250px; width: calc(100% - 2px); border-
radius...">
```



iframe#instagram-embed-3.instagram-media.instagram-media-rendered

**Additional items to manually check (10)** — These items address areas which an automated testing tool cannot cover. Learn [more](#) in our guide on [conducting an accessibility review](#).

### The page has a logical tab order



Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more](#).

### Interactive controls are keyboard focusable



Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more](#).

### Interactive elements indicate their purpose and state



Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more](#).

### The user's focus is directed to new content added to the page



If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more](#).

### User focus is not accidentally trapped in a region



A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more](#).

### Custom controls have associated labels



Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more](#).

### Custom controls have ARIA roles



Custom interactive controls have appropriate ARIA roles. [Learn more](#).

### Visual order on the page follows DOM order



DOM order matches the visual order, improving navigation for assistive technology. [Learn more](#).

Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

## Passed audits (12) ^

[aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when 'aria-hidden="true"' is set on the document `<body>`. [Learn more.](#)

Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more.](#)

The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

[id] attributes on active, focusable elements are unique ^

All focusable elements must have a unique 'id' to ensure that they're visible to assistive technologies. [Learn more.](#)

Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more.](#)

<html> element has a [lang] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more.](#)

<html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

Image elements have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Links have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).

`<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more](#).

## Not applicable (30)

`[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more](#).

`[aria-*]` attributes match their roles

Each ARIA `role` supports a specific subset of `aria-\*` attributes. Mismatching these invalidates the `aria-\*` attributes. [Learn more](#).

`button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

`[aria-hidden="true"]` elements do not contain focusable descendants

Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more](#).

ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

ARIA `meter` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

ARIA `progressbar` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

`[role]`s have all required `[aria-*]` attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

`[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).



## [role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more.](#)

### ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

### ARIA tooltip elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

### ARIA treeitem elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

### [aria-\*] attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more.](#)

### [aria-\*] attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

### `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

### Definition list items are wrapped in `<dl>` elements

Definition list items (``<dt>`` and ``<dd>``) must be wrapped in a parent ``<dl>`` element to ensure that screen readers can properly announce them. [Learn more.](#)

### ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more.](#)

### No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more.](#)

### `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

### Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

### Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

### List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements



Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. [Learn more.](#)

The document does not use `<meta http-equiv="refresh">`



Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

`<object>` elements have `[alt]` text



Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more.](#)

No element has a `[tabindex]` value greater than 0



A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more.](#)

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.



Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.



Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

`[lang]` attributes have a valid value



Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)



## Best Practices

### Trust and Safety

▲ Does not use HTTPS — 10 insecure requests found



All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

Show 3rd-party resources (10)

Insecure URL

Request Resolution

...Index/magnus\_6.webp (funcmedia.dk)

Automatically upgraded to HTTPS

...indhold/splashvideo\_poster.PNG (designbymagnus.dk)

Automatically upgraded to HTTPS

## Insecure URL Request Resolution

...Index/magnus_4.svg (funchmedia.dk)	Automatically upgraded to HTTPS
...Shop/Ro-10.webp (funchmedia.dk)	Automatically upgraded to HTTPS
...Shop/Ro-28.webp (funchmedia.dk)	Automatically upgraded to HTTPS
...Shop/done.webp (funchmedia.dk)	Automatically upgraded to HTTPS
...Index/magnus_1.webp (funchmedia.dk)	Automatically upgraded to HTTPS
...Index/magnus_7.webp (funchmedia.dk)	Automatically upgraded to HTTPS
...Index/magnus_3.webp (funchmedia.dk)	Automatically upgraded to HTTPS
...Index/magnus_2.webp (funchmedia.dk)	Automatically upgraded to HTTPS


## ⚠ Links to cross-origin destinations are unsafe

^

Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities.

[Learn more.](#)

## Failing Anchors




Vis dette opslag på Instagram

```
<a href="https://www.instagram.com/p/CPVr59zIL_-/?utm_source=ig_embed&utm_campaign=..." style="background: #ffffff; line-height:..." target="_blank">
```



Et opslag delt af Ro Chokolade (@rochokolade)

```
<a href="https://www.instagram.com/p/CPVr59zIL_-/?utm_source=ig_embed&utm_campaign=..." style=" color: #c9c8cd; font-family: ..." target="_blank">
```




Vis dette opslag på Instagram

```
<a href="https://www.instagram.com/p/COpGKZ1KWbe/?utm_source=ig_embed&utm_campaign=..." style="background: #ffffff; line-height:..." target="_blank">
```



Et opslag delt af Ro Chokolade (@rochokolade)


```
<a href="https://www.instagram.com/p/COpGKZ1KWbe/?utm_source=ig_embed&utm_campaign=..." style=" color: #c9c8cd; font-family: ..." target="_blank">
```



Vis dette opslag på Instagram

```
<a href="https://www.instagram.com/p/CM4xDGBK8g-/?utm_source=ig_embed&utm_campaign=..." style="background: #ffffff; line-height:..." target="_blank">
```

## Failing Anchors



Et opslag delt af Ro Chokolade (@rochokolade)

```
<a href="https://www.instagram.com/p/CM4xDGBK8g-/?utm_source=ig_embed&utm_campaign=" style=" color: #c9c8cd; font-family: ..." target="_blank">
```

Vis dette opslag på Instagram

```
<a href="https://www.instagram.com/p/CJncPYjjYxn/?utm_source=ig_embed&utm_campaign=" style=" background: #ffffff; line-height:..." target="_blank">
```

Et opslag delt af Ro Chokolade (@rochokolade)

```
<a href="https://www.instagram.com/p/CJncPYjjYxn/?utm_source=ig_embed&utm_campaign=" style=" color: #c9c8cd; font-family: ..." target="_blank">
```

Vis dette opslag på Instagram

```
<a href="https://www.instagram.com/p/CPaT4DCKszK/?utm_source=ig_embed&utm_campaign=" style=" background: #ffffff; line-height:..." target="_blank">
```

Et opslag delt af Ro Chokolade (@rochokolade)

```
<a href="https://www.instagram.com/p/CPaT4DCKszK/?utm_source=ig_embed&utm_campaign=" style=" color: #c9c8cd; font-family: ..." target="_blank">
```

Vis dette opslag på Instagram

```
<a href="https://www.instagram.com/p/COh4mRuKs1B/?utm_source=ig_embed&utm_campaign=" style=" background: #ffffff; line-height:..." target="_blank">
```

Et opslag delt af Ro Chokolade (@rochokolade)

```
<a href="https://www.instagram.com/p/COh4mRuKs1B/?utm_source=ig_embed&utm_campaign=" style=" color: #c9c8cd; font-family: ..." target="_blank">
```

## General

### ▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

[Show 3rd-party resources \(0\)](#)

#### Source      Description

js/login.js:1 Failed to load resource: the server responded with a status of 404 ()

js/login.js:1 Failed to load resource: the server responded with a status of 404 ()

index.html: Refused to display 'https://www.instagram.com/' in a frame because it set 'X-Frame-Options' to 'sameorigin'.  
1

index.html: Refused to display 'https://www.instagram.com/' in a frame because it set 'X-Frame-Options' to 'sameorigin'.  
1

index.html: Refused to display 'https://www.instagram.com/' in a frame because it set 'X-Frame-Options' to 'sameorigin'.  
1

### ▲ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Show 3rd-party resources (0)

#### Issue type

##### Mixed content

- ...Index/magnus\_6.webp (funchmedia.dk)
- ...indhold/splashvideo\_poster.PNG (designbymagnus.dk)
- ...Index/magnus\_4.svg (funchmedia.dk)
- ...Shop/Ro-10.webp (funchmedia.dk)
- ...Shop/Ro-28.webp (funchmedia.dk)
- ...Shop/done.webp (funchmedia.dk)
- ...Index/magnus\_1.webp (funchmedia.dk)
- ...Index/magnus\_7.webp (funchmedia.dk)
- ...Index/magnus\_3.webp (funchmedia.dk)
- ...Index/magnus\_2.webp (funchmedia.dk)

##### SameSite cookie

- /embed.js (www.instagram.com)
- ...EmbedSDK.js/58b07fec4121.js (www.instagram.com)
- ...CPVr59zIL\_-/embed?cr=... (www.instagram.com)
- ...COpGKZ1KWbe/embed?cr=... (www.instagram.com)
- ...CM4xDGBK8g-/embed?cr=... (www.instagram.com)
- /accounts/login/ (www.instagram.com)
- /accounts/login/ (www.instagram.com)
- /accounts/login/ (www.instagram.com)

#### Passed audits (13)



##### Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more](#).

##### Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more](#).

##### Avoids front-end JavaScript libraries with known security vulnerabilities



Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more](#).

##### Allows users to paste into password fields



Preventing password pasting undermines good security policy. [Learn more](#).

##### Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more.](#)

Serves images with appropriate resolution ^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn more.](#)

Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more.](#)

Properly defines charset ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more.](#)

Avoids `unload` event listeners ^

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the `pagehide` or `visibilitychange` events instead. [Learn more](#)

Avoids Application Cache ^

Application Cache is deprecated. [Learn more.](#)

Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more.](#)

Avoids deprecated APIs ^

Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

Page has valid source maps ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more.](#)

## Not applicable (1) ^

Fonts with `font-display: optional` are preloaded ^

Preload `optional` fonts so first-time visitors may use them. [Learn more](#)



## SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more.](#)

**Content Best Practices** — Format your HTML in a way that enables crawlers to better understand your app's content.

▲ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more.](#)

**Crawling and Indexing** — To appear in search results, crawlers need access to your app.

▲ Page is blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

Blocking Directive Source

```
<meta name="robots" content="noindex" />
```

**Additional items to manually check (1)** — Run these additional validators on your site to check additional SEO best practices. ^

Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

**Passed audits (10)** ^

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

Add a '`<meta name="viewport">`' tag to optimize your app for mobile screens. [Learn more.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Links are crawlable ^

Search engines may use 'href' attributes on links to crawl websites. Ensure that the 'href' attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Document has a valid `hreflang` ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document uses legible font sizes — [88.12% legible text](#)

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text  $\geq 12\text{px}$ . [Learn more.](#)

[Show 3rd-party resources \(0\)](#)

Source	Selector	% of Page Text	Font Size
mutual.css:80	p	11.88%	9.6px
Legible text		88.12%	$\geq 12\text{px}$

Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)

Tap targets are sized appropriately — [100% appropriately sized tap targets](#)

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more.](#)

## Not applicable (2)

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more.](#)

Document has a valid [rel=canonical](#)

Canonical links suggest which URL to show in search results. [Learn more.](#)

## Runtime Settings

**URL** <https://optimistic-borg-08a66d.netlify.app/index.html>

**Fetch Time** Jun 2, 2021, 9:56 AM GMT+2

**Device** Emulated Moto G4

**Network throttling** 150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)

**CPU throttling** 4x slowdown (Simulated)

**Channel** devtools

**User agent (host)** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4430.212 Safari/537.36

**User agent (network)**

Mozilla/5.0 (Linux; Android 7.0; Moto G (4)) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4420.0 Mobile Safari/537.36 Chrome-Lighthouse

**CPU/Memory Power**

2410

**Axe version**

4.1.2

Generated by **Lighthouse** 7.2.0 | [File an issue](#)

## Test 1

Grøn: Undersøges af experten

Rød: Undersøges af dem der har lavet sitet

Hvilken Heuristik?	Hvad er problemet?	På hvilken side? (URL)	Hvor alvorligt er det? (Kategori)	Hvordan kan det løses?	Hvor lang tid vil det tage?
Visibility of system status	Hover effekt-farven i nav og knapper er ikke ens. (Prøvede virkelig at finde noget)	Alle sider	2	Sætte alle farver ens, sætte samme css på knapperne	20 min
Visibility of system status	Ved tryk på logoet i nav ryger man ikke til forsiden, men til en anden side?	Alle sider	0	Skal ikke rettes, da udsagnet ikke passer	0
Consistency and standards	Menuen "Shop i nav" har H1'eren "Webshop". Det hænger ikke sammen	Shop	1	H1 skal fernes	5 min
Consistency and standards	Der bliver brugt samme billede til både Åbne kurser og Gruppe kurser	Forsiden	1	Ekstra besøg hos virksomheden, hvor der så kan skydes billeder af selve kurset.	3 timer
Visibility of system status	Størrelsen mellem P-tekst og img er ikke sammenhængende. Teksten er alt for lang i forhold til billedets størrelse	Om ro	3	Ændre font-size	30 min

Visibility of system status	Der mangler en differentiering i overskrift og p-tekst i footeren. Alt står i sammen font, farve, weight og størrelse.	Alle	3	Ændre font, size, weight og farve	1 time
Visibility of system status	Under webshoppen, så mangler jeg noget hover-feedback når jeg holder musen over de forskellige produkter/billeder etc	webshop	1	Sæt hover på	20 min
Visibility of system status	Knappen "Køb" er meget lille i forhold til billedet.	webshop	1	Gøre den større	2 minutter
Visibility of system status	Måske det ville give noget til siden, at tydeligøre sectionskifte ved f.eks. Give hver anden section en svag baggrundsfarve. Det kunne hjælpe op overblik (Måske)	Alle	0	Skal ikke rettes, da det er en del af designet	0

## Test 2

Grøn: Undersøges af experten

Rød: Undersøges af dem der har lavet sitet

Hvilken Heuristik?	Hvad er problemet?	På hvilken side? (URL)	Hvor alvorligt er det? (Kategori)	Hvordan kan det løses?	Hvor lang tid vil det tage?
Consistency and standarts	Billederne i shoppen passer ikke til hinanden og går forbi hinandens linjer	<a href="https://optimistic-borg-08a66d.netlify.app/shop.html">https://optimistic-borg-08a66d.netlify.app/shop.html</a>	3	Bruge samme størrelse billeder, og skabe et bedre grid display	1 time
Consistency and standarts	På forsiden passer billeder ikke sammen på videoen. Måske det er meningen, men det kommer til at se meget voldsomt ud ovenpå sådan en sartfarvede film.	<a href="https://optimistic-borg-08a66d.netlify.app/index.html">https://optimistic-borg-08a66d.netlify.app/index.html</a>	2	Knapperne skal laves om, så de passer til	30 minutter
Visibility of system status	"Shop" i menu linje hedder "webshop" på siden	<a href="https://optimistic-borg-08a66d.netlify.app/shop.html">https://optimistic-borg-08a66d.netlify.app/shop.html</a>	3	Fjerne overskiften	2 min
Visibility of system status	I forlængelse af det punkt ovenfor, mangler jeg måske at kunne se hvilket menupunkt jeg er på	<a href="https://optimistic-borg-08a66d.netlify.app/index.html">https://optimistic-borg-08a66d.netlify.app/index.html</a>	0	Det skal ikke rettes	0

## Test 3

Grøn: Undersøges af experten

Rød: Undersøges af dem der har lavet sitet

Hvilken Heuristik?	Hvad er problemet?	På hvilken side? (URL)	Hvor alvorligt er det? (Kategori)	Hvordan kan det løses?	Hvor lang tid vil det tage?
Aestetics and minimalism	Der mangler mellemrum mellem kanpperne "Køb" og "læg i kurv"	Din kurv	1	Der skal laves mellemrum	1 minut
Consistency and standards	Billederne flugter ikke i siden	shop	1	Det skal fikses	1 time
Status synlighed	Videoerne viser noget andet end Ro chokolade	Ro chokolade	4	Videoen skal laves om	1 minut