

Method	#	Test Description	Sample Input Data	Expected Output	Actual Output	Pass / Fail
calculateTotal	1	Computes a positive value for all denominations.	hund = 4 ten = 2	420.0	420.0	Pass
	2	Computes a negative value for all denominations.	thousand = -33550 hund = -3 ten = -3 one = -6	-33550336.00	-3.3550336E7 (Same mathematical value)	Pass
	3	Inputs both positive and negative values.	fifty = 1 twenty = 1 one = -3	67.0	67.0	Pass
dispense	1	Dispenses item while the slot still has the item stocked.	slot.count = 10 item = new Item("Ube Halaya", 95)	returns item	slot.dispense() == null results to <i>false</i>	Pass
	2	Dispenses item when it is out of stock in the slot.	slot.count = 0 item = new Item("Ube Halaya", 95)	returns null item	slot.dispense() == null results to <i>true</i>	Pass
transact	1	Performs a transaction where payment is equal to price; no change is expected.	payment.total = 25.00 price = 25.00	Change Dispensed: 0.00	Change Dispensed: 0.00	Pass
	2	Performs a transaction where payment is greater than the price; change must be dispensed.	payment.total = 50.00 price = 25.00	Change Dispensed: 25.00	Change Dispensed: 25.00	Pass
	3	Performs a transaction where payment is less than the price; a transaction must not be made.	payment.total = 10.00 price = 25.00	Not enough money inserted! Your payment is returned.	Not enough money inserted! Your payment is returned.	Pass
	4	Performs a transaction where the vending machine cannot produce enough change.	balance.thousand = 0 balance.fiveH = 0 balance.hund = 0 balance.fifty = 0 balance.twenty = 0 balance.ten = 0 balance.five = 0 balance.one = 0	Cannot dispense change! Transaction cancelled! Please replenish the bills and coins of the vending machine!	Cannot dispense change! Transaction cancelled! Please replenish the bills and coins of the vending machine!	Pass
restock	1	Restocks an item with a positive count.	numItems = 10 slot.count = 10	slot.count = 20	slot.count = 20	Pass
	2	Restocks an item with a negative count. <i>This scenario is normally impossible to reach in the program.</i>	numItems = -1 slot.count = 10	slot.count = 10	slot.count = 10	Pass
	3	Restocks an item with a count of zero. <i>This scenario is normally impossible to reach in the program.</i>	numItems = 0 slot.count = 10	slot.count = 10	slot.count = 10	Pass
replenish(denom : float)	1	Replenishes a denomination that is considered legal in the program.	denom = 500	total 500 bills = 50 (max) "500.00 bills replenished!"	total 500 bills = 50 (max) "500.00 bills replenished!"	Pass

	2	Replenishes a denominatoin not allowed by the vending machine. <i>This scenario is normally impossible to reach in the program.</i>	denom = 200	total 200 bills = 0 (there is no 200 denomination) "200.00 bills replenished!"	total 200 bills = 0 (there is no 200 denomination) "200.00 bills replenished!"	Pass
isValidSlot	1	The slot chosen is within the number of slots in the vending machine.	choice = 2	TRUE	TRUE	Pass
	2	The slot chosen is not within the number of slots in the vending machine.	choice = -1	FALSE	FALSE	Pass
printSummary	1	Prints the summary of items sold when items have already been dispensed by the vending machine.	item1.sold = 2 item1.price = 10.00 item2.sold ... item8.sold = 0	Ice cup: 2 sold Total amount collected: Php 20.00	Ice cup: 2 sold Total amount collected: Php 20.00	Pass
	2	Prints the summary of items sold when there are no items sold by the vending machine yet.	item1.sold ... item8.sold = 0	Total amount collected: Php 0.00	Total amount collected: Php 0.00	Pass