



```
corue]#status (m#4:80a?:/q.s) {bggsts}

m#4:80a?:/q.s status.command if ("true") addistress

(2A.5.23.8A8.789.348) [bck.command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/command.com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/com/lines/
                                                               Carest sec- (true) local.config = (245, 23, 068, 789, a48) [lock.command] = Note | Not
                                (bgged: # input.new(c
                                                                                            script src=[true] {?unkno
                                                                              sat:false function logged:#
                                                                                     est sinc= [true] local.config
                                                                              ocham>= (d fg#6 mn4:h61lő
                                code (
                                     seasces deniel // script src=[error]
Punknown) m#4:80a?:/
                                                                                                                                                                                                                                        status. omm
                                                               script src= (true) local.confi
                                                                                                                                                                                                                             (245, 23, 068, 789,
                                                                                                  agged a input false fun
                                                                                                                                                                                                                           n name<img>=spa
                                     multion login credentials (logged:
                                                                                                                                                                                                                        put.new(create))
                                                                                                                                                                                                                            atus?] code < [tr
                                                                                                 // script src= address
                                                                                                                                                                                                                                  t src=[erro
                                                                                                                                                                                                                                                                                                          ici
                           tack.command #>>access:denial //
                                                                                                                                                                                                                                                                                                       statu
                                                                                        icript src=[true]{?unk
                                                                                                                                                                                                                                                                                            onfig sc
                                                                                                                                                                                                                                                                                           onfig sc
                                                                                       #: false function logged: #
                                                                                      true function logged: # inp . [tru
                  (d fg#6 mn4:h61l04y} name<i g> s an a dr s og ed</ri>
[status?] code < [true] # status (m#4:80a?:/q.s) { togget</pre>
// script src = [error] malicious code logged {trigger.a.
// script src = [error] status.command if ("true") adds:
// script src = [error] (245, 23, 068, 789, a48) [lock.command.a.
// script src = (245, 23, 068, 789, a48) [lock.command.a.
                                   (Punknown) m#4:80a7:/q.s statu
                                                                                                                                               24 #) if = frame cing spany (assume
```