

Fancy Beamer — Feature Showcase

Style and Features

Your name

2026

Definition

A **set** S is *finite* if there exists a bijection $S \rightarrow \{1, \dots, n\}$ for some $n \in \mathbb{N}$.

1: Definition (numbered)

Same box, numbered and referenceable.

bluefocus — for key formulas or remarks without a formal label.

$$e^{i\pi} + 1 = 0$$

Theorem

For all $a, b \in \mathbb{R}$:

$$(a + b)^2 = a^2 + 2ab + b^2$$

2: Theorem (numbered)

Counter is shared across all box types.

redfocus — for warnings or anything that demands immediate attention.

Reserve red for critical content, not decoration.

Example

Let $f(x) = x^2$. Then $f'(x) = 2x$, so the slope at $x = 3$ is

$$f'(3) = 6.$$

3: Example (numbered)

Same box, numbered.

greenfocus — for worked examples, intuition, or positive reinforcement.

Exercise

Compute $\int_0^1 x^2 dx$ and verify the answer equals $\frac{1}{3}$.

4: Exercise (numbered)

Same box, numbered.

cyanfocus — for exercises, tasks, or student prompts without a formal label.

Exploration

Pick two vectors $u, v \in \mathbb{R}^2$. Compare $\|u + v\|$ with $\|u\| + \|v\|$.

5: Exploration (numbered)

Same box, numbered.

grayfocus — for open-ended exploration, background remarks, or supplementary context.

Warning and info macros:

-  **Not part of the syllabus**
-  **For your information**
-  **Custom warning in any color**
-  **Custom info in any color**

Math macros:

- Norm: $\|v\| = \sqrt{\langle v, v \rangle}$
- Absolute value: $|x - y| \leq |x| + |y|$
- Combined: $|\langle u, v \rangle| \leq \|u\| \|v\|$ (Cauchy–Schwarz)