



GSFA Online

Updated up to the 48th Session of the Codex Alimentarius Commission (2025)

FOOD CATEGORY DETAILS

Lard, tallow, fish oil, and other animal fats (02.1.3)

Description:

All animal fats and oils should be derived from animals in good health at the time of slaughter and intended for human consumption. Lard is fat rendered from the fatty tissue of swine. Edible beef fat is obtained from fresh bovine fatty tissue covering the abdominal cavity and surrounding the kidney and heart, and from other compact, undamaged fat tissues. Such fresh fat obtained at the time of slaughter is the "killing fat." Prime beef fat (premiere jus or oleo stock) is obtained by low-heat rendering (50-55°C) of killing fat and selected fat trimmings (cutting fat). Secunda beef fat is a product with typical beef fat odor and taste obtained by rendering (60-65°C) and purifying beef fat. Rendered pork fat is fat obtained from the tissue and bones of swine. Edible tallow (dripping) is produced by the rendering of fatty tissue (excluding trimmings and cutting fat), attached muscles and bones of bovine animals or sheep. Fish oils are derived from suitable sources such as herring, sardines, sprat, and anchovies.^{1,2} Other examples include: tallow and partially defatted beef or pork fatty tissue.

This page provides information on the food additive provisions that are acceptable for use in foods conforming to the food category.

This food category is listed in the **Annex to Table 3**. Unless specifically indicated below, food additive provisions implied by **Table 3** do not automatically apply to this category.

GSFA Provisions for Food Category 02.1.3

INS No.	Food Additive or Group	Max Level	Notes	Defined In
	ASCORBYL ESTERS	500 mg/kg	Note 526 Note 10	02.1.3
160b(i)	Annatto extracts, bixin-based	10 mg/kg	Note XS329 Note 512 Note 8	02.1.3
300	Ascorbic acid, L-	GMP	Note XS211 Note XS19	02.1.3
320	Butylated hydroxyanisole (BHA)	200 mg/kg	Note 516 Note 15 Note 130	02.1.3
321	Butylated hydroxytoluene (BHT)	200 mg/kg	Note 516 Note 15 Note 130	02.1.3
	CAROTENES, BETA-	10 mg/kg	Note 518 Note 344 Note XS329 Note 341	02.1.3
160a(ii)	beta-Carotenes, vegetable	10 mg/kg	Note 518 Note 344 Note XS329 Note 341	02.1.3
330	Citric acid	GMP		02.1.3
472c	Citric and fatty acid esters of glycerol	100 mg/kg	Note 521	02.1.3
100(i)	Curcumin	5 mg/kg	Note XS329 Note 512	02.1.3
472e	Diacetyltartaric and fatty acid esters of glycerol	10,000 mg/kg	Note XS211 Note XS19	02.1.3
143	Fast green FCF	GMP	Note XS19 Note XS329 Note XS211	02.1.3
314	Guaiac resin	1,000 mg/kg	Note XS211	02.1.3

INS No. ▼	Food Additive or Group ▼	Max Level ▼	Notes ▼	Defined In ▼
			Note XS19	
384	Isopropyl citrates	200 mg/kg	Note 521	02.1.3
322(i)	Lecithin	GMP		02.1.3
471	Mono- and di-glycerides of fatty acids	GMP	Note 525	02.1.3
	POLYSORBATES	5,000 mg/kg	Note 102 Note XS19 Note XS211	02.1.3
900a	Polydimethylsiloxane	10 mg/kg	Note XS211 Note 523	02.1.3
310	Propyl gallate	200 mg/kg	Note 516 Note 15 Note 130	02.1.3
477	Propylene glycol esters of fatty acids	10,000 mg/kg	Note XS211 Note XS19	02.1.3
331(i)	Sodium dihydrogen citrate	GMP	Note 522 Note XS329	02.1.3
484	Stearyl citrate	GMP	Note XS211 Note XS19	02.1.3
110	Sunset yellow FCF	300 mg/kg	Note XS19 Note XS329 Note XS211	02.1.3
	THIODIPROPIONATES	200 mg/kg	Note 46 Note XS211	02.1.3
	TOCOPHEROLS	300 mg/kg	Note 527	02.1.3
319	Tertiary butylhydroquinone (TBHQ)	200 mg/kg	Note 516 Note 15 Note 130	02.1.3
333(iii)	Tricalcium citrate	GMP	Note 507 Note XS211	02.1.3
332(ii)	Tripotassium citrate	GMP	Note 507 Note XS211	02.1.3
331(iii)	Trisodium citrate	GMP	Note 522 Note XS329	02.1.3

Items in uppercase (e.g. **PHOSPHATES**) refer to food additive groups.

1. Food Chemistry, H.-D. Belitz & W. Grosch, Springer-Verlag, Heidelberg, 1987, pp. 472-476.
2. Standard for Named Animal Fats (CODEX STAN 211-1999).

printer-friendly version

[GSFA Home](#) [Food Categories](#) [Food Additives](#) [Search](#) [Functional Classes](#) [Glossary](#)

© FAO and WHO 2026