talend

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	POC_DataCloud	GENERATION DATE	8 feb. 2024 15:17:21
AUTHOR		Talend Cloud VERSION	8.0.1.20231017_1026-patch

Summary

Project Description
Descripción
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Propiedades	Valores
Nombre	POC_DataCloud
Lenguaje	java

Descripción	

Descripción

Propiedades	Valores
Nombre	ods_trans_to_dwh_FACT_MOV_COST
Autor	
Versión	0.1
Purpose	Transform data to table FACT_MOV_COST
Estado	
Descripción	Transform data to table FACT_MOV_COST
Creación	31 ene. 2024 16:26:03
Modification	6 feb. 2024 15:24:59

Preview Picture

Settings

Extra settings

Nombre	Valor
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Estado & Logs

Nombre	Valor

Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextoDefault

Nombre	Prompt	Need Prompt?	Tipo	Valor	Orígen

Component List

Component Name	Component Type

tELTInput_1	tELTInput
tELTInput_2	tELTInput
tELTMap_1	tELTMap
tELTOutput_1	tELTOutput
tELTOutput_2	tELTOutput

Components Description

Componente   tELTInput

	UNIQUE NAME	tELTInput_1	INPUT(S)	none
	Etiqueta	FACT_MOV_COST	OUTPUT(S)	tELTMap_1

Component Parameters:

Propiedades	Valores
Unique Name	tELTInput_1
Component Name	tELTInput
Versión	0.102 (ALPHA)
Familia	ELT/Map/DB_JDBC
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tELTInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20231027_1100-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Esquema	Built-In
Default Table Name	"FACT_MOV_COST"
Default Schema Name	"DWH"
Mapping	snowflake_id
Label format	FACT_MOV_COST
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false

Validation Rule Type	

Schema for FACT_MOV_COST :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
DOCUMENT_NUMBER	false	VARCHAR	30		true	
DOCUMENT_YEAR	false	VARCHAR	12		true	
DATE_POSITION	false	VARCHAR	24		true	
MOVEMENT_TYPE	false	VARCHAR	9		true	
MATERIAL_NUMBER	false	VARCHAR	54		true	
PLANT	false	VARCHAR	12		true	
STORAGE_LOCATION_ID	false	VARCHAR	12		true	
BATCH_ID	false	VARCHAR	30		true	
PURCHASE_ORDER	false	VARCHAR	30		true	
VENDOR	false	VARCHAR	30		true	
COST_CENTER	false	VARCHAR	30		true	
REASON_CODE	false	VARCHAR	12		true	
RAW_MATERIAL	false	DECIMAL	15	2	true	
AUXILIARY_MATERIAL	false	DECIMAL	15	2	true	
PACKAGIN_MATERIAL	false	DECIMAL	15	2	true	

OTHER_MATERIALS	false	DECIMAL	15	2	true	
MATERIAL_COST	false	DECIMAL	15	2	true	
DIRECT_LABOUR	false	DECIMAL	15	2	true	
MACHINE_COSTS	false	DECIMAL	15	2	true	
INDUSTRIAL_PRODUCTION	false	DECIMAL	15	2	true	
CLEANING	false	DECIMAL	15	2	true	
INDUSTRIAL_MAINTENANCE	false	DECIMAL	15	2	true	
QUALITY_LAB	false	DECIMAL	15	2	true	
PROCUREMENT	false	DECIMAL	15	2	true	
ENGINEERING_HSE_SECAD	false	DECIMAL	15	2	true	
OTHER_MANUFACTURING_OH	false	DECIMAL	15	2	true	
FINANCIAL_EXPENSES	false	DECIMAL	15	2	true	
TOTAL_V_A	false	DECIMAL	15	2	true	
INDUSTRIAL_COST	false	DECIMAL	15	2	true	
TIMESTAMP	false	DATETIME			true	
QUANTITY	false	DECIMAL	13	3	true	
UNIT_MEASURE	false	VARCHAR	9		true	

ORDER_NUMBER	false	VARCHAR	36		true	
SW_PURCHASE_ORDER	false	INT	1		true	
SAP_ITEM	false	VARCHAR	15		true	
PK_FACT_SUPPLY_MOV_COST	true	VARCHAR	150		false	
LOAD_DATE	false	DATETIME			true	

Original Function Parameters:
Componente   tELTInput

	UNIQUE NAME	tELTInput_2	INPUT(S)	none
	Etiqueta	FACT_ZZZE_MOV_COST	OUTPUT(S)	tELTMap_1

Component Parameters:

Propiedades	Valores
Unique Name	tELTInput_2
Component Name	tELTInput
Versión	0.102 (ALPHA)
Familia	ELT/Map/DB_JDBC
Startable	false
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tELTInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20231027_1100-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Esquema	Built-In
Default Table Name	"FACT_ZZZE_MOV_COST"
Default Schema Name	"ODS"
Mapping	snowflake_id
Label format	FACT_ZZZE_MOV_COST
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	

Schema for FACT_ZZZE_MOV_COST :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
MANDT	false	VARCHAR	50		true	
WERKS	false	VARCHAR	50		true	
MONAT	false	VARCHAR	50		true	
BDATJ	false	VARCHAR	50		true	
LGORT	false	VARCHAR	50		true	
MATNR	false	VARCHAR	50		true	
BUDAT	false	VARCHAR	50		true	
CHARG	false	VARCHAR	50		true	
AUFNR	false	VARCHAR	50		true	
LIFNR	false	VARCHAR	50		true	
EBELN	false	VARCHAR	50		true	
EBELP	false	VARCHAR	50		true	
BWART	false	VARCHAR	50		true	
MBLNR	false	VARCHAR	50		true	
GJAHR	false	VARCHAR	50		true	
KOSTL	false	VARCHAR	50		true	

GRUND	false	VARCHAR	50		true	
MENGE	false	DECIMAL	38		true	
MEINS	false	VARCHAR	50		true	
CCS010_T	false	DECIMAL	38		true	
CCS020_T	false	DECIMAL	38		true	
CCS030_T	false	DECIMAL	38		true	
CCS032_T	false	DECIMAL	38		true	
MAT_TOTAL	false	DECIMAL	38		true	
CCS040_T	false	DECIMAL	38		true	
CCS050_T	false	DECIMAL	38		true	
CCS060_T	false	DECIMAL	38		true	
CCS070_T	false	DECIMAL	38		true	
CCS080_T	false	DECIMAL	38		true	
CCS090_T	false	DECIMAL	38		true	
CCS100_T	false	DECIMAL	38		true	
CCS110_T	false	DECIMAL	38		true	
CCS120_T	false	DECIMAL	38		true	

CCS130_T	false	DECIMAL	38		true	
VA_TOTAL	false	DECIMAL	38		true	
IND_TOTAL	false	DECIMAL	38		true	
SHKZG	false	VARCHAR	50		true	
PK_FACT_ZZZE_MOV_COST	true	VARCHAR	150		false	
LOAD_DATE	false	DATETIME			true	

Original Function Parameters:
Componente   tELTOutput

	UNIQUE NAME	tELTOutput_1	INPUT(S)	tELTMap_1
	Etiqueta	Delete old rows	OUTPUT(S)	none

Component Parameters:

Propiedades	Valores
Unique Name	tELTOutput_1
Component Name	tELTOutput
Versión	0.102 (ALPHA)
Familia	ELT/Map/DB_JDBC
Startable	false
SUBTREE_START	false
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tELTOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20231027_1100-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Action on table	NONE
!!!CREATE_TABLE_TYPE.NAME!!!	SET
Action on data	DELETE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use WHERE conditions table	false
WHERE clauses (for UPDATE and DELETE only)	"1=1"
WHERE_CONDITIONS_TABLE	[]
Default Table Name	"FACT_MOV_COST"
Default Schema Name	"dwh"

Table name from connection name is variable	false
Use different table name	false
Table name	""
Partition	""
Mapping	snowflake_id
Use update statement without subqueries	false
Clause SET	[{SCHEMA_COLUMN=PK_FACT_SUPPLY_MOV_COST, UPDATE_COLUMN=true}]
Label format	Delete old rows
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	

Schema for FACT_MOV_COST :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
PK_FACT_SUPPLY_MOV_COST	true	VARCHAR	150		false	

Original Function Parameters:
Componente   tELTOutput

ELT	UNIQUE NAME	tELTOutput_2	INPUT(S)	tELTMap_1

Etiqueta	Insert new rows	OUTPUT(S)	none

Component Parameters:

Propiedades	Valores
Unique Name	tELTOutput_2
Component Name	tELTOutput
Versión	0.102 (ALPHA)
Familia	ELT/Map/DB_JDBC
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tELTOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20231027_1100-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Action on table	NONE
!!!CREATE_TABLE_TYPE.NAME!!!	SET
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use WHERE conditions table	false
WHERE clauses (for UPDATE and DELETE only)	"1=1"
WHERE_CONDITIONS_TABLE	[]
Default Table Name	"FACT_MOV_COST"
Default Schema Name	"dwh"
Table name from connection name is variable	false
Use different table name	false
Table name	""
Partition	""
Mapping	snowflake_id
Use update statement without subqueries	false

Clause SET	[{SCHEMA_COLUMN=DOCUMENT_NUMBER, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=DOCUMENT_YEAR, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=DATE_POSITION, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=MOVEMENT_TYPE, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=MATERIAL_NUMBER, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=PLANT, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=STORAGE_LOCATION_ID, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=BATCH_ID, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=PURCHASE_ORDER, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=VENDOR, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=COST_CENTER, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=REASON_CODE, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=RAW_MATERIAL, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=AUXILIARY_MATERIAL, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=PACKAGIN_MATERIAL, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=OTHER_MATERIALS, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=MATERIAL_COST, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=DIRECT_LABOUR, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=MACHINE_COSTS, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=INDUSTRIAL_PRODUCTION, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=CLEANING, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=INDUSTRIAL_MAINTENANCE, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=QUALITY_LAB, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=PROCUREMENT, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=ENGINEERING_HSE_SECAD, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=OTHER_MANUFACTURING_OH, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=FINANCIAL_EXPENSES, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=TOTAL_V_A, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=INDUSTRIAL_COST, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=TIMESTAMP, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=QUANTITY, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=UNIT_MEASURE, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=ORDER_NUMBER, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=SW_PURCHASE_ORDER, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=SAP_ITEM, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=PK_FACT_SUPPLY_MOV_COST, UPDATE_COLUMN=true}, {SCHEMA_COLUMN=LOAD_DATE, UPDATE_COLUMN=true}]
Label format	Insert new rows
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	

Schema for FACT_MOV_COST :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario

DOCUMENT_NUMBER	false	VARCHAR	30		true	
DOCUMENT_YEAR	false	VARCHAR	12		true	
DATE_POSITION	false	VARCHAR	24		true	
MOVEMENT_TYPE	false	VARCHAR	9		true	
MATERIAL_NUMBER	false	VARCHAR	54		true	
PLANT	false	VARCHAR	12		true	
STORAGE_LOCATION_ID	false	VARCHAR	12		true	
BATCH_ID	false	VARCHAR	30		true	
PURCHASE_ORDER	false	VARCHAR	30		true	
VENDOR	false	VARCHAR	30		true	
COST_CENTER	false	VARCHAR	30		true	
REASON_CODE	false	VARCHAR	12		true	
RAW_MATERIAL	false	DECIMAL	15	2	true	
AUXILIARY_MATERIAL	false	DECIMAL	15	2	true	
PACKAGIN_MATERIAL	false	DECIMAL	15	2	true	
OTHER_MATERIALS	false	DECIMAL	15	2	true	
MATERIAL_COST	false	DECIMAL	15	2	true	

DIRECT_LABOUR	false	DECIMAL	15	2	true	
MACHINE_COSTS	false	DECIMAL	15	2	true	
INDUSTRIAL_PRODUCTION	false	DECIMAL	15	2	true	
CLEANING	false	DECIMAL	15	2	true	
INDUSTRIAL_MAINTENANCE	false	DECIMAL	15	2	true	
QUALITY_LAB	false	DECIMAL	15	2	true	
PROCUREMENT	false	DECIMAL	15	2	true	
ENGINEERING_HSE_SECAD	false	DECIMAL	15	2	true	
OTHER_MANUFACTURING_OH	false	DECIMAL	15	2	true	
FINANCIAL_EXPENSES	false	DECIMAL	15	2	true	
TOTAL_V_A	false	DECIMAL	15	2	true	
INDUSTRIAL_COST	false	DECIMAL	15	2	true	
TIMESTAMP	false	DATETIME			true	
QUANTITY	false	DECIMAL	13	3	true	
UNIT_MEASURE	false	VARCHAR	9		true	
ORDER_NUMBER	false	VARCHAR	36		true	
SW_PURCHASE_ORDER	false	INT	1		true	

SAP_ITEM		false	VARCHAR	15		true	
PK_FACT_SUPPLY_MOV_COST	true		VARCHAR	150		false	
LOAD_DATE		false	DATETIME			true	

Original Function Parameters:
Componente   tELTMap

	UNIQUE NAME	tELTMap_1	INPUT(S)	tELTInput_2 , tELTInput_1
	Etiqueta	DWH transformations	OUTPUT(S)	tELTOutput_1 , tELTOutput_2

Mapper table for tELTMap_1 (input):

Mapper table Properties (A):

Propiedades	Valores
Nombre	A
Table Name	ODS.FACT_ZZZE_MOV_COST
Alias	A
Join Type	NO_JOIN
isMinimized	false

Metadata Table Entries(A):

Nombre	Expresión	Operador	isJoin

MANDT			false
WERKS			false
MONAT			false
BDATJ			false
LGORT			false
MATNR			false
BUDAT			true
CHARG			false
AUFNR			false
LIFNR			false
EBELN			true
EBELP			true
BWART			false
MBLNR			false
GJAHR			false
KOSTL			false
GRUND			false

MENGE			false
MEINS			false
CCS010_T			false
CCS020_T			false
CCS030_T			false
CCS032_T			false
MAT_TOTAL			false
CCS040_T			false
CCS050_T			false
CCS060_T			false
CCS070_T			false
CCS080_T			false
CCS090_T			false
CCS100_T			false
CCS110_T			false
CCS120_T			false
CCS130_T			false

VA_TOTAL			false
IND_TOTAL			false
SHKZG			false
PK_FACT_ZZZE_MOV_COST			true
LOAD_DATE			false

Custom Conditions Entries(A):

Nombre	Expresión	Operador	isJoin

Mapper table Properties (B):

Propiedades	Valores
Nombre	B
Table Name	DWH.FACT_MOV_COST
Alias	B
Join Type	LEFT_OUTER_JOIN
isMinimized	false

Metadata Table Entries(B):

Nombre	Expresión	Operador	isJoin
DOCUMENT_NUMBER			false
DOCUMENT_YEAR			false

DATE_POSITION			false
MOVEMENT_TYPE			false
MATERIAL_NUMBER			false
PLANT			false
STORAGE_LOCATION_ID			false
BATCH_ID			false
PURCHASE_ORDER			false
VENDOR			false
COST_CENTER			false
REASON_CODE			false
RAW_MATERIAL			false
AUXILIARY_MATERIAL			false
PACKAGIN_MATERIAL			false
OTHER_MATERIALS			false
MATERIAL_COST			false
DIRECT_LABOUR			false
MACHINE_COSTS			false

INDUSTRIAL_PRODUCTION			false
CLEANING			false
INDUSTRIAL_MAINTENANCE			false
QUALITY_LAB			false
PROCUREMENT			false
ENGINEERING_HSE_SECAD			false
OTHER_MANUFACTURING_OH			false
FINANCIAL_EXPENSES			false
TOTAL_V_A			false
INDUSTRIAL_COST			false
TIMESTAMP			false
QUANTITY			false
UNIT_MEASURE			false
ORDER_NUMBER			false
SW_PURCHASE_ORDER			false
SAP_ITEM			false
PK_FACT_SUPPLY_MOV_COST	A.PK_FACT_ZZZE_MOV_COST	=	true

LOAD_DATE			false

Custom Conditions Entries(B):

Nombre	Expresión	Operador	isJoin

Mapper table for tELTMap_1 (output):

Mapper table Properties (table1):

Propiedades	Valores
Nombre	table1
Table Name	FACT_MOV_COST
Alias	
Join Type	
isMinimized	false

Metadata Table Entries(table1):

Nombre	Expresión	Operador	isJ
PK_FACT_SUPPLY_MOV_COST	HASH(TO_VARIANT(A.MBLNR) || TO_VARIANT(A.GJAHR) || TO_VARIANT(A.BUDAT) || TO_VARIANT(CASE WHEN (A.BWART IN ('122', '123', '161', '162') AND COALESCE(TRIM(A.EBELN), -1) <> '-1') THEN A.BWART ELSE A.BWART END) || TO_VARIANT(A.MATNR) || TO_VARIANT(A.WERKS) || TO_VARIANT(COALESCE(NULLIF(TRIM(A.LGORT), ''), '0000')) || TO_VARIANT(COALESCE(NULLIF(TRIM(A.CHARG), ''), '0')))		fal

Custom Conditions Entries(table1):

Nombre	Expresión	Operador	isJoin

Mapper table Properties (table2):

Propiedades	Valores
Nombre	table2
Table Name	FACT_MOV_COST
Alias	
Join Type	
isMinimized	false

Metadata Table Entries(table2):

Nombre	Expresión	Operador	isJ
DOCUMENT_NUMBER	A.MBLNR		fal
DOCUMENT_YEAR	A.GJAHR		fal
DATE_POSITION	A.BUDAT		fal
MOVEMENT_TYPE	A.BWART		fal
MATERIAL_NUMBER	A.MATNR		fal
PLANT	A.WERKS		fal
STORAGE_LOCATION_ID	COALESCE(NULLIF(TRIM(A.LGORT), ''), '0000')		fal
BATCH_ID	COALESCE(NULLIF(TRIM(A.CHARG), ''), '0')		fal
PURCHASE_ORDER	MAX(A.EBELN)		fal

VENDOR	A.LIFNR		fal
COST_CENTER	MAX(A.KOSTL)		fal
REASON_CODE	A.GRUND		fal
RAW_MATERIAL	sum(A.CCS010_T)		fal
AUXILIARY_MATERIAL	sum(A.CCS020_T)		fal
PACKAGIN_MATERIAL	sum(A.CCS030_T)		fal
OTHER_MATERIALS	sum(A.CCS032_T)		fal
MATERIAL_COST	sum(A.MAT_TOTAL)		fal
DIRECT_LABOUR	sum(A.CCS040_T)		fal
MACHINE_COSTS	sum(A.CCS050_T)		fal
INDUSTRIAL_PRODUCTION	sum(A.CCS060_T)		fal
CLEANING	sum(A.CCS070_T)		fal
INDUSTRIAL_MAINTENANCE	sum(A.CCS080_T)		fal
QUALITY_LAB	sum(A.CCS090_T)		fal
PROCUREMENT	sum(A.CCS100_T)		fal
ENGINEERING_HSE_SECAD	sum(A.CCS110_T)		fal
OTHER_MANUFACTURING_OH	sum(A.CCS120_T)		fal

FINANCIAL_EXPENSES	sum(A.CCS130_T)			fal
TOTAL_V_A	sum(A.VA_TOTAL)			fal
INDUSTRIAL_COST	sum(A.IND_TOTAL)			fal
TIMESTAMP	current_timestamp()			fal
QUANTITY	Sum(Case When A.SHKZG = 'H' Then A.MENGE * (-1) Else A.MENGE End)			fal
UNIT_MEASURE	Max(A.MEINS)			fal
ORDER_NUMBER	COALESCE(NULLIF(TRIM(A.AUFNR), ''), '0')			fal
SW_PURCHASE_ORDER	CASE WHEN (A.BWART IN ('101', '102') AND COALESCE(NULLIF(TRIM(A.EBELN), ''), -1) = '-1') THEN 0 ELSE 1 END			fal
SAP_ITEM	COALESCE(NULLIF(TRIM(A.EBELP), ''), '0')			fal
PK_FACT_SUPPLY_MOV_COST	HASH(TO_VARIANT(A.MBLNR) || TO_VARIANT(A.GJAHR) || TO_VARIANT(A.BUDAT) || TO_VARIANT(A.BWART) || TO_VARIANT(A.MATNR) || TO_VARIANT(A.WERKS) || TO_VARIANT(COALESCE(NULLIF(TRIM(A.LGORT), ''), '0000')) || TO_VARIANT(COALESCE(NULLIF(TRIM(A.CHARG), ''), '0')))			fal
LOAD_DATE	current_date()			fal

Custom Conditions Entries(table2):

Nombre	Expresión	Operador	isJoin