



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	POC_DataCloud	GENERATION DATE	7 mar. 2024 16:31:49
AUTHOR		Talend Cloud VERSION	8.0.1.20231017_1026-patch

Summary

[Project Description](#)

[Descripción](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


Propiedades	Valores
Nombre	POC_DataCloud
Lenguaje	java

Descripción	
-------------	--

Descripción

Propiedades	Valores
Nombre	ext_src_to_stg_FACT_MSEG
Autor	
Versión	0.1
Purpose	extract data from MSEG
Estado	
Descripción	Extract data from MSEG SAP table
Creación	22 ene. 2024 11:47:16
Modification	23 feb. 2024 10:18:52

Preview Picture



Settings

Extra settings

Nombre	Valor
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Estado & Logs

Nombre	Valor
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false

On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextoDefault

Nombre	Prompt	Need Prompt?	Tipo	Valor	Origen
last_loaded_year	last_loaded_year?	false	id_String		


Component List

Component Name	Component Type
tDBInput_1	tOracleInput
tDBInput_2	tSnowflakeInput
tDBOutput_1	tSnowflakeOutput

tDBRow_1	tSnowflakeRow
tJavaRow_1	tJavaRow
tMap_1	tMap
tWarn_1	tWarn

Components Description

Componente tOracleInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	tJavaRow_1
	Etiqueta	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Propiedades	Valores
Database	tOracleInput
Unique Name	tDBInput_1
Component Name	tOracleInput
Versión	0.102 (ALPHA)
Familia	Databases/DB Specifics/Oracle
Inicio	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tOracleInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20231027_1100-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (ORACLE_SERVICE_NAME):SAPOracleConnection
Usar una conexión existente	false
Component List	
Connection Type	ORACLE_SERVICE_NAME
DB Version	ORACLE_18
Url	"10.146.44.63"
Host	"10.146.44.63"
Controlador de base de datos	ORACLE_SERVICE_NAME
Puerto	"1527"
Database	"QEC"

Local Service Name	"QEC"
Oracle schema	""
Nombre de usuario	"QEC_USR_READ"
Contraseña	*****
Url	"jdbc:oracle:oci:/@talend"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Esquema	repository: DB (ORACLE_SERVICE_NAME):SAPOracleConnection - MSEG
Table Name	"MSEG"
Query Type	Built-In
Guess Schema	""
Query	"SELECT SAPSR3.MSEG.MANDT, SAPSR3.MSEG.MBLNR, SAPSR3.MSEG.MJAHR, SAPSR3.MSEG.ZEILE, SAPSR3.MSEG.BWART, SAPSR3.MSEG.MATNR, SAPSR3.MSEG.WERKS, SAPSR3.MSEG.LGORT, SAPSR3.MSEG.CHARG, SAPSR3.MSEG.SOBKZ, SAPSR3.MSEG.LIFNR, SAPSR3.MSEG.KUNNR, SAPSR3.MSEG.SHKZG, SAPSR3.MSEG.WAERS, SAPSR3.MSEG.DMBTR, SAPSR3.MSEG.BNBTR, SAPSR3.MSEG.MENGE, SAPSR3.MSEG.MEINS, SAPSR3.MSEG.ERFMG, SAPSR3.MSEG.ERFME, SAPSR3.MSEG.EBELN, SAPSR3.MSEG.EBELP, SAPSR3.MSEG.SGTXT, SAPSR3.MSEG.WEMPF, SAPSR3.MSEG.KOSTL, SAPSR3.MSEG.AUFNR, SAPSR3.MSEG.BUKRS, SAPSR3.MSEG.GRUND, SAPSR3.MSEG.SAKTO, SAPSR3.MSEG.BUSTW, SAPSR3.MSEG.\"/CWM/MENGE\", SAPSR3.MSEG.\"/CWM/MEINS\" FROM SAPSR3.MSEG WHERE MANDT = '200' and MJAHR >='"+context.last_loaded_year+"'"
Specify a data source alias	false
Data source alias	""
Mapping	oracle_id
Additional JDBC Parameters	""
Convert XMLType To Java Type.	false
CONVERT_XMLTYPE	[]
Codificación	"ISO-8859-15"
Usar cursor	false

Fetch size	1000
Trim all the String/Char columns	false
Trim column	[[{SCHEMA_COLUMN=MANDT, TRIM=false}, {SCHEMA_COLUMN=MBLNR, TRIM=false}, {SCHEMA_COLUMN=MJAHR, TRIM=false}, {SCHEMA_COLUMN=ZEILE, TRIM=false}, {SCHEMA_COLUMN=BWART, TRIM=false}, {SCHEMA_COLUMN=MATNR, TRIM=false}, {SCHEMA_COLUMN=WERKS, TRIM=false}, {SCHEMA_COLUMN=LGORT, TRIM=false}, {SCHEMA_COLUMN=CHARG, TRIM=false}, {SCHEMA_COLUMN=SOBKZ, TRIM=false}, {SCHEMA_COLUMN=LIFNR, TRIM=false}, {SCHEMA_COLUMN=KUNNR, TRIM=false}, {SCHEMA_COLUMN=SHKZG, TRIM=false}, {SCHEMA_COLUMN=WAERS, TRIM=false}, {SCHEMA_COLUMN=DMBTR, TRIM=false}, {SCHEMA_COLUMN=BNBTR, TRIM=false}, {SCHEMA_COLUMN=MENGE, TRIM=false}, {SCHEMA_COLUMN=MEINS, TRIM=false}, {SCHEMA_COLUMN=ERFMG, TRIM=false}, {SCHEMA_COLUMN=ERFME, TRIM=false}, {SCHEMA_COLUMN=EBELN, TRIM=false}, {SCHEMA_COLUMN=EBELP, TRIM=false}, {SCHEMA_COLUMN=SGTXT, TRIM=false}, {SCHEMA_COLUMN=WEMPF, TRIM=false}, {SCHEMA_COLUMN=KOSTL, TRIM=false}, {SCHEMA_COLUMN=AUFNR, TRIM=false}, {SCHEMA_COLUMN=BUKRS, TRIM=false}, {SCHEMA_COLUMN=GRUND, TRIM=false}, {SCHEMA_COLUMN=SAKTO, TRIM=false}, {SCHEMA_COLUMN=BUSTW, TRIM=false}, {SCHEMA_COLUMN=_CWM_MENGE, TRIM=false}, {SCHEMA_COLUMN=_CWM_MEINS, TRIM=false}]]
No null values	false
Support NLS	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	


Schema for MSEG :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
MANDT	false	String	9		false	

MBLNR	false	String	30		false	
MJAHR	false	String	12		false	
ZEILE	false	String	12		false	
BWART	false	String	9		false	
MATNR	false	String	54		false	
WERKS	false	String	12		false	
LGORT	false	String	12		false	
CHARG	false	String	30		false	
SOBKZ	false	String	3		false	
LIFNR	false	String	30		false	
KUNNR	false	String	30		false	
SHKZG	false	String	3		false	
WAERS	false	String	15		false	
DMBTR	false	BigDecimal	13	2	false	
BNBTR	false	BigDecimal	13	2	false	
MENGE	false	BigDecimal	13	3	false	
MEINS	false	String	9		false	

ERFMG	false	BigDecimal	13	3	false	
ERFME	false	String	9		false	
EBELN	false	String	30		false	
EBELP	false	String	15		false	
SGTXT	false	String	150		false	
WEMPF	false	String	36		false	
KOSTL	false	String	30		false	
AUFNR	false	String	36		false	
BUKRS	false	String	12		false	
GRUND	false	String	12		false	
SAKTO	false	String	30		false	
BUSTW	false	String	12		false	
_CWM_MENGE	false	BigDecimal	13	3	false	
_CWM_MEINS	false	String	9		false	

Original Function Parameters:
Componente tSnowflakeInput

	UNIQUE NAME	tDBInput_2	INPUT(S)	none

	Etiqueta	Get Last Load Date	OUTPUT(S)	tJavaRow_1
--	----------	--------------------	-----------	------------

Component Parameters:

Propiedades	Valores
Database	tSnowflakeInput
Unique Name	tDBInput_2
Component Name	tSnowflakeInput
Familia	Cloud/Snowflake
Inicio	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
Help	HELP
Update components	true
IREPORT_PATH	
Property Type	Built-In
Query Type	Built-In
tStatCatcher Statistics	false
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
properties.referencedComponent.displayName	


Account	"zk95112.west-europe.azure"
Authentication Type	BASIC
User Id	*****
Password	*****
Key Alias	""
OAuth token endpoint	""
Client ID	""
Client secret	""
Grant type	CLIENT_CREDENTIALS
OAuth username	""
OAuth password	**
Scope	""
Warehouse	"WH_TALEND"
Schema	"CNF"
Database	"DB_CAMPOFRIO"
Table	""
Schema	{"type":"record","name":"DYNAMIC","fields":[{"name":"LAST_LOADED_DATE","type":"string","taler
Manual Query	true
Guess Schema	
Condition	""
Full SQL query string	"select coalesce(to_variant(TO_CHAR(LAST_COMPLETION, 'YYYY'))::STRING,'2023') as last_loaded_year from DB_CAMPOFRIO.CNF.PROCESS_CONTROL where SOURCE = 'SAP' and OBJECT_NAME = 'MSEG' and ELT_PHASE = 'STG'"

Auto Commit	true
Additional JDBC Parameters	"CLIENT_SESSION_KEEP_ALIVE=TRUE"
Login Timeout	15
Role	"TALEND_COMPUTE"
Region ID (Deprecated)	""
Use unquoted object identifiers	true
REPOSITORY_ALLOW_AUTO_SWITCH	true
Label format	Get Last Load Date
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	

Schema for MAIN :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
LAST_LOADED_DATE	false	String	16777216		false	

Original Function Parameters:
 Componente tSnowflakeOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1
	Etiqueta	FACT_MSEG	OUTPUT(S)	tDBRow_1

Component Parameters:

Propiedades	Valores
Database	tSnowflakeOutput
Unique Name	tDBOutput_1
Component Name	tSnowflakeOutput
Familia	Cloud/Snowflake
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
Help	HELP
Update components	true
IREPORT_PATH	
Property Type	Built-In
Query Type	Built-In
tStatCatcher Statistics	false
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
properties.referencedComponent.displayName	
Account	"zk95112.west-europe.azure"
Authentication Type	BASIC
User Id	*****

Password	*****
Key Alias	""
OAuth token endpoint	""
Client ID	""
Client secret	""
Grant type	CLIENT_CREDENTIALS
OAuth username	""
OAuth password	**
Scope	""
Warehouse	"WH_TALEND"
Schema	"STG"
Database	"DB_CAMPOFRIO"
Table	"FACT_MSEG"
Schema	{ <code>"type": "record", "name": "tDBOutput_1", "fields": [{<code>"name": "MANDT", "type": ["string", "null"]</code>}, {"di.table.cc</code> }
Table Action	TRUNCATE
Output Action	INSERT
Upsert Key Column	MANDT
Die on error	false
Auto Commit	true
Additional JDBC Parameters	""
Login Timeout	15
Role	"TALEND_COMPUTE"

Region ID (Deprecated)	""
Allow Snowflake to convert columns and tables to uppercase (Note: Unquoted identifiers should match the Snowflake Identifier Syntax.)	true
Convert empty strings to null	false
Use schema keys for upsert	true
Use existing database schema as the dynamic schema	false
Custom DB Type	false
DB column type	[]
Use schema date pattern	false
Custom Date type mapping	false
Convert Date values to	DATE
schemaReject.schema	{"type": "record", "name": "rejectOutput", "fields": [{"name": "columnName", "type": "string", "talend.isLoca
REPOSITORY_ALLOW_AUTO_SWITCH	true
Label format	FACT_MSEG
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	


Schema for tDBOutput_1 :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
---------	-------	------	----------	-----------	----------	------------

MANDT	false	String	50		true	
MBLNR	false	String	50		true	
MJAHR	false	String	50		true	
ZEILE	false	String	50		true	
BWART	false	String	50		true	
MATNR	false	String	50		true	
WERKS	false	String	50		true	
LGORT	false	String	50		true	
CHARG	false	String	50		true	
SOBKZ	false	String	50		true	
LIFNR	false	String	50		true	
KUNNR	false	String	50		true	
SHKZG	false	String	50		true	
WAERS	false	String	50		true	
DMBTR	false	BigDecimal	50		true	
BNBTR	false	BigDecimal	50		true	
MENGE	false	BigDecimal	50		true	

MEINS	false	String			true	
ERFMG	false	BigDecimal	50		true	
ERFME	false	String	50		true	
EBELN	false	String	50		true	
EBELP	false	String	50		true	
SGTXT	false	String	50		true	
WEMPF	false	String	50		true	
KOSTL	false	String	50		true	
AUFNR	false	String	50		true	
BUKRS	false	String	50		true	
GRUND	false	String	50		true	
SAKTO	false	String	50		true	
BUSTW	false	String	50		true	
CWM_MENGE	false	BigDecimal	50		true	
CWM_MEINS	false	String	50		true	
LOAD_DATE	false	java.util.Date			true	

Original Function Parameters:
Componente tSnowflakeRow

	UNIQUE NAME	tDBRow_1	INPUT(S)	tDBOutput_1
	Etiqueta	update LAST_COMPLETITION	OUTPUT(S)	tWarn_1

Component Parameters:

Propiedades	Valores
Database	tSnowflakeRow
Unique Name	tDBRow_1
Component Name	tSnowflakeRow
Familia	Cloud/Snowflake
Inicio	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
Help	HELP
Update components	true
IREPORT_PATH	
Property Type	Built-In
Query Type	Built-In
tStatCatcher Statistics	false
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
properties.referencedComponent.displayName	
Account	"zk95112.west-europe.azure"
Authentication Type	BASIC
User Id	"TALEND"
Password	"CampofrioPOC123!"
Key Alias	""
OAuth token endpoint	""
Client ID	""
Client secret	""
Grant type	CLIENT_CREDENTIALS
OAuth username	""
OAuth password	""
Scope	""
Warehouse	"WH_TALEND"
Schema	"CNF"
Database	"DB_CAMPOFRIO"
Table	"PROCESS_CONTROL"
Schema	{ "type": "record", "name": "DYNAMIC", "fields": [{ "name": "number_of_rows_updated", "type": { "type": "string", "java-class": "java.lang.String" } }, { "name": "number_of_multi_joined_rows_updated", "type": { "type": "string", "java-class": "java.lang.String" } }] }
Guess Query	
Guess Schema	


Query	"update DB_CAMPOFRIO.CNF.PROCESS_CONTROL set LAST_COMPLETITION = CURRENT_TIMESTAMP() where SOURCE = 'SAP' and OBJECT_NAME = 'MSEG' and ELT_PHASE = 'STG'"
Die on error	false
Auto Commit	true
Additional JDBC Parameters	""
Login Timeout	15
Role	"TALEND_COMPUTE"
Region ID (Deprecated)	""
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Commit every	10000
schemaFlow.schema	{ "type": "record", "name": "DYNAMIC", "fields": [{ "name": "number_of_rows_updated", "type": { "type": "string", "java-class": "java.lang.Long" }, "required": true }, { "name": "number_of_multi_joined_rows_updated", "type": { "type": "string", "java-class": "java.lang.Long" }, "required": true }] }
schemaReject.schema	{ "type": "record", "name": "rejectOutput", "fields": [{ "name": "number_of_rows_updated", "type": { "type": "string", "java-class": "java.lang.Long" }, "required": true }, { "name": "number_of_multi_joined_rows_updated", "type": { "type": "string", "java-class": "java.lang.Long" }, "required": true }, { "name": "errorCode", "type": "string", "talend.isLocked": "false", "talend.field.generated": "true" }] }
REPOSITORY_ALLOW_AUTO_SWITCH	true
Label format	update LAST_COMPLETITION
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tDBRow_1 :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
number_of_rows_updated	false	BigDecimal	19		false	
number_of_multi_joined_rows_updated	false	BigDecimal	19		false	

Original Function Parameters:
Componente tJavaRow

	UNIQUE NAME	tJavaRow_1	INPUT(S)	tDBInput_2
	Etiqueta	Set variable	OUTPUT(S)	tDBInput_1

Component Parameters:

Propiedades	Valores
Unique Name	tJavaRow_1
Component Name	tJavaRow
Versión	0.101 (ALPHA)
Familia	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false


Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20231027_1100-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Esquema	Built-In
Codigo	//Code generated according to input schema and output schema context.last_loaded_year = input_row.LAST_LOADED_DATE; System.out.println("Last Loaded MSEG: " + context.last_loaded_year);
Import	//import java.util.List;
Label format	Set variable
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow_1 :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
---------	-------	------	----------	-----------	----------	------------

LAST_LOADED_DATE	false	String	16777216		false	
------------------	-------	--------	----------	--	-------	--

Original Function Parameters:
 Componente tWarn

	UNIQUE NAME	tWarn_1	INPUT(S)	tDBRow_1
	Etiqueta	Extraction completed	OUTPUT(S)	none

Component Parameters:

Propiedades	Valores
Unique Name	tWarn_1
Component Name	tWarn
Versión	0.101 (ALPHA)
Familia	Logs_Errors
Inicio	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tWarn
Update components	true
IREPORT_PATH	


JAVA_LIBRARY_PATH	C:\Talend-Studio-20231027_1100-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Warn message	"FACT_MSEG extracted from SAP"
Codigo	10
Priority	3
Esquema	Built-In
Label format	Extraction completed
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comentario	
Use an existing validation rule	false
Validation Rule Type	

Schema for tWarn_1 :

Columna	Clave	Tipo	Longitud	Precision	Nullable	Comentario
number_of_rows_updated	false	BigDecimal	19		false	
number_of_multi_joined_rows_updated	false	BigDecimal	19		false	

Original Function Parameters:

Componente tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tDBInput_1
	Etiqueta	Add LOAD_DATE	OUTPUT(S)	tDBOutput_1

Component Parameters:

Propiedades	Valores
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comentario	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
Mapper table Properties(row1):

Propiedades	Valores
Nombre	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Nombre	Tipo	Expresión	isNullable
MANDT	String		false
MBLNR	String		false
MJAHR	String		false
ZEILE	String		false
BWART	String		false
MATNR	String		false
WERKS	String		false

LGORT	String		false
CHARG	String		false
SOBKZ	String		false
LIFNR	String		false
KUNNR	String		false
SHKZG	String		false
WAERS	String		false
DMBTR	BigDecimal		false
BNBTR	BigDecimal		false
MENGE	BigDecimal		false
MEINS	String		false
ERFMG	BigDecimal		false
ERFME	String		false
EBELN	String		false
EBELP	String		false
SGTXT	String		false
WEMPF	String		false

KOSTL	String		false
AUFNR	String		false
BUKRS	String		false
GRUND	String		false
SAKTO	String		false
BUSTW	String		false
_CWM_MENGE	BigDecimal		false
_CWM_MEINS	String		false

Constraint Table Entries(row1):

Nombre	Tipo	Expresión	isNullable
--------	------	-----------	------------

Mapper table for tMap_1 (output):

Mapper table Properties(outputSnowflake):

Propiedades	Valores
Nombre	outputSnowflake
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(outputSnowflake):

Nombre	Tipo	Expresión	isNullable
MANDT	String	row1.MANDT	true
MBLNR	String	row1.MBLNR	true
MJAHR	String	row1.MJAHR	true
ZEILE	String	row1.ZEILE	true
BWART	String	row1.BWART	true
MATNR	String	row1.MATNR	true
WERKS	String	row1.WERKS	true

LGORT	String	row1.LGORT	true
CHARG	String	row1.CHARG	true
SOBKZ	String	row1.SOBKZ	true
LIFNR	String	row1.LIFNR	true
KUNNR	String	row1.KUNNR	true
SHKZG	String	row1.SHKZG	true
WAERS	String	row1.WAERS	true
DMBTR	BigDecimal	row1.DMBTR	true
BNBTR	BigDecimal	row1.BNBTR	true
MENGE	BigDecimal	row1.MENGE	true
MEINS	String	row1.MEINS	true
ERFMG	BigDecimal	row1.ERFMG	true
ERFME	String	row1.ERFME	true
EBELN	String	row1.EBELN	true
EBELP	String	row1.EBELP	true
SGTXT	String	row1.SGTXT	true
WEMPF	String	row1.WEMPF	true

KOSTL	String	row1.KOSTL	true
AUFNR	String	row1.AUFNR	true
BUKRS	String	row1.BUKRS	true
GRUND	String	row1.GRUND	true
SAKTO	String	row1.SAKTO	true
BUSTW	String	row1.BUSTW	true
CWM_MENGE	BigDecimal	row1._CWM_MENGE	true
CWM_MEINS	String	row1._CWM_MEINS	true
LOAD_DATE	java.util.Date	Var.LOAD_DATE	true

Constraint Table Entries(outputSnowflake):

Nombre	Tipo	Expresión	isNullable
--------	------	-----------	------------

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Propiedades	Valores
Nombre	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Nombre	Tipo	Expresión	isNullable
LOAD_DATE	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(Var):

Nombre	Tipo	Expresión	isNullable
--------	------	-----------	------------