
Deployments



Deployments are all about declarations

```
apiVersion: extensions/v1beta1
kind: Deployment
metadata:
  name: xyz
spec:
  replicas: 4
```

Objects in the -K8sIAPI Pods: Atomic unit of scheduling...


Replication

Controllers : Scale pods, desired state etc...

Deployments: RC + rolling updates, rollbacks...

Services: Stable networking...

Kubernetes Deployments The Theory






- The theory of Deployments
- Create a new Deployment
- Update a Deployment
 - Rolling update and a rollback
- Recap

Updates & Rollbacks





Kubernetes Deployments The Theory

Updates & Rollbacks





CREATING DEPLOYMENT Create deploy.yml with following content apiVersion: extensions/v1beta1 kind: Deployment metadata: name: jenkins-deploy spec: replicas: 2 minReadySeconds: 2 strategy: type: RollingUpdate rollingUpdate: maxUnavailable: 1

maxSurge: 1

metadata:

labels:

template:

CREATING DEPLOYMENT

kubectl create -f deploy.yml
kubectl describe deploy myjavaapp-deploy
kubectl get rs
kubectl describe rs
kubectl get deploy
kubectl delete deploy/myjavaapp-deploy
kubectl delete rs/myjavaapp-deploy-6858bf488c

ROLLING UPDATE TO THE DEPLOYMENT

kubectl apply -f deploy.yml --record

kubectl rollout status deployments myjavaapp-deploy

kubectl get deploy myjavaapp-deploy

kubectl rollout history deployments myjavaapp-deploy

kubectl get rs

UNDO ROLLED back

kubectl describe deploy myjavaapp-deploy

kubectl rollout undo deployment myjavaapp-deploy --to-revision=1

kubectl get deploy

kubectl rollout status deployments myjavaapp-deploy

kubectl rollout history deployments myjavaapp-deploy

For Updating:

kubectl --record deployment.apps/myjavaapp-deploy set image deployment.v1.apps/myjavaapp-deploy myjavaapp-container=maha4iac/myonlineapp25oct21:2

kubectl rollout status deployments myjavaapp-deploy kubectl rollout history deployments myjavaapp-deploy

Rolling Back a Deployment:

kubectl set image deployment.v1.apps/myjavaapp-deploy myjavaapp-container=maha4iac/myonlinebooking:2 --record=true kubectl rollout undo deployment myjavaapp-deploy --to-revision=1

kubectl rollout status deployments myjavaapp-deploy kubectl rollout history deployments myapp-deploy

Scaling a Deployment

kubectl scale deployment.v1.apps/myapp-deploy --replicas=3

Pausing and Resuming a Deployment

kubectl rollout pause deployment.v1.apps/myjavaapp-deploy

kubectl set resources deployment.v1.apps/myjavaapp-deploy -c=myjavaapp-container --limits=cpu=200m, memory=512Mi

kubectl rollout resume deployment.v1.apps/myjavaapp-deploy

horizontal Pod autoscaling: kubectl autoscale deployment.v1.apps/myapp-deploy --min=2 --max=8 --cpu-percent=10 kubectl autoscale deployment myjavaapp-deploy --cpu-percent=10 --min=1 --max=10kubectl get hpa kubectl describe hpa kubectl run -i --tty load-generator --image=busybox /bin/sh while true: do wget -q -o http://myjavaapp-deploy.default.svc.cluster.local: done kubectl delete hpa/myjavaapp-deploy