

TAILOR MANAGEMENT SYSTEM MASTER DEVELOPER IMPLEMENTATION PLAN

Complete V1 scope consolidated into TWO implementation phases

Source	Role in this master plan
Tailor Management System Developer Specification V1 (55 pages)	Product requirements, architecture, modules, UX, security, SaaS and acceptance
Tailor Management System 10-Day Project Plan V1 (14 pages)	Execution sequence, gates, QA, UAT, deployment and handover
Tailor Management System Data Collection & Developer Discovery V1 (23 pages)	Required inputs, business decisions, sample data, integrations and sign-offs

Delivery model: one developer • 10 calendar days • two phases • V1 SaaS-ready PWA

Important: The source documents explicitly keep advanced AI, native apps, advanced inventory, complex accounting, multiple WhatsApp providers and complicated payment gateways outside the critical V1 build. This plan includes the required architecture hooks and feature-flag/add-on boundaries without silently converting future modules into mandatory V1 scope.

1. MASTER OBJECTIVE

Build a reliable, demonstrable and deployment-ready Tailor Management System V1 in 10 calendar days, organized into exactly two implementation phases. The core business flow is Customer → Measurements → Preferences → Order → Payment → Production → Trial → Alteration → Ready → Pickup/Delivered → Customer History, with a secure customer OTP portal and SaaS multi-tenancy.

The original delivery plan defines Day 7 as functional-complete and Days 8-10 as stabilization, deployment readiness, UAT and launch approval.

Two-phase mapping

Phase	Days	Primary objective	Gate
PHASE 1 — CORE BUILD	Days 1-5	Foundation, SaaS tenancy, customers, measurements, styles, orders, pricing, payments, production, trials and alterations	Core operational workflow works end-to-end
PHASE 2 — V1 COMPLETION & LAUNCH	Days 6-10	Customer portal, OTP, notifications, appointments, reports, PWA/offline foundation, QR/printing, integrated QA, security, staging UAT, production readiness and handover	Release approved and deployable

The grouping changes only the management view; the detailed source milestones remain mapped to Days 1-10 so no requirement is lost.

2. NON-NEGOTIABLE PRODUCT RULES

- ❑ Multi-tenancy from Day 1; every business record is tenant-scoped.

❑ RBAC is granular and enforced on the server.

❑ Important records use soft delete and audit logs.

❑ WhatsApp, email, AI, inventory and future integrations are modular services.

❑ No new feature enters the critical path after Day 3 unless another item is removed.

❑ Feature flags control optional modules/add-ons.

❑ Tenant isolation is enforced server-side/application-database level.

❑ Historical order measurements are immutable snapshots/versions.

❑ Customer photos/documents use object storage; DB stores metadata/references.

❑ No direct production testing with experimental code.

❑ Every day ends with a working Git commit and test/staging build.

❑ A UI-only demo is not complete; UI, API, DB, validation, permissions, states, tests and docs must exist.

These rules are release-blocking, especially tenant isolation, RBAC, auditability and historical measurement integrity.

3. COMPLETE PRODUCT SCOPE

The following inventory consolidates the PRD's full module list and the execution plan. V1 core modules are implemented; future/optional capabilities are represented as modular architecture, feature flags or explicit post-V1 boundaries where the source documents say they should not delay V1.

A. Foundation / SaaS Core

- React + TypeScript + Vite frontend with PWA foundation.
- Node.js + TypeScript backend, preferably NestJS or structured Express/Fastify.
- PostgreSQL + Prisma schema and migrations.
- Tenant, Branch, Location, User, Staff, Role, Permission foundations.
- Staff authentication with secure password hashing and session/token handling.
- Server-side tenant context/filtering on every business query.
- Development, staging and production environment separation.
- Object-storage abstraction for photos/documents.
- Structured logging, API error format and /api/v1/ versioning.
- Subscription entities, configurable plan limits, tenant status lifecycle and feature flags; commercial pricing remains configurable.
- SaaS Owner / Support Admin foundations and tenant management hooks.

B. Customer Management

- Customer CRUD, unique customer ID, soft delete/recovery controls.
- Mandatory first name, last name and mobile; optional email, gender, DOB, address, city/state/pincode, photos and notes.
- Global search by name, mobile, email, customer ID and order number.
- Customer profile tabs: Overview, Measurements, Style Preferences, General Preferences, Orders, Payments, Photos, Appointments, Alterations, Documents, Activity History.
- Customer-level outstanding balance aggregation.
- Customer profile/body/reference photos and order-level reference/trial/finished photos.
- Saved customer style/general preferences and reusable favourites.
- Duplicate/merge policy implemented only after business approval.

C. Garments, Measurements & Styles

- Initial men's and women's garment catalogue plus custom garment types.
- Configurable measurement templates by garment.
- Shirt, Pant and Women's garment templates; actual production field list is configurable.
- Inches and centimeters; shop-level default unit.
- Measurement notes, version creation, history, comparison and who/when metadata.
- Immutable historical measurement versions linked to orders.
- Design/style library with name, category, description, images, options and notes.
- Customer favourite styles reusable in future orders.

D. Orders, Pricing, GST & Payments

- Unlimited customer orders; multiple garments per order.
- Per-item garment, measurement version, style, preferences, photos, price, production status and notes.
- Configurable order numbering.
- Delivery date, priority/urgent flag where approved, internal/customer-visible notes as configured.
- Pricing: item price + optional charges – discount = net total – payments = balance.
- Optional charges: stitching, fabric, design, alteration, urgent delivery, other.
- Discount support; fixed/percentage behavior configurable.

- GST enabled/disabled; tax-inclusive/exclusive; configurable rate and invoice fields.
- Multiple payments: cash, UPI, card, bank transfer, other; reference number and recorded-by user.
- Payment history, balance at order and customer levels, receipts/invoice shells.
- Explicit handling for overpayment, refunds, corrections and cancellation after payment.

E. Production, Trials & Alterations

- Configurable production stages and allowed transitions.
- Kanban-style production board.
- Manual stage/job assignment; no automatic staff assignment.
- Staff skills are informational.
- Production activity: assigned/started/completed dates, responsible person, notes and delay reason.
- Delivery alerts: upcoming, due today and overdue.
- Delay requires reason and revised delivery date.
- Multiple trials with issues, alteration instructions, photos, notes and status.
- Alteration history with free/chargeable flag and assignment.

F. Customer Portal, Notifications & Appointments

- Customer portal via link → mobile → OTP; no traditional customer password in V1.
- Customer sees own profile, measurements (as approved), orders, status, items, designs, appointments, payments, balance, delivery date, alteration history, documents and receipts.
- Customer-safe timeline hides internal notes.
- Event-driven notification engine with configurable templates.
- Customer/internal notifications can differ.
- Events: order received, stitching started/status changes, ready for trial, ready for pickup, delay, appointment, measurement, fitting, delivery, payment and feedback request as configured.
- Email and WhatsApp service abstractions; WhatsApp optional add-on.
- Staff-created appointments: measurement, fitting, trial, pickup, other; calendar and reminders.

G. Reports, Dashboards & Productivity

- Owner dashboard: today's orders, pending, due today, overdue, ready for pickup, revenue and outstanding.
- Manager dashboard: workload, pending jobs, due orders, delays, trials and production status.
- Tailor dashboard: assigned, in-progress, completed today and overdue jobs.
- Customer reports: new, returning, growth, frequency, spend.
- Order reports: received, completed, pending, delayed, cancelled, due today/this week.
- Revenue reports: daily/monthly, garment, staff/branch where appropriate.
- Payment reports: collected, outstanding, advance and method breakdown.
- Production reports: pending, stage workload, delayed and completed.
- Productivity metrics without employee rankings.

H. QR, Printing, Import, Export & Audit

- Order QR on job card/receipt/order sheet with permission checks.
- Printable measurement sheet, order receipt, job card, cutting sheet, delivery receipt, payment receipt and invoice.
- Excel/CSV import with validation/error preview before commit.
- Exports for customers, measurements, orders, payments, appointments, production and reports subject to permissions.
- Audit logs for measurement, order, price, payment, status, customer deletion, staff and permission changes.
- Soft-delete metadata such as deleted_at/deleted_by/deletion_reason.

I. PWA, Offline, Security, Localization & Extensibility

- Installable responsive PWA for desktop, laptop, Android, iPhone and tablet.
- Limited offline access to previously loaded customer/order data and basic measurement/order entry.
- Clear offline/sync state; IndexedDB/local storage as appropriate.
- Conflict detection for sensitive edits; last-modified timestamp and modifying user.
- English, Hindi and Kannada architecture; database/API keys remain English; translations stored separately.
- HTTPS, secure password hashing, OTP expiry/attempt limits/rate limiting/replay protection, API auth, session management, login history, audit logs, backups and secure files.
- Versioned APIs, API keys, permissions, rate limits, logs and webhooks.
- AI as a separate future service layer; inventory and WhatsApp as add-ons.
- Native mobile apps, advanced AI, advanced inventory, complex accounting and complicated payment gateways remain outside the V1 critical build.

The PRD explicitly defines the core V1 build sequence from foundation through SaaS and identifies advanced AI/native apps/advanced inventory/complex accounting as items not to build first. [filecite turn1file7L500-L557](#)

4. ROLES & ACCESS MODEL

Role	Primary access
SaaS Owner	All tenants, subscriptions, tenant status, usage, support, feature activation, add-ons, system config and logs.
SaaS Support Admin	Restricted customer-support access.
Shop Owner	Full shop access: branches, staff, customers, measurements, orders, jobs, payments, reports, settings, subscriptions/add-ons, workflows and permissions.
Manager	Operational access.
Receptionist	Customers, orders, appointments, payments, notifications.
Tailor	Assigned work and only the customer information needed to complete jobs.
Cutter	Cutting-related information/jobs.
Finisher	Finishing-related information/jobs.
Cashier	Payments, receipts and outstanding balances.
Customer	Own information only.

Custom roles must be granular. The source gives Senior Tailor as an example: view assigned orders/measurements, update production stage and add notes, but not view financial reports, delete customers or modify payments.

filecite turn0file1 L288-L305

Permission implementation rule

View / create / edit / delete / export / approve permissions are represented separately.

Branch scope is represented where applicable.

Exports inherit role and tenant restrictions.

The discovery document warns that the exact action-by-action matrix is still a business decision and must be approved before hard-coding.

filecite turn1file1 L222-L228

Server guards enforce permissions; UI hiding is not the security boundary.

Customer role is hard-limited to own records.

Audit permission changes.

5. TARGET ARCHITECTURE

Reference architecture from the source documents, simplified for a single developer while retaining SaaS extensibility.

Browser / PWA ↓ React + TypeScript + Vite + Tailwind/shadcn UI ↓ HTTPS / JSON REST /api/v1 NestJS (or structured Express/Fastify) ↓ Auth + RBAC + Tenant Context + Validation + Audit ↓ Domain modules: Customers | Measurements | Styles | Orders | Payments | Production | Trials | Alterations | Appointments | Notifications | Reports ↓ Prisma ORM → PostgreSQL ↓ Object Storage (S3-compatible / R2 / S3 / GCS) Async path: Domain Event → Queue → NotificationService / EmailService / WhatsAppService Extension path: Feature Flags → SaaS Add-ons → WhatsApp / Inventory / API / Future AI

Core data relationship

Tenant → Branch → Staff/Users → Customers → Orders → Order Items → Garment / Measurement Version / Style / Preferences / Photos / Production; Orders also connect to Payments, Trials, Alterations and Notifications. This structure preserves historical order measurements.

Core entities from the PRD include Tenant, Subscription, Branch, Location, User, Role, Permission, Staff, Customer, CustomerPhoto, CustomerPreference, GarmentType, MeasurementTemplate, MeasurementTemplateVersion, CustomerMeasurement, MeasurementVersion, Style, CustomerStyle, Order, OrderItem, OrderItemMeasurement, OrderItemStyle, OrderPhoto, OrderStatus, ProductionJob, ProductionStage, JobAssignment, Trial, Alteration, Appointment, Payment, Invoice, Receipt, Notification, NotificationTemplate, Document, AuditLog, Webhook, APIKey, FeatureFlag, Inventory and Fabric. [filecite turn0file1 L1852-L1965](#)

Critical historical rule

When an order is created, store the exact measurement version/snapshot used by that order item. If a customer's current Chest changes from 40 to 42, an older order must continue to show Chest = 40. The Day 3 hard gate tests exactly this behavior.

Recommended technology stack

Layer	Source recommendation
Frontend	React + TypeScript + Vite + PWA
UI	Tailwind CSS + shadcn/ui or equivalent component library
Backend	Node.js + TypeScript; NestJS recommended for structure
Database	PostgreSQL
ORM	Prisma
Storage	S3-compatible object storage, Cloudflare R2, AWS S3 or Google Cloud Storage
Auth	Staff password auth; customer OTP with expiry, attempt limit, rate limiting and replay protection
Async	Background job queue for notifications/asynchronous work
API	Versioned REST under /api/v1/

6. APPLICATION NAVIGATION & UX

Main navigation from the PRD: Dashboard, Customers, Orders, Production, Appointments, Measurements, Styles & Designs, Staff, Payments, Reports, Documents, Notifications and Settings. Inventory appears only when enabled.

Customer screen

- Fast global search; customer list with mobile, orders, spend, balance and last order.
- Customer profile tabs covering the complete customer history.
- Mobile/tablet camera support for profile, reference, trial and finished photos.
- Repeat-order flow should reuse saved measurements/styles/preferences where approved.

Order screen

- Search/open customer → create order → add garments → select measurement versions → select style → preferences → photos → pricing → delivery date → advance → confirm.
- Multi-item order with independent item data.
- Order list filters: status, delivery date, branch, tailor, garment, payment status.
- Customer-safe order timeline versus richer internal timeline.

Production board

- Kanban stages: Received | Cutting | Stitching | Finishing | Trial | Alteration | Ready.
- Cards show order number, customer, garments, due date, assigned person and balance as appropriate.
- Manual assignment only. Overdue work is prominent.

Customer portal

- OTP authentication; no traditional customer password in V1.
- Own profile/orders/status/items/delivery/payments/balance/documents and approved measurement/photo visibility.
- Internal notes never leak to customer view.
- Negative tests prevent cross-customer access.

7. TWO-PHASE EXECUTION PLAN

PHASE 1 — CORE BUILD (DAYS 1-5)

Outcome: the secure shop operating system exists from tenant setup through commercial transaction and production.

Day	Build package	Definition of done / gate
1	Foundation + SaaS core: repo/branches, environments, React/Vite/PWA shell, backend, PostgreSQL/Prisma, Tenant/Branch/User/Role/Permission, staff auth, RBAC, tenant isolation, object storage abstraction, logging, /api/v1/.	Fresh clone runs; migration/seed works; login/logout/session expiry; unauthorized role denied; cross-tenant negative test passes; no secrets committed.
2	Customers: CRUD, ID, search, profile tabs, photos, preferences, balance, soft delete, audit.	Receptionist can create/find/update customer; search opens correct tenant; photo access controlled; audit entry exists.
3	Garments + measurement templates + versioning + styles: catalogue, custom garments, units, notes, history/compare, favourites, order snapshot groundwork.	Template applies to garment; old versions immutable; Chest 40 old order remains 40 after current measurement becomes 42.
4	Orders + pricing + GST + payments: multi-item order, per-item data, charges, discounts, GST modes, multiple payments, receipts/invoice shell, audit.	₹8,000 total – ₹500 discount = ₹7,500; – ₹3,000 advance = ₹4,500 balance; second payment recalculates; GST/non-GST tested; overpayment behavior defined.
5	Production + assignment + delays + trials + alterations: configurable stages, Kanban, manual assignments, activity, delay controls, multiple trials, alteration history.	Order moves through production; assigned staff see assigned work; delay cannot save without reason + revised date; Trial 1 → alteration → Trial 2 works; charges handled.

Phase 1 exit gate

A fresh tenant can create staff, customer, garment-specific measurements, preferences, a multi-item order, payment and production records without manual database intervention. Security foundations and historical measurement integrity are already proven.

PHASE 2 — V1 COMPLETION & LAUNCH (DAYS 6-10)

Outcome: customers can self-check status, staff can communicate/operate appointments, owners can report, the app works as a PWA, and the release is hardened, accepted and deployable.

Day	Build package	Definition of done / gate
6	Customer portal + OTP + notifications + appointments: customer authentication, own-data portal, safe timeline, event templates, Email/WhatsApp abstractions, measurement/fitting/trial/pickup calendar and reminders.	OTP expiry/attempt/replay protections pass; another customer is blocked; ready/delay notifications work; appointment reminder works; provider-specific code isolated.
7	Reports + dashboards + PWA + offline foundation + QR + printing + integration regression.	Owner/manager/tailor dashboards reflect source data; core reports/filter/export work; installable responsive PWA; offline/sync state visible; order QR authorized; print shells usable; fresh-tenant acceptance journey passes.
8	Full bug bash + security + data integrity + performance/mobile checks.	No blocker/critical defects; RBAC and cross-tenant negative tests pass; payment/order/measurement/status data is not silently corrupted; OTP/uploads/rate limits/session checks pass.
9	Production-like staging + UAT + fix/retest using realistic sample data.	Staging env ready; domain/SSL if applicable; sample data loaded; UAT credentials; full acceptance journey passes; P0/P1 defects fixed and retested; UAT approved.
10	Production readiness + launch approval + handover.	Final tagged build; backup/migration rehearsal; production secrets; object storage; monitoring; rollback; admin/owner onboarding; docs; sign-off.

Phase 2 exit gate

All launch gates are green: no P0/P1 defects, tenant isolation and OTP security pass, historical measurement integrity passes, totals/payments reconcile, backup/restore verified, production configured, monitoring active, rollback documented and handover complete.

8. DATA & BUSINESS INPUTS REQUIRED

The discovery document exists to prevent the developer from silently inventing business rules. Every undecided item needs an owner and decision date; uploaded samples need source/version/date and approver.

Minimum master data

- ☐ Business/tenant identity, legal name, logo, contact, addresses, GST status, timezone, currency, default unit, branding.
- ☐ Staff list, roles, permissions, branch, skills, status, staff code and optional profile details.
- ☐ Garment catalogue with codes, names, categories, default prices, templates, images and active state.
- ☐ Style library with images/options and customer favourites.
- ☐ Payment scenarios covering full, partial, multiple, correction/refund/overpayment cases.
- ☐ Sample invoice, receipt, measurement sheet, job card, cutting sheet and delivery receipt.
- ☐ Appointment types, durations, working hours, buffers, reminders, rescheduling and no-show rules.
- ☐ Integration/provider details for OTP, email, WhatsApp, storage and monitoring.
- ☐ Security, retention, backup, support-access and sensitive-data policies.
- ☐ Report KPI definitions and acceptance test data.
- ☐ Branch names/codes, addresses, phones, hours, holidays, manager, numbering prefixes and delivery/pickup rules.
- ☐ At least 20 anonymized customer records for core coding; the detailed sample pack recommends 30.
- ☐ At least 3 complete measurement templates: Shirt, Pant and one Women's garment.
- ☐ At least 10 anonymized orders including one multi-item order; detailed sample pack recommends 20.
- ☐ Production stages, transition rules, assignment process, delay reasons and trial/alteration flow.
- ☐ Notification events, channels, templates, variables and approval text.
- ☐ Portal visibility rules for measurements, notes, staff names, stages, photos and documents.
- ☐ SaaS plans, limits, feature entitlements, trial/grace/suspension rules and add-ons.
- ☐ Migration source files and mapping if migration is required.

The discovery document's minimum input pack before core coding contains 16 items, including tenant/branch profile, permission matrix, anonymized customers, garments, templates, styles, orders, payment scenarios, approved production/trial rules, document samples, pricing/tax rules, portal visibility, notification events/templates, migration source if needed and the approved end-to-end acceptance journey. [filecite:turn0file2L1117-L1135](#)

9. BUSINESS DECISIONS THAT MUST NOT BE GUESSED

The discovery document identifies these as intentionally open configuration decisions. Resolve them before hard-coding behavior.

- ☐ Tenant lifecycle statuses and subscription enforcement.
- ☐ Customer duplicate and merge policy.
- ☐ Style attribute taxonomy.
- ☐ Cancellation, refund, overpayment and payment-correction rules.
- ☐ Allowed production status transitions and force-transition permissions.
- ☐ Trial approval and customer acknowledgement.
- ☐ Notification timing, channel fallback and message templates.
- ☐ Offline sync and conflict policy; whether manual payment entry is allowed offline.
- ☐ Exact report formulas and metric definitions.
- ☐ API scope and webhook payloads/retry/idempotency.
- ☐ Future-module data hooks required in V1.
- ☐ Exact role-to-permission matrix.
- ☐ Exact production-ready garment catalogue and measurement fields.
- ☐ Order numbering and reset rules.
- ☐ GST/invoice fields and numbering.
- ☐ Branch/order transfer rules.
- ☐ Appointment duration, buffer, reschedule and no-show rules.
- ☐ Customer portal visibility of measurements/photos/notes/documents.
- ☐ Data retention and SaaS support/admin access policy.
- ☐ SaaS plan limits and feature entitlements.
- ☐ Hosting, domain, monitoring and backup choices.

The source explicitly says these are not contradictions; they are areas where the PRD leaves configuration choices open.

filecite turn1file7 L621-L621

Recommended decision workshops

- 1 Business setup: tenant, branch, settings and branding.
- 2 Operations: customer intake, measurements, orders and delivery.
- 3 Production: stages, assignment, trials, alterations and delays.
- 4 Finance: pricing, discounts, GST, invoices, payments and balances.
- 5 Customer experience: portal visibility, notifications and language.
- 6 Staff: permissions, dashboards and device usage.
- 7 Migration: Excel/CSV/paper data and mapping.
- 8 Technology: hosting, domain, storage, OTP/email/WhatsApp and monitoring.
- 9 QA: edge cases, acceptance criteria and UAT.
- 10 SaaS: plans, feature flags, tenant administration and add-ons.

10. INTEGRATIONS, SECURITY & EXTENSIBILITY

Integration abstraction

Service	Implementation rule
OTP	Provider adapter; expiry, attempt limit, resend cooldown/lockout, rate limiting and replay protection.
Email	Core code calls NotificationService; provider-specific code stays behind an email adapter.
WhatsApp	Optional add-on; WhatsAppService/provider adapter; core app must work when disabled.
Storage	Private object storage; database stores metadata/secure references; signed/temporary access where approved.
Queue	Async notifications and external operations should run through a job queue so order updates are not blocked.
API/Webhooks	Versioned API, API keys, permissions, rate limits, logs, signed webhooks, retries and idempotency as decided.
AI	Separate future AI service/layer; no AI logic embedded across core domain code.

Security baseline

- ☐ HTTPS / encryption in transit.
- ☐ Secure password hashing; never store plaintext passwords.
- ☐ API authentication and server-side RBAC.
- ☐ Audit logging for sensitive changes.
- ☐ Private/access-controlled customer photos and documents.
- ☐ Tenant A cannot query Tenant B via UI or API.
- ☐ Exports and background jobs retain tenant context.
- ☐ Encryption at rest where appropriate.
- ☐ Customer OTP expiry, attempt limits, rate limits and replay protection.
- ☐ Session management and login history.
- ☐ Soft deletion for important records.
- ☐ Backup + restore process and disaster-recovery expectations.
- ☐ Tenant A cannot retrieve Tenant B photos via direct URLs.
- ☐ Webhook/API credentials cannot cross tenant boundaries.

PWA/offline boundary

Offline candidates: previously loaded customer information, previously loaded orders, basic measurement entry and basic order entry. Online-required items include OTP, WhatsApp, cloud synchronization, payment integrations and certain uploads. The app must clearly show offline/sync status.

Localization

V1 UI architecture supports English, Hindi and Kannada. Database field names/API keys remain in English; translations are stored separately. Customer/notification/printed-document language rules must be approved.

11. MASTER QA & ACCEPTANCE

Definition of Done

- ☐ UI works.
- ☐ Database persistence works.
- ☐ Permission checks exist.
- ☐ Responsive behavior works on desktop/tablet/mobile.
- ☐ Critical tests exist.
- ☐ No console errors.
- ☐ API works.
- ☐ Validation exists.
- ☐ Error, loading and empty states exist.
- ☐ Audit logging exists where applicable.
- ☐ No obvious security issues.
- ☐ Documentation exists.

Master end-to-end acceptance scenario

#	Scenario	Expected result
1	Create shop/tenant	Owner creates tenant successfully.
2	Create staff	Owner creates receptionist and tailor.
3	Create customer	Receptionist creates Rajesh Kumar with mobile.
4	Shirt measurements	Garment-specific shirt measurements are saved.
5	Pant measurements	Pant measurement set is saved.
6	Preferences	Customer style/general preferences persist.
7	Order	Multi-item Shirt + Pant order is created.
8	Order total	₹8,000.
9	Discount	₹500.
10	Net	₹7,500.
11	Advance	₹3,000.
12	Balance	₹4,500.
13	Delivery date	20 September 2026.
14	Production	Received → Cutting → Stitching → Finishing → Trial → Alteration → Ready → Delivered.
15	Notifications	Appropriate event notifications are triggered.
16	Customer login	OTP login succeeds securely.
17	Portal	Customer sees own order/status/items/delivery/payment/balance.
18	Reporting	Owner sees the order in reports.

The source execution plan calls this the final UAT master scenario and uses realistic sample data rather than only developer seed data.

filecite turn1file5L358-L393

12. REQUIRED EDGE-CASE TEST MATRIX

- ☐ Customer has two active orders.
- ☐ Current measurement changes after an old order.
- ☐ Discount after advance payment.
- ☐ Two trials and one chargeable alteration.
- ☐ Duplicate customer found during creation/import.
- ☐ Branch transfer of order, if allowed.
- ☐ Delivered order with outstanding balance, if allowed.
- ☐ Customer with many photos/documents.
- ☐ Cross-tenant ID tampering attempt.
- ☐ OTP replay/expired/retry-limit attempts.
- ☐ Overpayment/refund/payment correction.
- ☐ Invalid measurement range/unit.
- ☐ Order contains multiple garments with different item statuses.
- ☐ Multiple partial payments.
- ☐ Delayed order with revised delivery date.
- ☐ Customer has no email but valid mobile.
- ☐ Inactive staff member still has assigned jobs.
- ☐ Cancelled order with existing payment.
- ☐ Offline-created change followed by sync conflict.
- ☐ Restricted-role export attempt.
- ☐ Historical order after current measurement changes.
- ☐ Direct access to another customer's photo/order.
- ☐ Production delay without reason or revised date.
- ☐ Unauthorized forced production transition.

Defect severity

Severity	Meaning	Release treatment
P0 / Blocker	Core workflow unusable, data loss/leakage, tenant isolation failure or auth bypass.	Fix before next gate.
P1 / Critical	Major feature unusable or commercial calculation wrong.	Fix before production.
P2 / Major	Works with workaround; significant UX/logic defect.	Fix before or immediately after launch with explicit approval.
P3 / Minor	Cosmetic/low-impact enhancement.	Can enter post-V1 backlog.

13. DEPLOYMENT & HANDOVER

Production readiness checklist

- ☐ Production hosting/account access confirmed.
- ☐ SSL/HTTPS active.
- ☐ Backup policy configured.
- ☐ Object storage configured.
- ☐ Email provider configured.
- ☐ Environment variables/secrets configured.
- ☐ SaaS admin and shop owner accounts created.
- ☐ Initial data import tested if required.
- ☐ Rollback instructions documented.
- ☐ Known limitations and post-V1 backlog documented.
- ☐ Domain configured.
- ☐ Production database created.
- ☐ Migration plan rehearsed.
- ☐ OTP provider configured.
- ☐ WhatsApp abstraction configured or feature disabled.
- ☐ Error logging/monitoring configured.
- ☐ Shop-owner onboarding tested.
- ☐ Production smoke-test script prepared.
- ☐ Deployment/API/DB documentation delivered.
- ☐ Product owner sign-off recorded.

Developer handover pack

- ☐ Source repository and branch strategy.
- ☐ Deployment guide.
- ☐ Database schema / ER diagram.
- ☐ API documentation.
- ☐ Feature-flag list.
- ☐ Backup and restore procedure.
- ☐ Test credentials/test-data procedure.
- ☐ Post-V1 backlog.
- ☐ README with local setup.
- ☐ Environment-variable reference.
- ☐ Migration instructions.
- ☐ Role/permission matrix.
- ☐ External-provider configuration list.
- ☐ Rollback procedure.
- ☐ Known issues and limitations.
- ☐ Final release tag/commit hash.

The execution plan states the release is ready only after Day 7 feature completion, Day 8 hardening, Day 9 UAT, zero open P0/P1 defects, tenant/OTP/history/payment integrity checks, backup/restore, production configuration, monitoring and rollback are complete.

filecite turn1file4 L305-L318

14. DAILY OPERATING CADENCE & CHANGE CONTROL

Checkpoint	Action	Output
Start of day	15-minute scope review	Today's 3-6 tasks, dependencies and acceptance criteria.
Midday	Progress + blocker check	Blocked items escalated immediately.
End of day	30-minute demo/smoke test	Working build, completed checklist, known issues.
Daily close	Git + test/staging deployment	Tagged/identifiable build.
Decision SLA	Same business day	PO resolves choice or scope is deferred.

Change-control rule

Change type	Action
Bug / missing approved requirement	May enter current sprint if architecture is unchanged.
Critical security/data issue	Enter immediately.
New feature	Move to post-V1 backlog unless an existing V1 item is removed.
Cosmetic request	Fix only if it does not affect a gate.
Architecture change	Requires explicit product/technical approval and schedule-impact note.

The original plan also requires one working developer/staging build at the end of each day and says no new feature should enter the critical path after Day 3 unless another item is removed. [filecite turn1file0 L43-L54](#)

15. REQUIREMENT TRACEABILITY — TWO PHASES

Requirement area	Phase	Day	Primary evidence
Foundation / Auth / Tenant / RBAC	1	1	Login, role denial, cross-tenant negative test
Customers / Search / Profiles / Photos	1	2	Customer lifecycle, search, photo, audit
Measurements / Garments / Styles	1	3	Templates, versioning, history, favourites, snapshot
Orders / Pricing / GST / Payments	1	4	Totals, discount, advance, balance, GST modes, payment history
Production / Assignment / Delays / Trials / Alterations	1	5	Kanban, assignment, delay validation, trials, alterations
Customer Portal / OTP	2	6	Own-data portal and OTP negative tests
Notifications / Email / WhatsApp abstraction	2	6	Event triggers and provider abstraction
Appointments	2	6	Calendar/reminders
Reports / Dashboards	2	7	Owner/Manager/Tailor metrics and reports
PWA / Offline / Sync foundation	2	7	Installability, responsive UI, sync state
QR / Printing	2	7	Authorized QR and printable documents
Security / Data integrity / Performance	2	8	Bug bash and security checklist
Staging / UAT	2	9	Realistic data acceptance journey
Production / Backup / Rollback / Monitoring / Handover	2	10	Launch-readiness evidence
Subscriptions / Feature flags / Add-ons	1 + 2	1-10	Configurable entities, flags, SaaS admin hooks; commercial values supplied by owner
API / Webhooks / Future AI / Inventory	Architecture hooks	1-10	Versioned API/extension boundaries; future modules remain modular

This matrix preserves the source's 10-day sequence while presenting only two management phases. The source specification's V1 build sequence covers Foundation, Customers, Measurements, Orders, Production, Customer Portal, Appointments/Notifications, Reports, PWA/Offline and SaaS. [filecite turn0file1 L113-L127](#)

16. FINAL DEVELOPER MASTER CHECKLIST

Before declaring the project complete, all items below must be green or explicitly documented as an approved post-V1 item.

- ☐ Core customer → measurement → order → payment → production journey works.
- ☐ Tenant isolation verified at UI and API levels.
- ☐ Customer OTP negative tests pass.
- ☐ Multi-item order data remains item-specific.
- ☐ Delay reason + revised date are mandatory.
- ☐ Customer portal exposes only approved data.
- ☐ Notification templates and event triggers work.
- ☐ Owner/Manager/Tailor dashboards reflect transaction data.
- ☐ PWA installs and is responsive.
- ☐ QR and print documents work.
- ☐ Audit logs capture sensitive changes.
- ☐ Security baseline and rate limits are verified.
- ☐ Staging UAT passes with realistic data.
- ☐ Production environment, monitoring and rollback are ready.
- ☐ Post-V1 backlog explicitly records advanced AI, native apps, advanced inventory, complex accounting and other deferred modules.
- ☐ Fresh tenant can complete the journey without manual DB intervention.
- ☐ RBAC verified for every defined role.
- ☐ Historical measurement snapshot test passes.
- ☐ Order totals, discounts, taxes, payments and balances reconcile.
- ☐ Trial → alteration → trial flow works.
- ☐ Internal notes are hidden from customer.
- ☐ Appointments and reminders work.
- ☐ Reports reconcile with source records.
- ☐ Offline/sync state is understandable.
- ☐ Import validates before commit; exports respect permissions.
- ☐ Soft delete is used for important records.
- ☐ Backup and restore are verified.
- ☐ No P0/P1 defects remain.
- ☐ README/API/DB/deployment/env/handover docs are complete.

17. POST-LAUNCH 48-HOUR WATCH

- ☐ Login/OTP failures.
- ☐ Slow searches and dashboard requests.
- ☐ Notification delivery failures.
- ☐ Tenant isolation logs.
- ☐ Defects separated from feature requests.
- ☐ API errors.
- ☐ Photo/document upload failures.
- ☐ Payment recording accuracy.
- ☐ Real user friction points.
- ☐ Only production-impacting fixes prioritized first.

18. FINAL IMPLEMENTATION PRINCIPLE

Build the foundation once, keep advanced functionality modular, and optimize the Customer + Order workflow for speed. The product should remain simple enough for one developer while being structurally capable of supporting multiple companies, branches, staff, thousands of customers/orders, subscriptions, add-ons, APIs, WhatsApp, AI and future native apps.

This final plan is intentionally two-phase: Phase 1 builds the secure operational core; Phase 2 completes the customer experience, intelligence/reporting surface, PWA capabilities, QA and launch. All requirements from the three supplied source documents are represented either as V1 implementation work, required configuration/input, release controls, or explicitly modular/post-V1 architecture.

Source documents reviewed: Tailor Management System Developer Specification V1 (55 pages); Tailor Management System 10-Day V1 Delivery, QA & Deployment Readiness Plan (14 pages); Tailor Management System Data Collection & Developer Discovery V1 (23 pages).