# **3005 Project**

Ву


# **Nathaniel Enyia & Dondre Samuels**

Github: <a href="https://github.com/mahaise-">https://github.com/mahaise-</a>

**0/COMP3005-Project** 

**Conceptual Design** 

**ER-Diagram** 



# **Entities**

#### User

The user entity represents a user of the bookstore. This entity contains 4 attributes, userID the primary key, fname, lname, and email. User\_id uniquely identities a user.

#### Order

The order entity represents a users order at the bookstore. This entity contains 4 attributes, order\_num the primary key, track\_num, status, and total. Order\_num uniquely identifies a user's order.

### Reports

The reports entity represents a report for the bookstore sales. This entity contains 4 attributes, report\_id the primary key, sales\_expenditures, sales\_per\_genres, and sales\_per\_author. Report\_id uniquely identifies each report.

#### Address

The address entity represents an address in the database for the bookstore. This entity contains 5 attributes, add\_id the primary key, country, city, street\_name, street\_num. Add\_id uniquely identifies a users address

#### Basket

The basket entity represents a user's basket before purchase. This entity contains 1 attributes, bask\_id the primary key, which uniquely identities a users basket.

#### Books

The books entity represents the books contained in the database. This entity contains 5 attributes, isbn the primary key, title, price, num\_of\_pages, and genre. ISBN uniquely identifies a book.

#### Author

The author entity represents an authors name in the database. This entity contains 2 attributes, auth\_fname and auth\_lname the primary keys, which uniquely identity an author.

## publisher

The publisher entity represents a publishers contact information in the database. This entity contains 4 attributes, pub\_name the primary key, email, bank\_id, and phone number. Pub name uniquely identifies a publisher.

# Relations

#### HasAddress

The "HasAddress" relation relates to a user having an address. The attributes of this relation are userID, and add\_id the primary key.

#### owner

The "IsOwner" relation relates to a user being an owner. The attributes of this relation are the primary keys of userID, and boolean isowner because only one user can be an owner.

# PubAddress

The "PubAddress" relation relates to a publisher having an address. The attributes of this relation are the pub\_name, and add\_id primary key because each publisher only has one address.

# Checkout

The "Checkout" relation relates to an order having a basket number. The attributes of this relation are the primary key bask\_id and order\_id.

#### Writes

The "Writes" relation relates to an author and a book The attributes of this relation are the primary keys of auth\_name, and isbn.

#### Publishes

The "Publishes" relation relates to a user having an address. The attributes of this relation are the primary key isbn, and pub\_name.

## item

The "item" relation relates to a book in a basket. This relation allows for an individual book to have its own quantity while in the basket or for checkout. The attributes of this relation are the primary keys of isbn, and basket num.

#### orderAddress

The "orderAddress" relation relates to an order with an address. This relation allows for each order to have a specific address it's delivered to.

# **Cardinalities & Participation Types**

# User to address

The cardinality is many to one, with many users having one address.

#### User to owner

The cardinality is one-to-one as there is only one owner of the library.

#### • Publisher to address

The cardinality is many to one, with many publishers having one address.

## Books to publisher

The cardinality is many to one, with many books having one publisher.

## • Order to address

The cardinality is many to many, with many orders having many addresses.

#### • Order to reports

The cardinality is many to many, with many orders having many reports.

#### • Order to basket

The cardinality is one to one, with one order having one basket.

#### • Basket to book

The cardinality is many to many, with many baskets having many books.

#### Books to author

The cardinality is many to many, with many books having many authors.

## **Total Participation**

- Order to reports
- Order to address
- Books to author
- Basket to book

#### **Partial Participation**

The cardinalities that are not listed.

# **Reduction to Relation Schemas**

- user(<u>userID</u>, fname, lname, email, isowner)
- books(isbn, title, price, num of pages, genre)
- publisher(<u>pub\_name</u>, email, bank\_id, phone\_number)
- address(add id, country, city, street name, street num)
- author(<u>auth fname</u>, <u>auth lname</u>)
- order(order num, tracking num, status, total)
- basket(bask id)
- hasAddress(add id, userID)
- reports(report id, sales expenditures, sales per genres, sales per author)
- orderAddress(order num, add id)
- pubAddress(add id, pub name)
- checkout(bask id,order num)
- writes(auth fname, auth Iname, isbn)
- publishes(<u>pub\_name</u>,<u>isbn</u>)
- item(isbn,bask id,quantity)

# **Normalization of Relation Schemas**

• user(userID, fname, Iname, email, isOwner)

```
F={ userID fname, Iname, email, isOwner email userID } (userID+)
```

```
Result = userID
userID fname, Iname, email, isOwner:
result =userID ,fname, Iname, email, isOwner
userID uniquely determines all the relations.
Therefore, userID is a superkey and the relation is in BCNF.
```

book(isbn, title, num\_of\_pages, price, genre)

```
F={isbntitle,num_of_pages, price, genre}

(isbn+)

Result = isbn
isbn title, num_of_pages,price, genre:
    result = isbn ,title, num_of_pages,price, genre
    isbn uniquely determines all the relations.
    Therefore, isbn is a superkey and the relation is in BCNF.
```

publisher(pub\_name, email, bank\_id, phone\_numbers)

```
F={ pub_name → email,phone_numbers, bank_id
email pub_name
phone_numbers pub_name
bank_id pub_name}
(pub_name+)
```

pub\_name email, phone\_numbers, bank\_id:
 result =pub\_name,bank\_id,email, phone\_numbers

Therefore, pub\_name, email,phone\_numbers, bank\_id are all candidate keys and are in BCNF.

• author(auth fname, auth Iname)

Result = pub name

```
result = auth_fname, auth_lname
        (auth Iname+)
        Result = auth_Iname+
        auth Inameauth fname:
                result = auth Iname, auth fname
                     Therefore, auth fname and auth Iname are both candidate
 keys and are in BCNF.
 address(add id, country, city, street name, street num)
        F={add idcountry, city, street name, street num}
        (add id+)
        Result = add id
        add id country, city, street_name, street_num:
                result =add id, country, city, street name, street num
                add id uniquely determines all the relations.
                Therefore, add id is a superkey and the relation is in BCNF.
order(order_num, tracking_num, status, total)
        F={ order numtracking num, status, total
               tracking num order num, status
        }
        (order num+)
        Result = order num+
        order numtracking num, status, total:
                result = order num, tracking num, status, total
        (tracking num+)
        Result = tracking num+
        tracking numorder num, status, total:
                result =tracking num, order num, status, total
        Therefore, auth fname and auth Iname are both candidate keys and are
 in BCNF.
 basket(<u>bask_id</u>)
        F={bask idbask id}
```

```
(bask id+)
       Result = bask id
       bask_id bask id:
              result =bask_id:
              bask id uniquely determines all the relations.
              Therefore, bask id is a superkey and is trivial. The relation is in
BCNF.
hasAddress(add id, userID)
       F={ userIDadd id
              add id userID
       (userID+)
       Result =userID
       userID add_id: result =userID, add_id
       (add_id+)
              Result = add id
              add id userID: result =add id, userID
                     Therefore, userID and add_id are both candidate keys and
are in BCNF.
reports(report id, sales expenditures, sales per genres, sales per author)
       F={ report id→ sales expenditures, sales per genres, sales per author
}
       (report id+)
       Result =report id
       report id sales expenditures, sales per genres, sales per author:
       result =report id, sales expenditures,
       sales per genres, sales per author
       Therefore, report id is a superkey and the relation is in BCNF.
orderAddress(order num, add id)
       F={ order_num, add_idadd_id, order_num}
              (order num,add id+)
```

```
Result = order num, add id
                    order num, add id add id, order num: result = order num,
                  add id
                  (order_num+)
                         Result = order num
           add id, order num add id, order num: result =add id, userID
                  (add id+)
                         Result = add id
           add id, order num add id, order num: result =add id, userID
                        Therefore, order num and add id are both candidate keys
   and are in BCNF.
pubAddress(<u>add_id</u>, pub_name)
   F=\{ add id \rightarrow pub name \}
   (add id+)
   Result =add id
   add_id pub_name:
   result =
   Therefore, report_id is a superkey and the relation is in BCNF.
  checkout(<u>bask_id</u>,order_id)
           F={ bask idorder id
                  order id bask id
           (bask id+)
           Result = bask id
           bask id order id: result =bask id, order id
           (order id+)
                  Result = order id
                  order id bask id: result = order id, bask id
                  Therefore, bask id and order id are both candidate keys and are
   in BCNF..
 writes(auth fname, auth Iname, isbn)
                  F={ isbn <u>auth fname</u>, <u>auth lname</u>}
```

(isbn+)

```
Therefore, isbn is a superkey and is in BCNF.
• publishes(pub_name,isbn)
           F={ <u>pub_name</u>isbn
                   isbn <u>pub name</u>
                   }
           (pub name+)
           Result = pub name
           pub name isbn: result =pub name, isbn
           (isbn+)
                   Result = isbn
                   isbn <u>pub name</u>: result =isbn, <u>pub name</u>
                   Therefore, <u>pub_name</u> and isbn are both candidate keys and are in
   BCNF.

    item(isbn, bask id,quantity)

   F={ isbn→ bask_id, quantity}
   (isbn+)
   Result =isbn
   isbn bask id, quantity: result =isbn, bask id, quantity
   result =isbn,bask id,quantity
   Therefore, isbn is a superkey and the relation is in BCNF.
```

isbn auth fname, auth Iname: result = isbn, auth fname,

Result =isbn

auth Iname

# **Database Schema Diagram**

