Mobile Programming Assignment 4 - Shopping Cart Application

Name: Neeyti Khandelwal

PRN: 21030121117

Div: A Group: 2

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
 xmlns:app="http://schemas.android.com/apk/res-auto"
 xmlns:tools="http://schemas.android.com/tools"
 android:layout width="match parent"
 android:layout height="match parent"
 tools:context=".MainActivity">
 <EditText
    android:id="@+id/et2"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:ems="10"
    android:inputType="textPassword"
    app:layout constraintBottom toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintHorizontal bias="0.825"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout_constraintVertical_bias="0.313" />
  <EditText
    android:id="@+id/et1"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="textPersonName"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.825"
```

```
app:layout_constraintStart_toStartOf="parent"
  app:layout_constraintTop_toTopOf="parent"
  app:layout constraintVertical bias="0.179" />
<TextView
  android:id="@+id/textView"
  android:layout width="101dp"
  android:layout height="39dp"
  android:text="Username"
  app:layout constraintBottom toBottomOf="parent"
  app:layout constraintEnd toEndOf="parent"
  app:layout constraintHorizontal bias="0.132"
  app:layout_constraintStart_toStartOf="parent"
  app:layout_constraintTop_toTopOf="parent"
  app:layout constraintVertical bias="0.186" />
<TextView
  android:id="@+id/tv2"
  android:layout_width="101dp"
  android:layout height="39dp"
  android:text="Password"
  app:layout_constraintBottom_toBottomOf="parent"
  app:layout constraintEnd toEndOf="parent"
  app:layout constraintHorizontal bias="0.132"
  app:layout_constraintStart_toStartOf="parent"
  app:layout constraintTop toTopOf="parent"
  app:layout constraintVertical bias="0.329" />
<Button
  android:id="@+id/b1"
  android:layout width="92dp"
  android:layout height="47dp"
  android:text="Login"
  app:layout constraintBottom toBottomOf="parent"
  app:layout_constraintEnd_toEndOf="parent"
  app:layout constraintStart toStartOf="parent"
  app:layout_constraintTop_toTopOf="parent" />
```

</androidx.constraintlayout.widget.ConstraintLayout>

MainActivity.java

```
package com.mahajant99.collegefourteen;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity
 Button b1;
 EditText e1.e2:
 @Override
 protected void onCreate(Bundle savedInstanceState)
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    b1 = findViewByld(R.id.b1);
    e1 = findViewById(R.id.et1);
    e2 = findViewById(R.id.et2);
    b1.setOnClickListener(new View.OnClickListener()
      @Override
      public void onClick(View view) {
         String n = e1.getText().toString();
         String m = e2.getText().toString();
         if(n.equals("user") && m.equals("pass"))
           Intent i = new Intent(MainActivity.this,MainActivity2.class);
           startActivity(i);
         else if(n.equals("") || m.equals(""))
           Toast.makeText(getBaseContext(),"Enter Username & Password",
Toast.LENGTH_SHORT).show();
         }
         else
```

```
{
           Toast.makeText(getBaseContext(),"Enter Username or Password",
Toast.LENGTH SHORT).show();
         }
      }
    });
 };
activity main2.xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</p>
xmlns:android="http://schemas.android.com/apk/res/android"
 xmlns:app="http://schemas.android.com/apk/res-auto"
 xmlns:tools="http://schemas.android.com/tools"
 android:layout width="match parent"
 android:layout_height="match_parent"
 tools:context=".MainActivity2">
<TextView
 android:id="@+id/tv1"
 android:layout_width="112dp"
 android:layout height="52dp"
 android:text="Select Product Category"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.053"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.17" />
<Spinner
 android:id="@+id/s1"
 android:layout width="201dp"
 android:layout height="49dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.838"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
  app:layout_constraintVertical_bias="0.168"
 tools:ignore="TouchTargetSizeCheck,SpeakableTextPresentCheck" />
```

```
<Button
  android:id="@+id/b2"
 android:layout width="wrap content"
  android:layout height="wrap content"
  android:text="Submit"
 app:layout constraintBottom toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.498"
  app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.352" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity2.java
package com.mahajant99.collegefourteen;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.widget.ArrayAdapter;
import android.widget.Button;
import android.widget.Spinner;
public class MainActivity2 extends AppCompatActivity
  Button b;
  Spinner spin;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main2);
    b = findViewById(R.id.b2);
    spin = findViewById(R.id.s1);
    ArrayAdapter<String> adapter = new ArrayAdapter<>(MainActivity2.this,
android.R.layout.simple list item 1,getResources().getStringArray(R.array.ProCat));
    adapter.setDropDownViewResource(android.R.layout.simple spinner dropdown item);
    spin.setAdapter(adapter);
    b.setOnClickListener(v -> {
      Intent i = new Intent(MainActivity2.this,MainActivity3.class);
```

```
i.putExtra("txt", spin.getSelectedItem().toString());
      startActivity(i);
    });
 }
}
Activity main3.xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
 xmlns:app="http://schemas.android.com/apk/res-auto"
 xmlns:tools="http://schemas.android.com/tools"
 android:layout width="match parent"
 android:layout height="match parent"
 tools:context=".MainActivity3">
<Button
 android:id="@+id/b3"
 android:layout width="112dp"
 android:layout_height="60dp"
 android:text="Add To Cart"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.083"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.499" />
<Button
 android:id="@+id/b4"
 android:layout_width="112dp"
 android:layout height="60dp"
 android:text="Show Cart"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.498"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.499" />
<Button
 android:id="@+id/b5"
```

android:layout_width="112dp"

```
android:layout height="60dp"
 android:text="Back"
 app:layout constraintBottom toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.916"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.499" />
<TextView
 android:id="@+id/tv3"
 android:layout width="216dp"
 android:layout_height="36dp"
 android:text="Select Category Product List"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.553"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.023" />
<TextView
 android:id="@+id/tv4"
 android:layout_width="158dp"
 android:layout height="45dp"
 android:text="Product List"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.098"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.106" />
<TextView
 android:id="@+id/tv5"
 android:layout width="99dp"
 android:layout_height="43dp"
 android:text="Quantity"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.631"
```

```
app:layout constraintStart toStartOf="parent"
 app:layout_constraintTop_toTopOf="parent"
 app:layout constraintVertical bias="0.106" />
<TextView
 android:id="@+id/tv6"
 android:layout width="99dp"
 android:layout height="43dp"
 android:text="Price"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.983"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.109" />
<TextView
 android:id="@+id/tv7"
 android:layout width="99dp"
 android:layout height="43dp"
 android:text="Price"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.983"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.194" />
<TextView
 android:id="@+id/tv8"
 android:layout width="99dp"
 android:layout height="43dp"
 android:text="Price"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.983"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.283" />
```

<TextView

```
android:id="@+id/tv9"
 android:layout_width="99dp"
 android:layout height="43dp"
 android:text="Price"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.983"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.379" />
<CheckBox
 android:id="@+id/cb1"
 android:layout width="155dp"
 android:layout_height="46dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.097"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.195"
 tools:ignore="HardcodedText,TouchTargetSizeCheck" />
<CheckBox
 android:id="@+id/cb3"
 android:layout_width="155dp"
 android:layout height="44dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.097"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.379"
 tools:ignore="HardcodedText,TouchTargetSizeCheck" />
<CheckBox
 android:id="@+id/cb2"
 android:layout_width="155dp"
 android:layout height="44dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.097"
 app:layout_constraintStart_toStartOf="parent"
```

```
app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.285"
 tools:ignore="HardcodedText,TouchTargetSizeCheck" />
<EditText
 android:id="@+id/et3"
 android:layout width="86dp"
 android:layout height="44dp"
 android:ems="10"
 android:inputType="numberDecimal"
 app:layout constraintBottom toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.606"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.195"
 tools:ignore="SpeakableTextPresentCheck,TouchTargetSizeCheck" />
<EditText
 android:id="@+id/et4"
 android:layout width="86dp"
 android:layout_height="44dp"
 android:ems="10"
 android:inputType="numberDecimal"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.606"
 app:layout constraintStart toStartOf="parent"
 app:layout_constraintTop_toTopOf="parent"
 app:layout_constraintVertical_bias="0.282"
 tools:ignore="SpeakableTextPresentCheck,TouchTargetSizeCheck" />
<EditText
 android:id="@+id/et5"
 android:layout width="86dp"
 android:layout height="44dp"
 android:ems="10"
 android:inputType="numberDecimal"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.606"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.378"
```

</androidx.constraintlayout.widget.ConstraintLayout>

MainActivity3.java

```
package com.mahajant99.collegefourteen;
import static java.lang.Integer.parseInt;
import android.annotation.SuppressLint;
import android.content.Intent:
import android.os.Bundle;
import android.widget.Button;
import android.widget.CheckBox;
import android.widget.EditText;
import android.widget.TextView;
import androidx.appcompat.app.AppCompatActivity;
public class MainActivity3 extends AppCompatActivity {
 CheckBox cb1,cb2,cb3;
 Button b3, b4, b5;
 TextView tv7,tv8,tv9;
 EditText et3, et4, et5;
 @SuppressLint({"MissingInflatedId", "SetTextI18n"})
  @Override
 protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main3);
    cb1 = findViewById(R.id.cb1);
    cb2 = findViewById(R.id.cb2);
    cb3 = findViewById(R.id.cb3);
    b3 = findViewById(R.id.b3);
    b4 = findViewById(R.id.b4);
    b5 = findViewByld(R.id.b5);
    tv7 = findViewById(R.id.tv7);
    tv8 = findViewById(R.id.tv8);
    tv9 = findViewById(R.id.tv9);
    et3 = findViewById(R.id.et3);
    et4 = findViewById(R.id.et4);
    et5 = findViewById(R.id.et5);
```

```
Intent intent = getIntent();
    String cat = intent.getExtras().getString("txt");
    if(cat.equals("Electronics"))
       cb1.setText("Television");
       tv7.setText("90000");
       cb2.setText("Speakers");
       tv8.setText("1500");
       cb3.setText("Laptop");
       tv9.setText("70000");
    else if(cat.equals("Food"))
       cb1.setText("Donut");
       tv7.setText("90");
       cb2.setText("Ladoo");
       tv8.setText("15");
       cb3.setText("Puranpoli");
       tv9.setText("30");
    else if(cat.equals("Books"))
       cb1.setText("Atomic Habits");
       tv7.setText("250");
       cb2.setText("Rich Dad Poor Dad ");
       tv8.setText("300");
       cb3.setText("Mujhe padhna nahi aata");
       tv9.setText("10");
    }
    String[] items = new String[3];
    String[] price = new String[3];
    String[] quant = new String[3];
    String[] tot = new String[4];
    b3.setOnClickListener(v -> {
       if(cb1.isChecked())
          items[0] = cb1.getText().toString();
         price[0] = tv7.getText().toString();
         quant[0] = et3.getText().toString();
         tot[0] =
String.valueOf(parseInt(et3.getText().toString())*parseInt(tv7.getText().toString()));
         tot[3] =
String.valueOf(parseInt(et3.getText().toString())*parseInt(tv7.getText().toString()));
```

```
if(cb2.isChecked())
          if(cb1.isChecked())
            items[1] = cb2.getText().toString();
            price[1] = tv8.getText().toString();
            quant[1] = et4.getText().toString();
            tot[1] =
String.valueOf(parseInt(et4.getText().toString())*parseInt(tv8.getText().toString()));
String.valueOf((parseInt(et4.getText().toString())*parseInt(tv8.getText().toString()))+(parseInt(et3
.getText().toString())*parseInt(tv7.getText().toString())));
          else
          {
            items[0] = cb2.getText().toString();
            price[0] = tv8.getText().toString();
            quant[0] = et4.getText().toString();
            tot[0] =
String.valueOf(parseInt(et4.getText().toString())*parseInt(tv8.getText().toString()));
            tot[3] =
String.valueOf(parseInt(et4.getText().toString())*parseInt(tv8.getText().toString()));
       }
       if(cb3.isChecked())
          if(cb1.isChecked())
            if(cb2.isChecked())
               items[2] = cb3.getText().toString();
               price[2] = tv9.getText().toString();
               quant[2] = et5.getText().toString();
               tot[2] =
String.valueOf(parseInt(et5.getText().toString())*parseInt(tv9.getText().toString()));
               tot[3] =
String.valueOf((parseInt(et4.getText().toString())*parseInt(tv8.getText().toString()))+(parseInt(et3
.getText().toString())*parseInt(tv7.getText().toString()))+(parseInt(et5.getText().toString())*parseI
nt(tv9.getText().toString())));
            }
            else
               items[1] = cb3.getText().toString();
```

```
price[1] = tv9.getText().toString();
                                      quant[1] = et5.getText().toString();
                                      tot[1] =
String.valueOf(parseInt(et5.getText().toString())*parseInt(tv9.getText().toString()));
                                      tot[3] =
String.valueOf(parseInt(et3.getText().toString())*parseInt(tv7.getText().toString())+(parseInt(et5.g
etText().toString())*parseInt(tv9.getText().toString())));
                               }
                        }
                         else if (cb2.isChecked())
                               items[1] = cb3.getText().toString();
                               price[1] = tv9.getText().toString();
                               quant[1] = et5.getText().toString();
                               tot[1] =
String.valueOf(parseInt(et5.getText().toString())*parseInt(tv9.getText().toString()));
                               tot[3] =
String.valueOf((parseInt(et4.getText().toString())*parseInt(tv8.getText().toString()))+(parseInt(et5.getText().toString()))*parseInt(tv8.getText().toString()))+(parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString()))*parseInt(et5.getText().toString())*parseInt(et5.getText().toString())*parseInt(et5.getText().toString())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.getText())*parseInt(et5.g
.getText().toString())*parseInt(tv9.getText().toString())));
                        }
                         else
                         {
                               items[0] = cb3.getText().toString();
                               price[0] = tv9.getText().toString();
                               quant[0] = et5.getText().toString();
                               tot[0] =
String.valueOf(parseInt(et5.getText().toString())*parseInt(tv9.getText().toString()));
                               tot[3] =
String.valueOf(parseInt(et5.getText().toString())*parseInt(tv9.getText().toString()));
                  }
           });
           b4.setOnClickListener(v -> {
                  Intent i = new Intent(MainActivity3.this,MainActivity4.class);
                 i.putExtra("list", items);
                  i.putExtra("list1", price);
                  i.putExtra("list2", quant);
                  i.putExtra("list3", tot);
                  startActivity(i);
           });
           b5.setOnClickListener(v -> {
                  finish();
```

```
});
}
```

activity main4.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
 xmlns:app="http://schemas.android.com/apk/res-auto"
 xmlns:tools="http://schemas.android.com/tools"
 android:layout width="match parent"
 android:layout height="match parent"
 tools:context=".MainActivity4">
<TextView
 android:id="@+id/tv11"
 android:layout_width="113dp"
 android:layout_height="44dp"
 android:text="Product List"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.063"
 app:layout constraintStart toStartOf="parent"
 app:layout_constraintTop_toTopOf="parent"
 app:layout constraintVertical bias="0.04" />
<TextView
 android:id="@+id/tv13"
 android:layout width="113dp"
 android:layout_height="44dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.063"
 app:layout_constraintStart_toStartOf="parent"
 app:layout_constraintTop_toTopOf="parent"
 app:layout_constraintVertical_bias="0.133" />
<TextView
 android:id="@+id/tv14"
 android:layout width="113dp"
 android:layout_height="44dp"
```

```
android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.063"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.221" />
<TextView
 android:id="@+id/tv15"
 android:layout width="113dp"
 android:layout height="44dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.063"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.311" />
<TextView
 android:id="@+id/tv"
 android:layout width="73dp"
 android:layout height="43dp"
 android:text="Unit Price"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.665"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.039" />
<TextView
 android:id="@+id/tv20"
 android:layout width="73dp"
 android:layout_height="43dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.665"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.127" />
```

```
<TextView
 android:id="@+id/tv21"
 android:layout width="73dp"
 android:layout height="43dp"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.665"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.225" />
<TextView
 android:id="@+id/tv22"
 android:layout width="73dp"
 android:layout_height="43dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.665"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.311" />
<TextView
 android:id="@+id/tv12"
 android:layout width="73dp"
 android:layout height="43dp"
 android:text="Total"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.923"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.039" />
<TextView
 android:id="@+id/tv26"
 android:layout width="73dp"
 android:layout height="43dp"
 android:text="Total"
 android:textSize="16dp"
```

```
app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.665"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.409" />
<TextView
 android:id="@+id/tv23"
 android:layout width="73dp"
 android:layout height="43dp"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.923"
 app:layout_constraintStart_toStartOf="parent"
 app:layout_constraintTop_toTopOf="parent"
 app:layout constraintVertical bias="0.13" />
<TextView
 android:id="@+id/tv24"
 android:layout_width="73dp"
 android:layout height="43dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.923"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.225" />
<TextView
 android:id="@+id/tv25"
 android:layout width="73dp"
 android:layout_height="43dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.923"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout_constraintVertical_bias="0.308" />
```

<TextView

```
android:id="@+id/tv27"
 android:layout_width="73dp"
 android:layout height="43dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.923"
 app:layout constraintStart toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.409" />
<TextView
 android:id="@+id/tv10"
 android:layout_width="63dp"
 android:layout height="41dp"
 android:text="Units"
 android:textSize="16dp"
 app:layout constraintBottom toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.416"
 app:layout constraintStart toStartOf="parent"
 app:layout_constraintTop_toTopOf="parent"
 app:layout constraintVertical bias="0.042" />
<TextView
 android:id="@+id/tv17"
 android:layout_width="63dp"
 android:layout height="41dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout_constraintEnd_toEndOf="parent"
 app:layout constraintHorizontal bias="0.416"
 app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
 app:layout constraintVertical bias="0.131" />
<TextView
 android:id="@+id/tv18"
 android:layout_width="63dp"
 android:layout height="41dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout_constraintHorizontal_bias="0.416"
```

```
app:layout constraintStart toStartOf="parent"
 app:layout_constraintTop_toTopOf="parent"
 app:layout constraintVertical bias="0.224" />
<TextView
  android:id="@+id/tv19"
 android:layout width="63dp"
 android:layout height="41dp"
 android:textSize="16dp"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
  app:layout constraintHorizontal bias="0.416"
 app:layout_constraintStart_toStartOf="parent"
  app:layout_constraintTop_toTopOf="parent"
 app:layout constraintVertical bias="0.31" />
<Button
  android:id="@+id/b6"
 android:layout_width="wrap_content"
 android:layout height="wrap content"
  android:text="Buy"
 app:layout_constraintBottom_toBottomOf="parent"
 app:layout constraintEnd toEndOf="parent"
 app:layout constraintHorizontal bias="0.498"
  app:layout_constraintStart_toStartOf="parent"
 app:layout constraintTop toTopOf="parent"
  app:layout_constraintVertical_bias="0.518" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity4.java
package com.mahajant99.collegefourteen;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.widget.Button;
import android.widget.TextView;
import android.widget.Toast;
public class MainActivity4 extends AppCompatActivity {
 TextView tv13, tv14, tv15, tv17, tv18, tv19, tv20, tv21, tv22, tv23, tv24, tv25, tv27;
```

```
Button b6:
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main4);
    tv13 = findViewById(R.id.tv13);
    tv14 = findViewById(R.id.tv14);
    tv15 = findViewById(R.id.tv15);
    tv17 = findViewById(R.id.tv17);
    tv18 = findViewById(R.id.tv18);
    tv19 = findViewById(R.id.tv19);
    tv20 = findViewById(R.id.tv20);
    tv21 = findViewById(R.id.tv21);
    tv22 = findViewByld(R.id.tv22);
    tv23 = findViewById(R.id.tv23);
    tv24 = findViewById(R.id.tv24);
    tv25 = findViewByld(R.id.tv25);
    tv27 = findViewById(R.id.tv27);
    b6 = findViewById(R.id.b6);
    Intent intent = getIntent();
    String[] item = intent.getStringArrayExtra("list");
    String[] prices = intent.getStringArrayExtra("list1");
    String[] quantity = intent.getStringArrayExtra("list2");
    String[] total = intent.getStringArrayExtra("list3");
    tv13.setText(item[0]);
    tv14.setText(item[1]);
    tv15.setText(item[2]);
    tv17.setText(quantity[0]);
    tv18.setText(quantity[1]);
    tv19.setText(quantity[2]);
    tv20.setText(prices[0]);
    tv21.setText(prices[1]);
    tv22.setText(prices[2]);
    tv23.setText(total[0]);
    tv24.setText(total[1]);
    tv25.setText(total[2]);
    tv27.setText(total[3]);
    b6.setOnClickListener(v -> {
       Toast.makeText(getApplicationContext(), "Total Bill = " + tv27.getText(),
Toast.LENGTH SHORT).show();
    });
```

<u>Images</u>



